



# Rollo Premium Top Dressing and Divot Repair Sand

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Revision date: 05/13/2020

Version: 1.0

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Substance  
Trade name : Rollo Premium Top Dressing and Divot Repair Sand  
MSDS Number : ASC00002  
Product group : Commercial product

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/preparation : Sand for top dressing grass areas and repair of divots  
Not for use in sandblasting.

#### 1.3. Details of the supplier of the safety data sheet

Atlanta Sand and Supply Co.  
P.O. Box 27597 Macon, Ga 31221  
866-509-7263 (Customer Service)  
[www.atlantasand.com](http://www.atlantasand.com)

#### 1.4. Emergency telephone number

Emergency number : 866-509-7263  
8:00 AM to 5:00 PM EST  
Monday through Friday

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### GHS-US classification

Carc. 1A H350

STOT SE 3 H335

STOT RE 1 H372

Full text of H-phrases: see section 16

#### 2.2. Label elements

##### GHS-US labelling

Hazard pictograms (GHS-US) :



GHS07

GHS08

Signal word (GHS-US) : Danger

Hazard statements (GHS-US) :  
H319: May cause serious eye and skin irritation.  
H304: May be fatal if swallowed and enters airways  
H335 - May cause respiratory irritation  
H350 - May cause cancer (inhalation)

# Rollo Premium Top Dressing and Divot Repair Sand

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Precautionary statements (GHS-US) :

H372 - Causes damage to organs (lung/respiratory system) through prolonged or repeated exposure (inhalation)

H319: May cause serious eye and skin irritation.

P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing

P312 - Call a POISON CENTER/doctor if you feel unwell

P308+P313 - IF exposed or concerned: Get medical advice/attention P314 - Get medical advice and attention if you feel unwell

P264 - Wash hands and forearms thoroughly after handling P270 - Do not eat, drink, or smoke when using this product P201 - Obtain special instructions before use

P202 - Do not handle until all safety precautions have been read and understood

P280 - Wear eye protection, protective clothing, protective gloves P260 - Do not breathe dust

P271 - Use only outdoors or in a well-ventilated area

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and continue rinsing.

P403+P233 - Store in a well-ventilated place. Keep container tightly closed P405 - Store locked up

P331: Do NOT induce vomiting

P501 - Dispose of contents/container according to local, regional, national, and international regulations

### 2.3. Other hazards

No additional information available

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Name	Product identifier	%	GHS-US classification
Quartz Pigment blend aqueous dispersion	(CAS No.) 14808-60-7	98 – 99% 1%	Carc. 1A, H350 STOT SE 3, H335 STOT RE 1, H372

Full text of H-phrases: see section 16

### 3.2. Mixtures

Not applicable

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

First-aid measures general : If medical advice is needed, have product container or label at hand.

First-aid measures after inhalation : If inhaled, remove to fresh air and keep at rest in a position comfortable for breathing. Obtain medical attention if breathing difficulty persists.

First-aid measures after skin contact : Rinse immediately with plenty of water. Gently wash with plenty of soap and water. Obtain medical attention if irritation persists.

First-aid measures after eye contact : Immediately rinse with water for a prolonged period while holding the eyelids wide open. Seek medical attention if material is embedded in eye. If eye irritation persists: Get medical advice and attention.

First-aid measures after ingestion : If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.

# Rollo Premium Top Dressing and Divot Repair Sand

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries	: Repeated or prolonged inhalation may damage lungs.
Symptoms/injuries after inhalation	: May cause irritation to the respiratory tract, sneezing, coughing, burning sensation of throat with constricting sensation of the larynx and difficulty in breathing.
Symptoms/injuries after skin contact	: Prolonged contact with large amounts of dust may cause mechanical irritation. Dust may cause irritation in skin folds or by contact in combination with tight clothing.
Symptoms/injuries after eye contact	: Redness, pain.
Symptoms/injuries after ingestion	: Abdominal pain.
Chronic symptoms	: Respiratory difficulties. May cause cancer.

### 4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media	: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Unsuitable extinguishing media	: None known.

### 5.2. Special hazards arising from the substance or mixture

Fire hazard	: Minimal
Explosion hazard	: No explosion hazards.
Reactivity	: Hazardous reactions will not occur under normal conditions.

### 5.3. Advice for firefighters

Precautionary measures fire	: Fight fire with normal precautions from a reasonable distance.
Firefighting instructions	: None
Protection during firefighting	: Wear self contained breathing apparatus for fire fighting if necessary.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

General measures	: Do not breathe dust. Avoid generation of dust during clean-up of spills. Recover the product by vacuuming, shoveling or sweeping. Vacuum must be fitted with HEPA filter to prevent release of particulates during clean-up.
------------------	--

#### 6.1.1. For non-emergency personnel

Protective equipment	: Wear suitable protective clothing, gloves and eye/face protection. Use recommended respiratory protection.
Emergency procedures	: Collect as any solid.

#### 6.1.2. For emergency responders

No additional information available

### 6.2. Environmental precautions

No additional information available

### 6.3. Methods and material for containment and cleaning up

# Rollo Premium Top Dressing and Divot Repair Sand

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Methods for cleaning up : Avoid generation of dust during clean-up of spills. Recover the product by vacuuming, shoveling or sweeping. Vacuum must be fitted with HEPA filter to prevent release of particulates during clean-up.

### 6.4. Reference to other sections

No additional information available

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Additional hazards when processed : Do not breathe dust.  
Precautions for safe handling : Avoid creating or spreading dust.  
Hygiene measures : Handle in accordance with good industrial hygiene and safety procedures. Always wash your hands immediately after handling this product, and once again before leaving the workplace. Do not eat, drink or smoke in areas where product is used.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a dry, cool place. Keep container tightly closed.  
Incompatible materials : In finely divided state: reacts with (strong) oxidizers such as: hydrofluoric acid, chlorine trifluoride, oxygen difluoride, fluorine.  
Storage area : Store in dry, cool area.  
Special rules on packaging : Keep container closed when not in use.

### 7.3. Specific enduse(s)

Sand for specialty applications


## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

Quartz (14808-60-7)		
USA ACGIH	ACGIH TWA (mg/m <sup>3</sup> )	0.025 mg/m <sup>3</sup>
USA IDLH	US IDLH (mg/m <sup>3</sup> )	50 mg/m <sup>3</sup>
USA NIOSH	NIOSH REL (TWA) (mg/m <sup>3</sup> )	0.05 mg/m <sup>3</sup>
USA OSHA	OSHA PEL (TWA) (mg/m <sup>3</sup> ) (Mineral Dust)	(30)/(%) SiO <sub>2</sub> + 2) mg/m <sup>3</sup> - total dust (10)/(%) SiO <sub>2</sub> + 2) mg/m <sup>3</sup> - respirable fraction

### 8.2. Exposure controls

Appropriate engineering controls : Ensure adequate ventilation, especially in confined areas. Avoid dust production.  
Personal protective equipment : In case of dust production: dustproof clothing. In case of dust production: protective goggles. Insufficient ventilation: wear respiratory protection. High dust production: self-contained breathing apparatus.



Hand protection : Impermeable protective gloves.  
Eye protection : Protective goggles.

# Rollo Premium Top Dressing and Divot Repair Sand

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Skin and body protection	: Handle in accordance with good industrial hygiene and safety practice. Always wash your hands immediately after handling this product, and once again before leaving the workplace. Wear suitable protective clothing. Wash contaminated clothing before reuse.
Respiratory protection	: Use NIOSH-approved air-purifying or supplied-air respirator where airborne concentrations of dust are expected to exceed exposure limits.
Consumer exposure controls	: Do not breathe dust. Wear recommended personal protective equipment.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Solid
Appearance	: Crystalline solid Green
Color	: Green
Odor	: Slight Chemical Odor
Odor threshold	: No data available
pH	: 8.0 – 10.5
Relative evaporation rate (butyl acetate=1)	: No data available
Melting point	: 1710 °C (3110 °F)
Freezing point	: No data available
Boiling point	: 2230 °C (4046 °F)
Flash point	: No data available
Self ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapor pressure	: No data available
Relative vapor density at 20 °C	: No data available
Relative density	: No data available
Density	: 2.65 (approximately)
Solubility	: Water: Insoluble
Log Pow	: No data available
Log Kow	: No data available
Viscosity	: No data available
Explosive properties	: None known.
Oxidizing properties	: None known.
Explosive limits	: No data available

### 9.2. Other information

No additional information available

# Rollo Premium Top Dressing and Divot Repair Sand

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

Hazardous reactions will not occur under normal conditions.

#### 10.2. Chemical stability

Stable under normal temperature and pressure.

#### 10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

#### 10.4. Conditions to avoid

None known.

#### 10.5. Incompatible materials

Avoid strong oxidizers.

#### 10.6. Hazardous decomposition products

Quartz (silica) will dissolve in hydrofluoric acid producing a corrosive gas, silicon tetrafluoride.

### SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

Acute toxicity : Not classified

Skin corrosion/irritation : irritant

Serious eye damage/irritation : irritant

Respiratory or skin sensitization : Irritant

Germ cell mutagenicity : Not classified

Carcinogenicity : May cause cancer (inhalation).

Quartz (14808-60-7)	
IARC group	Group 1
National Toxicity Program (NTP) Status	Known Human Carcinogen

Reproductive toxicity : Not classified

Specific target organ toxicity (single exposure) : May cause respiratory irritation.

Specific target organ toxicity (repeated exposure) : Causes damage to organs (lung/respiratory system) through prolonged or repeated exposure (inhalation).

Silica Sand, All Grades (14808-60-7)	
Additional information	Repeated or prolonged exposure to respirable crystalline silica dust will cause lung damage in the form of silicosis. Symptoms will include progressively more difficult breathing, cough, fever, and weight loss. Acute silicosis can be fatal.

Aspiration hazard : Not classified

### SECTION 12: Ecological information

#### 12.1. Toxicity

No additional information available

# Rollo Premium Top Dressing and Divot Repair Sand

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### 12.2. Persistence and degradability

Rollo Premium Top Dressing and Divot Repair Sand	
Persistence and degradability	Not readily biodegradable.

### 12.3. Bioaccumulative potential

Rollo Premium Top Dressing and Divot Repair Sand	
Bioaccumulative potential	Not expected to bioaccumulate.

### 12.4. Mobility in soil

No additional information available

### 12.5. Other adverse effects

No additional information available

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Regional legislation (waste) : Disposal must be done according to official regulations.  
Waste disposal recommendations : Non hazardous waste.

## SECTION 14: Transport information

In accordance with DOT / TDG / ADR / RID / ADN / IMDG / ICAO / IATA

### 14.1. UN number

No dangerous good in sense of transport regulations.

### 14.2. UN proper shipping name

Not applicable

### 14.2 Additional information

Other information : No supplementary information available.

### Overland transport

No additional information available

### Transport by sea

No additional information available

### Air transport

No additional information available

## SECTION 15: Regulatory information

### 15.1. US Federal regulations

Silica Sand, All Grades (14808-60-7)	
SARA Section 311/312 Hazard Classes	Immediate (acute) health hazard Delayed (chronic) health hazard

### Quartz (14808-60-7)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

### 15.2. International regulations

#### CANADA

# Rollo Premium Top Dressing and Divot Repair Sand

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### Quartz (14808-60-7)

Listed on the Canadian DSL (Domestic Substances List) inventory.

WHMIS Classification

Class D Division 2 Subdivision A - Very toxic material causing other toxic effects

### 15.2.2. National regulations

#### Quartz (14808-60-7)

Listed on IARC (International Agency for Research on Cancer)

Listed as carcinogen on NTP (National Toxicology Program)

### 15.3. US State regulations

#### Quartz (14808-60-7)

U.S. - California - Proposition 65 – Carcinogen

**WARNING!** This product contains Quartz, a substance known to the State of California to cause cancer.

U.S. - Hawaii - Occupational Exposure Limits - TWAs

U.S. - Idaho - Non-Carcinogenic Toxic Air Pollutants - Acceptable Ambient Concentrations

U.S. - Idaho - Non-Carcinogenic Toxic Air Pollutants - Emission Levels (ELs)

U.S. - Idaho - Occupational Exposure Limits - Mineral Dusts

U.S. - Illinois - Toxic Air Contaminant Carcinogens

U.S. - Maine - Chemicals of High Concern

U.S. - Massachusetts - Right To Know List

U.S. - Michigan - Occupational Exposure Limits - TWAs

U.S. - Minnesota - Chemicals of High Concern

U.S. - Minnesota - Hazardous Substance List

U.S. - Minnesota - Permissible Exposure Limits - TWAs

U.S. - New Hampshire - Regulated Toxic Air Pollutants - Ambient Air Levels (AALs) - 24-Hour

U.S. - New Hampshire - Regulated Toxic Air Pollutants - Ambient Air Levels (AALs) - Annual

U.S. - New Jersey - Right to Know Hazardous Substance List

U.S. - New Jersey - Special Health Hazards Substances List

U.S. - Oregon - Permissible Exposure Limits - Mineral Dusts

U.S. - Pennsylvania - RTK (Right to Know) List

U.S. - Tennessee - Occupational Exposure Limits - TWAs

U.S. - Texas - Effects Screening Levels - Long Term

U.S. - Texas - Effects Screening Levels - Short Term

U.S. - Vermont - Permissible Exposure Limits - TWAs

U.S. - Washington - Permissible Exposure Limits - STELs

U.S. - Washington - Permissible Exposure Limits - TWAs

# Rollo Premium Top Dressing and Divot Repair Sand

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### SECTION 16: Other information

- NFPA health hazard : 2 - Intense or continued exposure could cause temporary incapacitation or possible residual injury unless prompt medical attention is given.
- NFPA fire hazard : 0 - Materials that will not burn.
- NFPA reactivity : 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.

#### HMIS III Rating

- Health : 2\* Moderate Hazard - Temporary or minor injury may occur
- Flammability : 0 Minimal Hazard
- Physical : 0 Minimal Hazard
- Personal Protection : E

Full text of H-phrases:

Carc. 1A	Carcinogenicity Category 1A
STOT RE 1	Specific target organ toxicity (repeated exposure) Category 1
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H335	May cause respiratory irritation
H350	May cause cancer
H372	Causes damage to organs through prolonged or repeated exposure

SDS US (GHS HazCom 2012)

*The above information is believed to be accurate based on the most current data available and current as of the date of this Safety Data Sheet and is offered in good faith. Atlanta Sand and Supply Co. makes no warranty, either expressed or implied, with respect to such information, and assumes no liability resulting from its use. Since the use of this information and of these opinions and the conditions of the use of the product are not within the control of Atlanta Sand and Supply Co., it is the users obligation to determine the conditions of safe use of the product and the suitability of each product or product combination for their own purposes. Atlanta Sand and Supply Co. shall not be liable for claims, losses or damages of any third party or for lost profits or incidental or consequential damages.*