



*Signature* SERIES

Page 1 of 10



**GATOR NATURAL LOOK SEALER SIGNATURE SERIES  
FOR DRY CAST CONCRETE PAVERS, WALLS, MASONRY AND NATURAL STONES**

SDS Revision Date (dd/mm/yyyy): 09/09/2016

# SAFETY DATA SHEET

## SECTION 1 - IDENTIFICATION

Product name : Natural Look Sealer Signature Series  
Product code : N/A  
Other means of identification : Fluoroalkyl acrylate copolymer emulsion

### Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Coatings: Sealants  
Supplier : Alliance Designer Products Inc.  
225 Blvd Bellerose West  
Laval, Quebec  
Canada  
H7L 6A1  
www.alliancegator.com  
24 hour Emergency Phone : Canada : 1-613-996-6666 (Canutec)  
United States : 1-800-424-9300 (Chemtrec)

## SECTION 2 - HAZARDS IDENTIFICATION

OSHA/HCS status : While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.

Classification of the substance or mixture : Not classified.

GHS label elements :

Signal word : No signal word.

Hazard statements : No known significant effects or critical hazards.

Precautionary statements

## SECTION 3 - COMPOSITION/INFORMATION ON INGREDIENTS

Substance/mixture: Mixture

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.



**Alliance Designer Products Inc.**  
225 Blvd. Bellerose West, Laval, Quebec, Canada H7L 6A1  
Tel.: 450 624-1611 Fax : 450 624-1622 Toll free : 1 866-212-1611  
www.alliancegator.com - Email : info@alliancegator.com



## GATOR NATURAL LOOK SEALER SIGNATURE SERIES FOR DRY CAST CONCRETE PAVERS, WALLS, MASONRY AND NATURAL STONES

SDS Revision Date (dd/mm/yyyy): 09/09/2016

### SECTION 4 - FIRST AID MEASURES

#### DESCRIPTION OF NECESSARY FIRST AID MEASURES

|                |                                                                                                                                                                                                                                                                                                                                             |
|----------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Eye contact :  | Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.                                                                                                                                                         |
| Inhalation :   | Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.                                                                                                                                                                                                               |
| Skin contact : | Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.                                                                                                                                                                                                              |
| Ingestion :    | Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur. |

#### MOST IMPORTANT SYMPTOMS/EFFECTS, ACUTE AND DELAYED

##### POTENTIAL ACUTE HEALTH EFFECTS

|                |                                                   |
|----------------|---------------------------------------------------|
| Eye contact :  | No known significant effects or critical hazards. |
| Inhalation :   | No known significant effects or critical hazards. |
| Skin contact : | No known significant effects or critical hazards. |
| Ingestion :    | No known significant effects or critical hazards. |

##### OVER-EXPOSURE SIGNS/SYMPTOMS

|               |                   |
|---------------|-------------------|
| Eye contact:  | No specific data. |
| Inhalation:   | No specific data. |
| Skin contact: | No specific data. |
| Ingestion:    | No specific data. |

#### INDICATION OF IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED, IF NECESSARY

|                              |                                                                                                                           |
|------------------------------|---------------------------------------------------------------------------------------------------------------------------|
| Notes to physician :         | Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. |
| Specific treatments :        | No specific treatment.                                                                                                    |
| Protection of first-aiders : | No action shall be taken involving any personal risk or without suitable training.                                        |

#### SEE TOXICOLOGICAL INFORMATION (SECTION 11)

### SECTION 5 - FIRE FIGHTING MEASURES

#### EXTINGUISHING MEDIA

|                                  |                                                               |
|----------------------------------|---------------------------------------------------------------|
| Suitable extinguishing media :   | Use an extinguishing agent suitable for the surrounding fire. |
| Unsuitable extinguishing media : | None known.                                                   |

|                                              |                                                                                     |
|----------------------------------------------|-------------------------------------------------------------------------------------|
| Specific hazards arising from the chemical : | In a fire or if heated, a pressure increase will occur and the container may burst. |
|----------------------------------------------|-------------------------------------------------------------------------------------|

|                                            |                   |
|--------------------------------------------|-------------------|
| Hazardous thermal decomposition products : | No specific data. |
|--------------------------------------------|-------------------|



## GATOR NATURAL LOOK SEALER SIGNATURE SERIES FOR DRY CAST CONCRETE PAVERS, WALLS, MASONRY AND NATURAL STONES

SDS Revision Date (dd/mm/yyyy): 09/09/2016

### SECTION 5 - FIRE FIGHTING MEASURES (CONT.)

#### Special protective actions for fire-fighters :

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

#### Special protective equipment for fire-fighters :

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

### SECTION 6 - ACCIDENTAL RELEASE MEASURES

#### PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

##### For non-emergency personnel :

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.

##### For emergency responders :

If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

##### Environmental precautions :

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

### METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP

#### Small spill :

Stop leak if without risk. Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

#### Large spill :

Stop leak if without risk. Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

### SECTION 7 - HANDLING AND STORAGE

#### PRECAUTIONS FOR SAFE HANDLING

##### Protective measures :

Put on appropriate personal protective equipment (see Section 8).

##### Advice on general occupational hygiene :

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.



## GATOR NATURAL LOOK SEALER SIGNATURE SERIES FOR DRY CAST CONCRETE PAVERS, WALLS, MASONRY AND NATURAL STONES

SDS Revision Date (dd/mm/yyyy): 09/09/2016

### SECTION 7 - HANDLING AND STORAGE (CONT.)

Conditions for safe storage,  
including any incompatibilities :

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

### SECTION 8 - EXPOSURE CONTROLS AND PERSONAL PROTECTION

#### CONTROL PARAMETERS

Occupational exposure limits

Ingredient name

Exposure limits

None.

**Appropriate engineering controls :** Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

**Environmental exposure controls :**

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

#### INDIVIDUAL PROTECTION MEASURES

Hygiene measures :

Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

**Eye/face protection :**

Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields. Recommended: safety glasses with side-shields.

#### SKIN PROTECTION

**Hand protection :**

Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. > 8 hours (breakthrough time): butyl rubber

**Body protection :**

Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Recommended: lab coat

**Other skin protection :**

Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.



## GATOR NATURAL LOOK SEALER SIGNATURE SERIES FOR DRY CAST CONCRETE PAVERS, WALLS, MASONRY AND NATURAL STONES

SDS Revision Date (dd/mm/yyyy): 09/09/2016

### SECTION 8 - EXPOSURE CONTROLS AND PERSONAL PROTECTION (CONT.)

**Respiratory protection :** Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

### SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

#### APPEARANCE

|                       |                                        |
|-----------------------|----------------------------------------|
| Physical state :      | Liquid.                                |
| Colour :              | Yellowish-brown.                       |
| Odour :               | Acetic acid.                           |
| pH :                  | 2.9 to 5.9                             |
| Melting point :       | 4°C (39.2°F)                           |
| Boiling point :       | 100°C (212°F)                          |
| Flash point :         | [Product does not sustain combustion.] |
| Evaporation rate :    | Not available.                         |
| Vapor pressure :      | Not available.                         |
| Vapor density :       | Not available.                         |
| Relative density :    | 1                                      |
| Solubility in water : | Not available.                         |
| Viscosity :           | Not available.                         |
| VOC :                 | Not available.                         |

### SECTION 10 - STABILITY AND REACTIVITY

|                                             |                                                                                                      |
|---------------------------------------------|------------------------------------------------------------------------------------------------------|
| <b>Reactivity :</b>                         | No specific test data related to reactivity available for this product or its ingredients.           |
| <b>Chemical stability :</b>                 | The product is stable.                                                                               |
| <b>Possibility of hazardous reactions :</b> | Under normal conditions of storage and use, hazardous reactions will not occur.                      |
| <b>Conditions to avoid :</b>                | No specific data.                                                                                    |
| <b>Incompatible materials:</b>              | No specific data.                                                                                    |
| <b>Hazardous decomposition products :</b>   | Under normal conditions of storage and use, hazardous decomposition products should not be produced. |

### SECTION 11 - TOXICOLOGICAL INFORMATION

#### INFORMATION ON TOXICOLOGICAL EFFECTS

##### ACUTE TOXICITY

Not available.

##### IRRITATION/CORROSION

Not available.

##### SENSITIZATION

##### Mutagenicity

| Product/ingredient name | Experiment | Result |
|-------------------------|------------|--------|
| Not available.          |            |        |



*Signature* SERIES

Page 6 of 10



## **GATOR NATURAL LOOK SEALER SIGNATURE SERIES FOR DRY CAST CONCRETE PAVERS, WALLS, MASONRY AND NATURAL STONES**

SDS Revision Date (dd/mm/yyyy): 09/09/2016

### **SECTION 11 - TOXICOLOGICAL INFORMATION (CONT.)**

#### **CARCINOGENICITY**

| Product/ingredient name | Result | Species | Dose | Exposure |
|-------------------------|--------|---------|------|----------|
| Not available.          |        |         |      |          |

#### **REPRODUCTIVE TOXICITY**

| Product/ingredient name | Maternal toxicity | Fertility | Development toxin | Species | Dose | Exposure |
|-------------------------|-------------------|-----------|-------------------|---------|------|----------|
| Not available.          |                   |           |                   |         |      |          |

#### **TERATOGENICITY**

Not available.

#### **SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE)**

Not available.

#### **SPECIFIC TARGET ORGAN TOXICITY (REPEATED EXPOSURE)**

Not available.

#### **ASPIRATION HAZARD**

| Name           | Result |
|----------------|--------|
| Not available. |        |

#### **POTENTIAL ACUTE HEALTH EFFECTS**

|                     |   |                                                   |
|---------------------|---|---------------------------------------------------|
| <b>Eye contact</b>  | : | No known significant effects or critical hazards. |
| <b>Inhalation</b>   | : | No known significant effects or critical hazards. |
| <b>Skin contact</b> | : | No known significant effects or critical hazards. |
| <b>Ingestion</b>    | : | No known significant effects or critical hazards. |

#### **SYMPTOMS RELATED TO THE PHYSICAL, CHEMICAL AND TOXICOLOGICAL CHARACTERISTICS**

|                     |   |                   |
|---------------------|---|-------------------|
| <b>Eye contact</b>  | : | No specific data. |
| <b>Inhalation</b>   | : | No specific data. |
| <b>Skin contact</b> | : | No specific data. |
| <b>Ingestion</b>    | : | No specific data. |

#### **DELAYED AND IMMEDIATE EFFECTS AND ALSO CHRONIC EFFECTS FROM SHORT AND LONG TERM EXPOSURE**

##### **SHORT TERM EXPOSURE**

|                                    |   |                |
|------------------------------------|---|----------------|
| <b>Potential immediate effects</b> | : | Not available. |
| <b>Potential delayed effects</b>   | : | Not available. |

##### **LONG TERM EXPOSURE**

|                                    |   |                |
|------------------------------------|---|----------------|
| <b>Potential immediate effects</b> | : | Not available. |
| <b>Potential delayed effects</b>   | : | Not available. |



## GATOR NATURAL LOOK SEALER SIGNATURE SERIES FOR DRY CAST CONCRETE PAVERS, WALLS, MASONRY AND NATURAL STONES

SDS Revision Date (dd/mm/yyyy): 09/09/2016

### SECTION 11 - TOXICOLOGICAL INFORMATION (CONT.)

#### POTENTIAL CHRONIC HEALTH EFFECTS

**Conclusion / Summary** Skin and eye irritation is possible from prolonged or repeated contact. Over-exposure by inhalation may cause respiratory irritation. At 200°C, hydrogen fluoride and other toxic fluorinated compounds may be produced; inhalation of these compounds may result in serious lung irritation, pulmonary edema, kidneys and liver damage.

**General** : No known significant effects or critical hazards.  
**Carcinogenicity** : No known significant effects or critical hazards.  
**Mutagenicity** : No known significant effects or critical hazards.  
**Teratogenicity** : No known significant effects or critical hazards.  
**Developmental effects** : No known significant effects or critical hazards.  
**Fertility effects** : No known significant effects or critical hazards.

#### NUMERICAL MEASURES OF TOXICITY

##### ACUTE TOXICITY ESTIMATES

Not available.

### SECTION 12 - ECOLOGICAL INFORMATION

#### TOXICITY

Not available.

#### PERSISTENCE AND DEGRADABILITY

Not available.

#### BIOACCUMULATIVE POTENTIAL

Not available.

#### MOBILITY IN SOIL

**Other adverse effects** : No known significant effects or critical hazards.

### SECTION 13 - DISPOSAL CONSIDERATIONS

**Disposal methods** : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Vapor from product residues may create a highly flammable or explosive atmosphere inside the container. Do not cut, weld or grind used containers unless they have been cleaned thoroughly internally. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.



# Signature SERIES

Page 8 of 10



## GATOR NATURAL LOOK SEALER SIGNATURE SERIES FOR DRY CAST CONCRETE PAVERS, WALLS, MASONRY AND NATURAL STONES

SDS Revision Date (dd/mm/yyyy): 09/09/2016

### SECTION 14 - TRANSPORT INFORMATION

|                             | DOT Classification | TGD Classification | IMDG          | IATA          |
|-----------------------------|--------------------|--------------------|---------------|---------------|
| UN number                   | Not regulated      | Not regulated      | Not regulated | Not regulated |
| UN proper shipping name     | -                  | -                  | -             | -             |
| Transport hazard class (es) | -                  | -                  | -             | -             |
| Packing group               | -                  | -                  | -             | -             |
| Environmental hazards       | No.                | No.                | No.           | No.           |
| Additional information      | -                  | -                  | -             | -             |

**Special precautions for user** : **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code** : Not available.

### SECTION 15 - REGULATORY INFORMATION

#### CALIFORNIA PROP. 65

Not available.

| Ingredient name | Cancer | Reproductive | No significant risk level | Maximum acceptable dosage level |
|-----------------|--------|--------------|---------------------------|---------------------------------|
|-----------------|--------|--------------|---------------------------|---------------------------------|

**U.S. Federal regulations** : **TSCA 5(e) substance consent order:** Fluoroalkyl acrylate copolymer.  
**TSCA 12(b) annual export notification:** Fluoroalkyl acrylate copolymer.

**United States inventory (TSCA 8b)** : All components are listed or exempted.

**Clean Air Act Section 112(b) Hazardous Air Pollutants (HAPs)** : Not listed  
**Clean Air Act Section 602 Class I Substances** :  
**Clean Air Act Section 602 Class II Substances** : Not listed  
**DEA List I Chemicals (Precursor Chemicals)** : Not listed  
**DEA List II Chemicals (Essential Chemicals)** : Not listed

#### SARA 302/304

#### COMPOSITION/INFORMATION ON INGREDIENTS

No products were found.



**Alliance Designer Products Inc.**  
 225 Blvd. Bellerose West, Laval, Quebec, Canada H7L 6A1  
 Tel.: 450 624-1611 Fax : 450 624-1622 Toll free : 1 866-212-1611  
 www.alliancegator.com - Email : info@alliancegator.com



*Signature* SERIES

Page 9 of 10



## GATOR NATURAL LOOK SEALER SIGNATURE SERIES FOR DRY CAST CONCRETE PAVERS, WALLS, MASONRY AND NATURAL STONES

SDS Revision Date (dd/mm/yyyy): 09/09/2016

### SECTION 15 - REGULATORY INFORMATION (CONT.)

SARA 304 RQ : Not applicable.

SARA 311/312

Classification : Not applicable.

### COMPOSITION/INFORMATION ON INGREDIENTS

No products were found.

### STATE REGULATIONS

Massachusetts : None of the components are listed.

New York : None of the components are listed.

New Jersey : None of the components are listed.

Pennsylvania : None of the components are listed.

### INTERNATIONAL LISTS

### NATIONAL INVENTORY

Australia : All components are listed or exempted.

Canada : All components are listed or exempted.

Europe : All components are listed or exempted.


### SECTION 16 - OTHER INFORMATION

#### HAZARDOUS MATERIAL INFORMATION SYSTEM (U.S.A.)

|                  |   |
|------------------|---|
| HEALTH           | 1 |
| FLAMMABILITY     | 0 |
| PHYSICAL HAZARDS | 0 |

The customer is responsible for determining the PPE code for this material.

#### NATIONAL FIRE PROTECTION ASSOCIATION (U.S.A.)





*Signature* SERIES

Page 10 of 10



**GATOR NATURAL LOOK SEALER SIGNATURE SERIES  
FOR DRY CAST CONCRETE PAVERS, WALLS, MASONRY AND NATURAL STONES**

SDS Revision Date (dd/mm/yyyy): 09/09/2016

**SECTION 16 -OTHER INFORMATION (CONT.)**

**HISTORY**

|                                |   |                                              |
|--------------------------------|---|----------------------------------------------|
| Date of issue/Date of revision | : | 09/09/2016.                                  |
| Date of previous issue version | : | 20/07/2015.                                  |
| References                     | : | - Manufacturer's Material Safety Data Sheet. |

**NOTICE TO READER**

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.