

## OUTDOOR AIR BLOWERS



### The Silencer®

The **Silencer**\* is our most popular outdoor-rated air blower for one simple reason. It's quiet! Turn on your **Silencer**\* day or night, and you won't disturb the neighbors or ruin your relaxing spa experience. The secret is the unique rubber motor mount which encases the fan housing while allowing the motor to vibrate freely on a flexible rubber base. In addition, the air enters in through the bottom of the blower creating a tortuous path for both air and sound. This combination eliminates the noise so well that most pool builders choose the **Silencer**\* over any other outdoor rated air blower.

Spring Check Valve Included

Included with each **Silencer**\* is a durable spring check valve. Spring loaded check valves are much more effective at protecting the motor from water damage, which means fewer service calls.

One Year Warranty

Air Supply offers a one year over the counter warranty on the **Silencer**\*. If the blower fails for any reason during the first year, return it to your authorized distributor for a new replacement.\*

#### **New Motor Design**

New, more efficient motors dramatically improve performance while running cooler and quieter than ever before. Available in 1.0 hp, 1.5 hp, and 2.0 hp in both 120 V and 240 V, 50 / 60 cycle. All motors are thermally protected.

Air Supply is committed to quality and service. For technical information, or blower sizing call us at our toll-free number, **1-800-848-3077**.

Dimensions:
9" I x 9" w x 10.5" h
Blower Outlet:
Friction fit for 2" PVC pipe, or fittings







Durable spring check valve included with each Silencer®



Air inlet at the bottom of the Silencer\* creates a tortuous path, trapping noise inside the blower

### Silencer Outdoor Air Blower, The Name That Says It All

| HP  | AMPS | Voltage   | Air-Flow<br>(CFM) | Sealed Pressure<br>Inches of H20 |
|-----|------|-----------|-------------------|----------------------------------|
| 1.0 | 4.5  | 110 / 120 | 105               | 65                               |
| 1.0 | 2.5  | 220 / 240 | 105               | 70                               |
| 1.5 | 8.0  | 110 / 120 | 115               | 105                              |
| 1.5 | 4.5  | 220 / 240 | 115               | 105                              |
| 2.0 | 11.0 | 110 / 220 | 115               | 130                              |
| 2.0 | 5.5  | 220 / 240 | 115               | 120                              |

## OUTDOOR AIR BLOWERS



## **Galaxy Supreme**

A premium quality blower designed for easy installation and quiet performance.

#### The Galaxy offers:

- · Versatility for top or side mount discharge
- Tapered slip fittings for 2" PVC pipe
- Acoustical Anti-Vibration Motor mounts to ensure quiet operation
- Super high-impact strength, particularly at low temperatures
- Non-breakable Noryl Plastic
- · Thermally protected motors
- · Indoor or outdoor use
- New flapper valve included with each blower stops water surge
- New concave design seals better, lasts longer
- For residential use





| HP  | AMPS | Voltage   | Air-Flow<br>(CFM) | Sealed Pressure<br>Inches of H20 |
|-----|------|-----------|-------------------|----------------------------------|
| 1.0 | 6.8  | 110 / 120 | 110               | 60                               |
| 1.0 | 4.0  | 220 / 240 | 110               | 65                               |
| 1.5 | 8.0  | 110 / 120 | 115               | 95                               |
| 1.5 | 4.5  | 220 / 240 | 115               | 95                               |
| 2.0 | 9.0  | 110 / 120 | 128               | 110                              |
| 2.0 | 5.6  | 220 / 240 | 112               | 105                              |



### **Astro**

All aluminum residential air blower. 8" I x 8" w x 11" h

The Astro offers:

- Bottom or side discharge
  - · Thermally protected motors
    - Indoor or outdoor use
      - · Easy installation and serviceability





| HP  | AMPS | Voltage   | (CFM) | Inches of H20 |
|-----|------|-----------|-------|---------------|
| 1.0 | 6.8  | 110 / 120 | 110   | 60            |
| 1.0 | 4.0  | 220 / 240 | 110   | 65            |
| 1.5 | 8.0  | 110 / 120 | 115   | 95            |
| 1.5 | 4.5  | 220 / 240 | 115   | 95            |
| 2.0 | 9.0  | 110 / 120 | 128   | 110           |
| 2.0 | 5.6  | 220 / 240 | 112   | 105           |

## PORTABLE SPA BLOWERS



### **Max Air**

New High Performance motor runs cooler and quieter. Noise levels as low as 65 decibels. Small and compact, ideal for bathtubs: 9" I x 6.5" w x 6.75" h. 1.5" tapered fitting on outlet. Available options include: air or electronic 3- speed control, and heater. The revolutionary new motor dramatically improves performance while running cooler and quieter. Unique housing design with bottom air inlet creates a tortuous path, trapping noise inside the blower for ultra quiet performance. Small profile with easy access mounting tabs makes installation a snap. Certified through Underwriters Laboratory, Canadian Standards, and TUV Rheinland.



Air enters through the bottom of the Max Air blower creating a tortuous path, trapping noise inside the blower

| НР  | AMPS | Voltage   | Air-Flow<br>(CFM) | Sealed Pressure<br>Inches of H20 |
|-----|------|-----------|-------------------|----------------------------------|
| 1.0 | 4.5  | 110 / 120 | 105               | 65                               |
| 1.0 | 2.5  | 220 / 240 | 105               | 70                               |
| 1.5 | 7.4  | 110 / 120 | 112               | 95                               |
| 1.5 | 3.2  | 220 / 240 | 112               | 95                               |
| 2.0 | 10.0 | 110 / 120 | 115               | 125                              |
| 2.0 | 5.5  | 220 / 240 | 115               | 120                              |

\*Inches of water

### Ultra 9000

## **Superior Performance at Just a Whisper**

A highly advanced super quiet blower designed for O.E.M., and portable spas. 7" I x 7" w x 9.25" h

#### The Ultra 9000 offers:

- Completely redesigned intake manifold to eliminate small objects and debris from entering blower and causing failure
- A unique rubber motor mount which absorbs noise and vibration
- Available with 3 speeds, and heater
- A 2" tapered slip fitting eliminating the need for glue or clamps

| НР  | AMPS | Voltage   | Air-Flow<br>(CFM) | Sealed Pressure<br>Inches of H20 |
|-----|------|-----------|-------------------|----------------------------------|
| 1.0 | 4.5  | 110 / 120 | 105               | 65                               |
| 1.0 | 2.5  | 220 / 240 | 105               | 70                               |
| 1.5 | 7.4  | 110 / 120 | 112               | 95                               |
| 1.5 | 3.2  | 220 / 240 | 112               | 95                               |
| 2.0 | 10.0 | 110 / 120 | 115               | 125                              |
| 2.0 | 5.5  | 220 / 240 | 115               | 120                              |

\*Inches of water



## PORTABLE SPA BLOWERS







### **Comet 2000**

A highly advanced, super-quiet blower designed for 0.E.M., and portable spas.  $7" \mid x \mid 7" \mid x \mid 1.75" \mid h$ 

#### The Comet 2000 offers:

- 2" tapered slip fitting on both inlet and outlet on bottom of blower
- Thermally protected motors to prevent burnout
- Compact design and multi-position mounting tabs to minimize space requirements
- High impact resistance at both high and low temperatures, giving longer product life
- Choose from a wide variety of cord options
- · U.R. Recognized, C.S.A. Approved

| НР  | AMPS | Voltage   | Air-Flow<br>(CFM) | Sealed Pressure<br>Inches of H20 |
|-----|------|-----------|-------------------|----------------------------------|
| 1.0 | 4.5  | 110 / 120 | 105               | 65                               |
| 1.0 | 2.5  | 220 / 240 | 105               | 70                               |
| 1.5 | 7.4  | 110 / 120 | 112               | 95                               |
| 1.5 | 3.2  | 220 / 240 | 112               | 95                               |
| 2.0 | 10.0 | 110 / 120 | 115               | 125                              |
| 2.0 | 5.5  | 220 / 240 | 115               | 120                              |

\*Inches of water

### Max Air Jr.

The **Max Air Jr.** is our smallest blower. It measures only 5.5" in diameter by 9.9" in length. The **Max Air Jr.** is ideal for tight locations like bathtubs, or foot baths.

#### The Max Air Jr. offers:

- 1.5" tapered slip fitting
- Thermally protected motors
- · Compact design can be installed vertically or horizontally
- Both inlet and outlet on bottom of blower for guiet performance
- Available with three speed control board, or air switch





Call 1-800-848-3077 for more information

## LINER VAC

### Cyclone Liner-Vac Model 4128100 3.0 hp / 120 V

A powerful bypass blower specifically designed for installing vinyl liners and for winterizing pools, the **Cyclone Liner-Vac** offers:

- A completely redesigned plastic housing made of durable Polyethylene that can take the abuse and rough handling of a pool service
- Powerful 3.0 hp, 120 V three stage bypass motor with long life brushes, producing 130 CFM open flow, and 160" of sealed pressure
- Motor cover plate can be easily removed to replace brushes, or to service motor
- Durable 20 amp Rocker Switch
- Non-breakable noryl plastic
- 2" standard N.P.T. threaded inlet with filter screen to protect motor
- 1.5" threaded outlet can accommodate a variety of fittings snipped with 1.5" hose adapter



## CHECK VALVES





Call 1-800-848-3077 for more information

### **Check Valves**

Air Supply now manufactures a variety of spring loaded check valves for spas, pools and bathtubs. Sizes range from the new 1.0" clear check valve for baths, where space is critical, to the heavy duty union check valve.

#### Features include:

- 1/4 lb Stainless Steel Spring
- Drip proof lip seal
- U.R recognized for spas and baths
- Low head loss and low cracking pressure
- · Certified through Underwriters Laboratory

## AIR INJECTORS



# Air Injectors Bath / Spa

Low profile air jets are ideal for bath tubs and portable spas.

Air jet bodies are available in tee and elbow design with 3/8" barb fitting for easy assembly with flex tubing. Air caps are available in a variety of colors to match and compliment the spa, or bath. Air caps press into the stem with friction fit and can easily be replaced in the field. Stems are available in high strength nylon or aluminum.

Optional drip proof check valve fits inside aluminum stem.

## Mini Stainless Steel Air Injectors

Air Supply is proud to introduce our smallest air injector for bath and spas. The injector head is only 5/16" in diameter. Once installed on a tub, it is barely noticeable. Jets are made of high strength stainless steel for durability and corrosion resistance. Also available in a variety of powder coated finishes to match the tub. Colors included: White, Antique White, Bone and Biscuit.

Air jet bodies are available in tee and elbow design with 3/8" barb fitting for easy assembly with flex tubing.

Extra long air jets available for tubs with reinforced bottoms



## **Gunite Air Injectors**

New Gunite Air Injectors glue to the inside of a 1.0" PVC pipe. Simply stub up 1.0" PVC pipe in the seat and foot well of the spa. The jet sleeve glues to the inside of the PVC pipe and is flush with the surface. Air injector heads are available in a variety of colors to match most pool finishes, and are available with 4, 6, or 9 hole configurations. Optional check valve is available.

Gunite Air Injectors turn you spa into a champagne glass filled with soft massaging bubbles. An easy and inexpensive feature you can offer your customers.



Call 1-800-848-3077 for more information

## COMMERCIAL BLOWERS







**All-Star Blowers** 

**Gast Blowers** 

**Rotron Blowers** 





Commercial Blowers are ideal for aeration of pools, spas, aqua culture and water reclamation. Built with heavy duty motors and cast aluminum housings. Commercial Blowers deliver oil-free non-pulsating airflow, and run up to 24-hours a day.

#### **Rotron**, **All-Star** and **Gast Air Blowers** offer the following features:

- A variety of motor sizes are available from 1/2 hp up to 30 hp
- Motor options include single and three phase in both 50 or 60 cycle
- Spa duty motors available with thermal protection in limited sizes
- Direct drive system. No belts to break, or replace
- Totally enclosed fan keeps motor cool
- Long life perma-lube sealed ball bearings with an estimated life of 20,000 hours
- Rugged cast aluminum housing helps dissipate heat generated by the motor and impeller
- U.L. recognized and CSA approved motors
- Available options include external inlet and outlet mufflers, inlet filters, pressure relief valves and gauges

Sizing the correct blower for the application is key to long life. All commercial blowers must operate below the maximum operating pressure, and with a minimum air flow as detailed on the technical sheet for the blower. Exceeding these limits may cause thermal overload and pre-mature motor failure.



1950 NW 15 Street Pompano Beach, Florida 33069 www.airsupplyflorida.com

Call 1-800-848-3077 for more information