

# 8" ROUND MOFLOW® SUCTION OUTLET COVER AND MUD FRAME



**VGB CERTIFIED  
SPECIFICATIONS**

**Floor Flow Rating**  
166 GPM at 3.2 fps

**Wall Flow Rating**  
113 GPM at 2.2 fps

**Sump Depth**  
3" minimum

**Open Area**  
16.6 in<sup>2</sup>

## FEATURES

All components meet or exceed ANSI/APSP 16-2011 and NSF/ANSI 50-2009a national standards and ASTM G154 UV testing exposure

Manufactured from superior UV-resistant engineered polymers

#316 stainless steel screws

Online product support including downloadable CAD files, General Certificate of Conformity, third-party certificate, installation instructions and more

Replace drain cover every five years from the date of installation

See next page for additional product configurations

36 per case



Fits: AquaStar standard 8" models, American (Pentair), Color Match, Waterway, and most Custom Molded Products (CMP).  
At least two mud frame screws must be used to secure the cover.

Part # 8MFxxx

For vinyl option, see page 143



### STANDARD COLORS

- 8MF101 – White
- 8MF102 – Black
- 8MF103 – Light Gray
- 8MF104 – Blue
- 8MF105 – Dark Gray
- 8MF108 – Tan

Also available as frame only  
p/n 8FRxxx  
24 per case

Replaces p/n  
8AVxxx, 8AVWRxxx, 8CCxxx, 8FLxxx, 8FUWxxx,  
A8xxx, A8Rxxx, LP8AVxxx, LP8AVWRxxx

**VGB 2008 Compliant**



1. 8" Round Mud Frame
2. 8" Round MoFlow Suction Outlet Cover
3. 10 x 3/4" Flat Head Phillips, 316 SS, Qty 4

P 877-768-2717 F 877-276-POOL Outside the US: P +1-949-336-1940 F +1-949-336-1940  
info@aquastarpoolproducts.com www.aquastarpoolproducts.com

# 8" ROUND MOFLOW® SUCTION OUTLET COVER WITH 6" SOCKET DEEP PVC SUMP



**VGB CERTIFIED  
SPECIFICATIONS**

**Floor Flow Rating**  
166 GPM at 3.2 fps

**Wall Flow Rating**  
113 GPM at 2.2 fps

**Sump Depth**  
3" minimum

**Open Area**  
16.6 in<sup>2</sup>

## FEATURES

All components meet or exceed ANSI/APSP 16-2011 and NSF/ANSI 50-2009a national standards and ASTM G154 UV testing exposure

Manufactured from superior UV-resistant engineered polymers

No transitional glue required

Comes with 6" tapered threaded pipe plug for easy pressure testing and winterization

#316 stainless steel screws

Online product support including downloadable CAD files, General Certificate of Conformity, third-party certificate, installation instructions and more

Replace drain cover every five years from the date of installation

4 per case





Part # 8MFxxxF

### STANDARD COLORS

- 8MF101F – White
- 8MF102F – Black
- 8MF103F – Light Gray
- 8MF104F – Blue
- 8MF105F – Dark Gray
- 8MF108F – Tan

VGB 2008 Compliant



1. 6" Socket Deep PVC Sump
2. 6" Tapered Threaded Pipe Plug
3. 8" MoFlow Suction Outlet Cover
4. 10 x 3/4" Flat Head Phillips, 316 SS, Qty 4

P 877-768-2717 F 877-276-POOL Outside the US: P +1-949-336-1940 F +1-949-336-1940  
info@aquastarpoolproducts.com www.aquastarpoolproducts.com

# 8" ROUND MOFLOW® SUCTION OUTLET COVER WITH STANDARD 2" NPT, 2" SOCKET ABS SUMP



**VGB CERTIFIED SPECIFICATIONS**

**Floor Flow Rating**  
166 GPM at 3.2 fps

**Wall Flow Rating**  
113 GPM at 2.2 fps

**Sump Depth**  
3" minimum

**Open Area**  
16.6 in<sup>2</sup>

## FEATURES

All components meet or exceed ANSI/APSP 16-2011 and NSF/ANSI 50-2009a national standards and ASTM G154 UV testing exposure

Manufactured from superior UV-resistant engineered polymers

No transitional glue required

#316 stainless steel screws

Online product support including downloadable CAD files, General Certificate of Conformity, third-party certificate, installation instructions and more

Replace drain cover every five years from the date of installation

8 per case





Part # 8MFSBACxxx

## STANDARD COLORS

- 8MFSBAC101 – White
- 8MFSBAC102 – Black
- 8MFSBAC103 – Light Gray
- 8MFSBAC104 – Blue
- 8MFSBAC105 – Dark Gray
- 8MFSBAC108 – Tan

Also available as a contractor's 2-pack p/n 8MFSBAC2xxx  
8 per case

**VGB 2008 Compliant**



1. 2" Socket x 1-1/2" Socket Pipe Reducer
2. Standard ABS Sump
3. 2" Tapered Threaded Pipe Plug
4. 8" Sump Bucket Collar
5. 8" MoFlow Suction Outlet Cover
6. 10 x 3/4" Flat Head Phillips, 316 SS, Qty 4

P 877-768-2717 F 877-276-POOL Outside the US: P +1-949-336-1940 F +1-949-336-1940  
info@aquastarpoolproducts.com www.aquastarpoolproducts.com