

# FLOWSTAR® 3-WAY VALVE, 2" SOCKET X 2.5" SPIGOT



Tough maintenance-free valves



## FEATURES


- Made from durable CPVC
- Never requires lubrication
- Chlorine, acid, and ozone resistant
- Minimal hydraulic loss
- Adjustable-stop feature allows for flow adjustment
- Rubberized handle for comfortable grip
- Lifetime warranty on valve body
- Working Pressure: 50 PSIG
- Maximum Design Flow Rate: 125 GPM
- 12 per case




Part # AV3W20C



**LIFETIME  
WARRANTY**



1. Valve Assembly, 3-Way, 2" Socket x 2.5 Spigot
2. Diverter Assembly
3. Cover
4. Thumb Screw
5. Handle
6. #14 x 3/4" LG. Pan Head Phillips, Type A Screw, 316 SS, Qty 8
7. O-Ring, #116, EPDM
8. O-Ring, #152, EPDM, Qty 2



P 877-768-2717 F 877-276-POOL Outside the US: P +1-949-336-1940 F +1-949-336-1940  
 info@aquastarpoolproducts.com www.aquastarpoolproducts.com CS164-012224

## FLOWSTAR® DIVERTER REPLACEMENT KIT



Tough maintenance-free valves




NEW



Part #  
AV2003  
12 per case

1. Diverter Valve
2. O-Ring, #116, EPDM
3. O-Ring, #152, EPDM
4. Thumb Screw



## FLOWSTAR® REPLACEMENT CHECK VALVE KIT




Durable and dependable check valves




NEW



Part #  
AV2004  
12 per case



1. Cover
2. Flapper Assembly
3. Pin
4. Spring
5. O-Ring, #152, EPDM



# FLOWSTAR® VALVE ACTUATOR



Durable and dependable valve actuators



## FEATURES

Adjustable settings for versatile pool and spa automation

Compatible with both 2-way and 3-way valves

Prevents dead-heading of pumps for efficient operation

Corrosion-proof enclosure for enhanced durability

On/off toggle switch for simple manual override

Manufactured from high-quality, UV-resistant engineered polymers


Designed to work seamlessly with existing control systems at 24 VAC

Lifetime warranty

12 per case



Model # AVA24



P 877-768-2717 F 877-276-POOL Outside the US: P +1-949-336-1940 F +1-949-336-1940  
info@aquastarpoolproducts.com www.aquastarpoolproducts.com CS167-012324