



COLOR SELECTION - PAVERS AND COPING



IVORY

FINISHES



ORIGINAL

PAVER AND PAVING SLABS

SIZES & PACKAGING

NOMINAL SIZE (in)	ACTUAL DIMENSIONS (mm)	SQ FT PER PALLET	WEIGHT PER PALLET
8 x 8 x 1-5/8*	200 x 200 x 40	160 SQ FT	2,870 LBS
8 x 12 x 1-5/8	200 x 300 x 40	160 SQ FT	2,870 LBS
12 x 12 x 1-5/8	300 x 300 x 40	180 SQ FT	3,255 LBS
16 x 16 x 1-5/8*	400 x 400 x 40	160 SQ FT	2,870 LBS
24 x 24 x 1-5/8	600 x 600 x 40	120 SQ FT	2,160 LBS
4 x 8 x 1-5/8 ⁽⁴⁾	200 x 200 x 40	75 SQ FT	1,361 LBS

NOTES

- You can expect a slight variation in shade color and patterns which again, simply adds to the natural appearance of each piece.
- Pavers should be installed from several pallets at a time to maintain the best color consistency.

PRODUCT DATA SHEET

REGION

EAST & WEST COAST

SERIES

STEPLOCK®

STYLE

CORALLOCK®

The distinguished look and texture of coral made durable.

Corallock® is manufactured with a variation of imprint patterns to achieve a great richness of detail throughout the deck. Each piece is created to replicate true coral and present a slight color shade variation intended to mimic the natural tone variations found in nature.

The Corallock® collection is part of our Steplock® Line, exclusively designed for pedestrian applications.

APPLICATIONS



Designed for use in pedestrian applications including patios, swimming pool decks, walkways, stepping stones as well as architectural and decorative uses such as raised walls, fountains, benches and planters.

CUSTOM COLORS

Custom colors available typically for minimum quantities of 10,000 square feet.

COPING & SPECIALTY PIECES

NOMINAL SIZES (in). THICKNESS: 1-5/8"

One Sided	4x8, 4x12, 4x16, 24x12, 12x12, 16x16, 24x24
Two Sided	4x12, 4x16, 24x12, 12x12, 16x16, 24x24
Three Sided	4x16, 12x12, 16x16, 24x24
Four Sided	12x12, 16x16, 24x24
Adjacent	12x12, 16x16, 24x24
Remodeling	4x12 with 3" drop-face, 4" drop-face, 5" drop-face.
Precut one sided	4x8, 4x12
Precut two sided	4x12, 4x16

- Due to processes required to manufacture, package, deliver, unpack, install and compact the products, small chipping can be expected.
- The 4x8 border pavers are machine cut and not dimensionally consistent. Artistic Paver Mfg. recommends these pavers should be used strictly as border material, therefore, not recommended for field material.
- The product images in our catalogs, brochures, or shown on monitor screens give a general indication of color for a preliminary selection. We recommend you also view current product samples and look at actual finished projects before making your final decision.

EAST COAST PLANT

MAIN OFFICE

120 NE 179th St.
North Miami Beach, FL 33162
(305) 653-7283



Specializing in unusual sand-set pavers for a distinguished look.
sales@artisticpavers.com www.artisticpavers.com

WEST COAST PLANT

1508 N V.I.P. Blvd.
Casa Grande, AZ 85222
(520) 426-3479

EAST & WEST COAST FACTORY
COLORS AVAILABLE

SELECT DESIRED COLOR:

IVORY


SELECT DESIRED SIZE:

- 8x8x1-5/8" (200x200x40mm)
- 8x12x1-5/8" (200x300x40mm)
- 12x12x1-5/8" (300x300x40mm)
- 16"x16"x1-5/8" (400x400x40mm)
- 24"x24"x1-5/8" (600x600x40mm)


TOP VIEW



TOP VIEW



SIDE VIEW



SIDE VIEW

PACKING:

NOMINAL SIZE (in)	SQ.FT.PER PALLET	WEIGHT PER PALLET
8x8x1-5/8"	160	2870
8x12x1-5/8"	160	2870
12x12x1-5/8"	180	3255
16x16x1-5/8"	160	2870
24x24x1-5/8"	120	2160
4x8x1-5/8" ⁽¹⁾	75	1361

(1) The 4x8 border pavers are machine cut and not dimensionally consistent. Artistic Paver Mfg. recommends these pavers should be used strictly as border material, therefore, not recommended for field material.

NOTES:

- PAVERS ARE CALIBRATED TO ACHIEVE A UNIFORM THICKNESS OF APPROXIMATELY 1 5/8". DIMENSIONAL TOLERANCE $\pm 1/16"$.
- PAVERS ARE MANUFACTURED IN METRIC SIZES AND ARE ROUNDED TO THE CLOSEST SIZE EQUIVALENT IN ENGLISH UNITS.
- BECAUSE OF COLOR DYE AND NATURAL RAW MATERIALS INCONSISTENCIES, PRODUCTS WILL HAVE COLOR SHADE AND TEXTURE VARIATIONS.
- DUE TO THE PROCESS REQUIRED TO MANUFACTURE, PACKAGE, DELIVER, UNPACK, INSTALL AND COMPACT, SMALL CHIPPING CAN BE EXPECTED.
- INSTALLATION TO BE COMPLETED IN ACCORDANCE WITH ICPI TECH SPECS 10.
- THIS DRAWING IS INTENDED FOR USE BY ARCHITECTS, ENGINEERS, CONTRACTORS, CONSULTANTS AND DESIGN PROFESSIONALS FOR PLANNING PURPOSES ONLY. THIS DRAWING MAY NOT BE USED FOR CONSTRUCTION.
- ALL INFORMATION CONTAINED HEREIN WAS CURRENT AT THE TIME OF DEVELOPMENT BUT MUST BE REVIEWED AND APPROVED BY THE PRODUCT MANUFACTURER TO BE CONSIDERED ACCURATE.



CORALLOCK® PEDESTRIAN PAVERS
SAND-SET INTERLOCKING PAVERS AND PAVING SLABS

REV. DATE:
01/16/2020

artisticpavers.com

MAIN OFFICE- EAST COAST: (305) 653-7283

WEST COAST OFFICE: (520) 426-3479

TECH. SPEC.

PACKING SPECS									
Line: STEPLOCK Applications: PEDESTRIAN Architeturral Finish: TEXTURED				Style: CORALLOCK Color: IVORY		PAVERS are ordered by SQUARE FEET COPING is ordered by PIECE			
PROFILE	THICKNESS	NOMINAL SIZE	ACTUAL SIZE (mm)	DESCRIPTION	ITEM #	PIECES PER PALLET	SQ/FT PER PALLET	WEIGHT PER PALLET	
PAVERS 	1-5/8" (40mm)	8x8	200x200	PAVER	CLPI8	360	160	2,870	
		8x12	200x300	PAVER	CLPI812	240	160	2,870	
		12x12	300x300	PAVING SLAB	CLPI12	180	180	3,255	
		16x16	400x400	PAVING SLAB	CLPI16	90	160	2,870	
		24x24	600x600	PAVING SLAB	CLPI24	30	120	2,160	
		4x8	100x200	BORDER BRICK ⁽⁴⁾	CLPB148	336	75	1,361	
COPING 	Thickness 1-5/8" (40mm)	BULLNOSE		DESCRIPTION	ITEM #	PIECES/PALLET		WEIGHT/PALLET	
		PROFILE	POSITION						
			4x8	93x198	SINGLE SIDED BULLNOSE	CCLI48	336		1,355
			4x12	93x289	SINGLE SIDED BULLNOSE	CCLI412	360		2,160
			4x16	93x390	SINGLE SIDED BULLNOSE	CCLI416	168		1,355
			16x8	385x198	SINGLE SIDED BULLNOSE	1SBCCLI816	120		1,920
			24x12	582x289	SINGLE SIDED BULLNOSE	1SBCCLI1224	48		1,734
			12x12	284x289	SINGLE SIDED BULLNOSE	1SBCCLI12	100		1,805
			16x16	385x390	SINGLE SIDED BULLNOSE	1SBCCLI16	90		2,874
			24x24	582x590	SINGLE SIDED BULLNOSE	1SBCCLI24	30		2,160
			4x12	93x298	DOUBLE SIDED BULLNOSE	2SBCCLI412	360		2,160
			4x16	93x398	DOUBLE SIDED BULLNOSE	2SBCCLI416	168		1,355
			24x12	582x297	DOUBLE SIDED BULLNOSE	2SBCCLI1224	48		1,734
			12x12	385x398	DOUBLE SIDED BULLNOSE	2SBCCLI12	100		1,805
			16x16	385x398	DOUBLE SIDED BULLNOSE	2SBCCLI16	90		2,874
			24x24	582x598	DOUBLE SIDED BULLNOSE	2SBCCLI24	30		2,160
			4x16	98x398	TRIPLE SIDED BULLNOSE	3SBCCLI416	168		1,355
			12x12	298x289	TRIPLE SIDED BULLNOSE	3SBCCLI12	100		1,805
			16x16	398x390	TRIPLE SIDED BULLNOSE	3SBCCLI16	90		2,874
			24x24	598x590	TRIPLE SIDED BULLNOSE	3SBCCLI24	30		2,160
			12x12	298x298	FOUR SIDED BULLNOSE	4SBCCLI12	100		1,805
			16x16	398x398	FOUR SIDED BULLNOSE	4SBCCLI16	90		2,874
			24x24	598x598	FOUR SIDED BULLNOSE	4SBCCLI24	30		2,160
			12x12	289x289	ADJACENT SIDED BULLNOSE	2SABCCLI12	100		1,805
	16x16	390x390	ADJACENT SIDED BULLNOSE	2SABCCLI16	90		2,874		
	24x24	590x590	ADJACENT SIDED BULLNOSE	2SABCCLI24	30		2,160		
		4x12	93x289	RENOVATION COPING 3 INCH FACE	RCCLI412-3	164		1,050	
4x12		93x289	RENOVATION COPING 4 INCH FACE	RCCLI412-4	136		982		
4x12		93x289	RENOVATION COPING 5 INCH FACE	RCCLI412-5	124		950		
	4x8	93x198	PRE-CUT SINGLE SIDED BULLNOSE	PC1SBCCLI48	336		1,342		
	4x12	93x289	FOR 7' DIAMETER SPA	PC1SBCCLI412	360		2,139		
	4x12	93x289	PRE-CUT DOUBLE SIDED BULLNOSE	PC2SBCCLI412	360		2,139		
	4 x16	93x390	FOR 7' DIAMETER SPA	PC2SBCCLI416	168		1,342		

NOTES

- You can expect a slight variation in shade color and patterns which again, simply adds to the natural appearance of each piece.
- Pavers should be installed from several pallets at a time to maintain the best color consistency.
- Due to processes required to manufacture, package, deliver, unpack, install, and compact the products, small chipping can be expected.
- The 4x8 border pavers are machine cut and not dimensionally consistent. Artistic Paver Mfg. recommends these pavers should be used strictly as border material, therefore, not recommended for field material.
- Pavers & coping are manufactured in metric sizes and are rounded to the closest size equivalent in English units.
- The product images in our catalogs, brochures, or shown on monitor screens give a general indication of color for a preliminary selection. We recommend you also view current product samples and look at actual finished projects before making your final decision.