Primer Select



Revision: 1.02 US

Issuing date: 05.06.15

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

: Primer Select

1.2 Relevant identified uses of the substance or mixture and uses advised against

Uses of the Substance / Mixture : Specific use(s): Wetting agent, Industrial use

1.3 Details of the supplier of the safety data sheet

Company	: Aquatrols Corporation of America
	1273 Imperial Way
	Paulsboro, NJ 08066
	Telephone number: 800-257-7797

1.4 Emergency telephone

FOR EMERGENCIES INVOLVING A SPILL, LEAK, FIRE, EXPOSURE OR ACCIDENT CONTACT: CHEMTREC 800-424-9300 within the United States and Canada, or 703-527-3887 for international collect calls.

SECTION 2: Hazards identification

Although OSHA has not adopted the environmental portion of the GHS regulations, this document may include information on environmental effects.

2.1 Classification of the substance or mixture

HCS 2012 (29 CFR 1910.1200)

Not a hazardous product according to Globally Harmonized System (GHS)

2.2 Label elements

HCS 2012 (29 CFR 1910.1200)

Not a hazardous product according to Globally Harmonized System (GHS)

2.3 Other hazards which do not result in classification

Slightly irritating to eyes and skin.

No specific risk when handled in accordance with good occupational hygiene and safety practice.

NO particular fire or explosion hazard.

Hazardous reactions may occur on contact with certain chemicals. (Refer to the list of incompatible materials section 10: "Stability-Reactivity").

Primer Select



Revision: 1.02 US

Issuing date: 05.06.15

SECTION 3: Composition/information on ingredients

3.1 Substance

Chemical nature

: Ethylene oxide / propylene oxide block co-polymer

Hazardous Ingredients and Impurities

No ingredients are hazardous.

Non Hazardous Ingredients and Impurities

Chemical Name	Identification number CAS-No.	Concentration [%]
Propoxylated Polyoxyethylene	9003-11-6	> 99.5
Water	7732-18-5	< 0.5

3.2 Mixture

Not applicable, this product is a substance.

SECTION 4: First aid measures

4.1 Description of first-aid measures	
If inhaled	: Negligible or unlikely exposure pathways If breathed in, move person into fresh air. Consult a physician if necessary.
Skin contact	 In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Call a physician if irritation develops or persists. Wash contaminated clothing before re-use.
Eye contact	 Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Consult a physician if necessary.
Ingestion	 Do not induce vomiting without medical advice. If victim is conscious: Rinse mouth with water. Keep at rest. Do not leave the victim unattended. Vomiting may occur spontaneously Risk of product entering the lungs on vomiting after ingestion. Lay victim on side. Seek medical advice.

SAFETY DATA SHEET				
Primer Select			Aquatrols [®]	
Revision: 1.02 US		Issuing date: 05.06.	15	
4.2 Most important symptoms and effects, b	oth	acute and delayed		
Risks	:	Skin contact may aggravate existir	ng skin disease	
4.3 Indication of any immediate medical atte	entic	n and special treatment needed		
Notes to physician	:	: All treatments should be based on observed signs and symptoms of distress in the patient. Consideration should be given to the possibility that overexposure to materials other than this product may have occurred.		
		Treat symptomatically. There is no specific antidote available.		
SECTION 5: Firefighting measures				
Flash point	:	>399 °F (204 °C) Pensky-Martens closed cup		
		Flammability class: Will burn		
Autoignition temperature	:	no data available		
Flammability / Explosive limit	:	no data available		
5.1 Extinguishing media				
Suitable extinguishing media	:	Extinguishing media - small fires Dry chemical Carbon dioxide (CO2) Extinguishing media - large fires Foam Water spray		
Unsuitable extinguishing media	:	High volume water jet (frothing possible)		
5.2 Special hazards arising from the substa	nce	or mixture		
Specific hazards during fire fighting	:	Under fire conditions: Will burn On combustion or on thermal decomposition (pyrolysis), releases: Carbon oxides		
5.3 Advice for firefighters				
Special protective equipment for fire-fighters	:	Firefighters should wear NIOSH/M apparatus and full protective clothi	SHA approved self-contained breathing ng.	
Specific fire fighting methods	:	Do not use a solid water stream as	s it may scatter and spread fire.	

SAFETY DATA SHEET **Aquatrols**° Primer Select Revision: 1.02 US Issuing date: 05.06.15 Further information Cool containers/tanks with water spray. : Collect contaminated fire extinguishing water separately. This must not be discharged into drains. **SECTION 6: Accidental release measures** 6.1 Personal precautions, protective equipment and emergency procedures Personal precautions, protective equipment : Wear suitable protective equipment. and emergency procedures For further information refer to section 8 "Exposure controls / personal protection." **6.2 Environmental precautions** Do not flush into surface water or sanitary sewer system. Environmental precautions ÷ Take all necessary measures to avoid accidental discharge of products into drains and waterways due to the rupture of containers or transfer systems. Spills may be reportable to the National Response Center (800-424-8802) and to state and/or local agencies 6.3 Methods and materials for containment and cleaning up Methods for containment Dam up with sand or inert earth (do not use combustible materials). : Recovery : Soak up with inert absorbent material. Sweep up and shovel into suitable containers for disposal. Never return spills in original containers for re-use. Wash nonrecoverable remainder with large amounts of water. Decontamination / cleaning 2 Clean contaminated surface thoroughly. Recover the cleaning water for subsequent disposal. Decontaminate tools, equipment and personal protective equipment in a segregated area. Disposal Dispose of in accordance with local regulations. : Additional advice Material can create slippery conditions. 5 6.4 Reference to other sections Reference to other sections 7. HANDLING AND STORAGE 8. EXPOSURE CONTROLS/PERSONAL PROTECTION 13. DISPOSAL CONSIDERATIONS

Primer Select



Revision: 1.02 US	Issuing date: 05.06.15
SECTION 7: Handling and storage	
7.1 Precautions for safe handling	
Technical measures	: Ethylene oxide may collect in container head space. Provide adequate ventilation.
Advice on safe handling and usage	: Avoid inhalation of vapor or mist. Avoid contact with skin and eyes.
Hygiene measures	 Personal hygiene is an important work practice exposure control measure and the following general measures should be taken when working with or handling this materials: 1) Do not store, use, and/or consume foods, beverages, tobacco products, or cosmetics in areas where this material is stored. 2) Wash hands and face carefully before eating, drinking, using tobacco, applying cosmetics, or using the toilet. 3) Wash exposed skin promptly to remove accidental splashes or contact with material.

7.2 Conditions for safe storage, including any incompatibilities

Technical Measures for storage	:	Take all necessary measures to avoid accidental discharge of products into drains and waterways due to the rupture of containers or transfer systems.	
Storage conditions			
Recommended	:	Keep container tightly closed in a dry and well-ventilated place.	
To be avoided	:	Keep away from open flames, hot surfaces and sources of ignition. Keep away from incompatible materials to be indicated by the manufacturer	
Incompatible products	:	Strong bases Strong oxidizing agents Strong reducing agents.	
Storage stability			
Storage temperature	:	no data available	
7.3 Specific end use(s) no data available			

SAFETY DATA SHEET		
Primer Select		Aquatrols [®]
Revision: 1.02 US	Issuing date: 05.06.15	

SECTION 8: Exposure controls/personal protection

Introductory Remarks:

These recommendations provide general guidance for handling this product. Because specific work environments and material handling practices vary, safety procedures should be developed for each intended application. While developing safe handling procedures, do not overlook the need to clean equipment and piping systems for maintenance and repairs. Waste resulting from these procedures should be handled in accordance with Section 13: Disposal Considerations.

Assistance with selection, use and maintenance of worker protection equipment is generally available from equipment manufacturers.

8.1 Control parameters

Contains no substances with occupational exposure limit values.

8.2 Exposure controls	
Control measures	
Engineering measures	: Where engineering controls are indicated by use conditions or a potential for excessive exposure exists, the following traditional exposure control techniques may be used to effectively minimize employee exposures :
	Effective exhaust ventilation system
Personal protective equipment	
Respiratory protection	: When respirators are required, select NIOSH/MSHA approved equipment based on actual or potential airborne concentrations and in accordance with the appropriate regulatory standards and/or industrial recommendations.
	No personal respiratory protective equipment normally required.
Hand protection	 Where there is a risk of contact with hands, use appropriate gloves Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. Gloves must be inspected prior to use. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.
Eye protection	 Eye and face protection requirements will vary dependent upon work environment conditions and material handling practices. Appropriate ANSI Z87 approved equipment should be selected for the particular use intended for this material.
	Eye contact should be prevented through the use of:
	Safety glasses with side-shields
Skin and body protection	 Recommended preventive skin protection impervious clothing Footwear protecting against chemicals Choose body protection according to the amount and concentration of the

Primer Select	• Aquatrols [®]
Revision: 1.02 US	Issuing date: 05.06.15
Hygiene measures	 dangerous substance at the work place. Personal hygiene is an important work practice exposure control measure and the following general measures should be taken when working with or handling this materials: Do not store, use, and/or consume foods, beverages, tobacco products, or cosmetics in areas where this material is stored. Wash hands and face carefully before eating, drinking, using tobacco, applying cosmetics, or using the toilet. Wash exposed skin promptly to remove accidental splashes or contact with material.
Protective measures	 Ensure that eyewash stations and safety showers are close to the workstation location. Emergency equipment immediately accessible, with instructions for use. The protective equipment must be selected in accordance with current local standards and in cooperation with the supplier of the protective equipment. Selection of appropriate personal protective equipment should be based on an evaluation of the performance characteristics of the protective equipment relative to the task(s) to be performed, conditions present, duration of use, and the potential hazards, and/or risks that may occur during use.

SECTION 9: Physical and chemical properties

Physical and Chemical properties here represent typical properties of this product. Contact the business area using the Product information phone number in Section 1 for its exact specifications.

9.1 Information on basic physical and chemical properties

Appearance	:	Form : viscous Physical state: liquid Color: clear to cloudy
Odor	:	slight
Odor Threshold	:	no data available
рН	:	5.5 - 7.0 (5 % (m/v))
Freezing point	:	23 °F (-5 °C)
Boiling point/boiling range	:	> 500 °F (260 °C) (760 mmHg (1,013.25 hPa))
Flash point	:	> 399 °F (204 °C) Pensky-Martens closed cup
		Flammability class: Will burn
Evaporation rate (Butylacetate = 1)	:	no data available
Flammability (solid, gas)	:	no data available

Primer Select



Revision: 1.02 US	Issuing date: 05.06.15
Flammability (liquids)	: no data available
Flammability / Explosive limit	: no data available
Autoignition temperature	: no data available
Vapor pressure	: < 0.01 mmHg (0.01 hPa) (77 °F (25 °C))
Vapor density	: no data available
Density	: Relative density : 1.04 (77 °F (25 °C))
Solubility	: <u>Water solubility :</u> soluble
Partition coefficient: n-octanol/water	: no data available
Thermal decomposition	: no data available
Viscosity	: no data available
Explosive properties	: no data available
Oxidizing properties	: no data available
9.2 Other information	
Volatiles by Volume	: < 0.5 %

SECTION 10: Stability and reactivity

10.1 Reactivity		
no data available		
10.2 Chemical stability		
Chemical stability	:	Stable under recommended storage conditions.
10.3 Possibility of hazardous reactions		
Polymerization	:	Hazardous polymerization does not occur.
10.4 Conditions to avoid		
Conditions to avoid	:	Keep away from heat and sources of ignition. Keep away from flames and sparks.

SAFETY DATA SHEET			
Primer Select			O Aquatrols [®]
Revision: 1.02 US		Issuing date: 05.06.15	1
10.5 Incompatible materials			
Materials to avoid	:	Strong bases Strong oxidizing agents Strong reducing agents	
10.6 Hazardous decomposition products Decomposition products	:	On combustion or on thermal decomposi Carbon oxides	tion (pyrolysis), releases:
SECTION 11: Toxicological information			
11.1 Information on toxicological effects			
Acute toxicity			
Acute oral toxicity	:	LD50: 10,200 mg/kg -Rat By analogy	
Acute inhalation toxicity	:	no data available	
Acute dermal toxicity	:	no data available	
Acute toxicity (other routes of administration)	:	no data available	
Skin corrosion/irritation Skin irritation	:	Rabbit Slightly irritating to rabbits on cutaneous By analogy	application.
Serious eye damage/eye irritation Eye irritation	:	Rabbit slight irritation By analogy	
Respiratory or skin sensitization Sensitization	:	no data available	
Mutagenicity Genotoxicity in vitro	÷	no data available	
Genotoxicity in vivo	:	no data available	
Carcinogenicity Carcinogenicity	:	no data available	

SAFETY DATA SHEET		
Primer Select		Aquatrols [®]
Revision: 1.02 US	Issuing date: 05.06.15	

This product does not contain any ingredient designated as probable or suspected human carcinogens by:

NTP IARC OSHA ACGIH

Toxicity for reproduction and development

Toxicity to reproduction / fertility	:	no data available
Developmental Toxicity/Teratogenicity	:	no data available
STOT STOT-single exposure STOT-repeated exposure	:	no data available no data available
Aspiration toxicity Aspiration toxicity	:	no data available

SECTION 12: Ecological information

12.1 Toxicity

no data available

12.2 Persistence and degradability

no data available

12.3 Bioaccumulative potential

no data available

<u>12.4 Mobility in soil</u> no data available

12.5 Results of PBT and vPvB assessment

no data available

12.6 Other adverse effects

no data available

Primer Select

Aquatrols[°]

Revision: 1.02 US

Issuing date: 05.06.15

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product Disposal

Advice on Disposal :	Chemical additions, processing or otherwise altering this material may make the waste management information presented in this MSDS incomplete, inaccurate or otherwise inappropriate. Please be advised that state and local requirements for waste disposal may be more restrictive or otherwise different from federal laws and regulations. Consult state and local regulations regarding the proper disposal of this material.
Waste Code :	EPA: Hazardous Waste – NO

:

Advice on cleaning and disposal of packaging

Advice on Disposal

Rinse with an appropriate solvent. Dispose of contents/container in accordance with local regulation.

SECTION 14: Transport information

DOT

not regulated

TDG

not regulated

IMDG

not regulated

IATA

not regulated

Note: The above regulatory prescriptions are those valid on the date of publication of this sheet. Given the possible evolution of transportation regulations for hazardous materials, it would be advisable to check their validity with your sales office.

Primer Select



Revision: 1.02 US	Issuing date: 05.06.15
SECTION 15: Regulatory information	
15.1 Notification status	
United States TSCA Inventory	: YES (positive listing) On TSCA Inventory
Canadian Domestic Substances List (DSL)	: YES (positive listing) All components of this product are on the Canadian DSL.
Australia Inventory of Chemical Substances (AICS)	: YES (positive listing) On the inventory, or in compliance with the inventory
Japan. CSCL - Inventory of Existing and New Chemical Substand	es : YES (positive listing) On the inventory, or in compliance with the

Korea. Korean Existing Chemicals Inventory (KECI)

China. Inventory of Existing Chemical Substances in China (IECSC)

- : YES (positive listing) On the inventory, or in compliance with the inventory
- : YES (positive listing) On the inventory, or in compliance with the inventory

15.2 Federal Regulations

SARA 311/312 Hazards

Fire Hazard	no
Reactivity Hazard	no
Sudden Release of Pressure Hazard	no
Acute Health Hazard	no
Chronic Health Hazard	no

SARA 313

: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

inventory

SARA 302

: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

Primer Select



Revision: 1.02 US

Issuing date: 05.06.15

EPCRA - Emergency Planning and Community Right-to-Know

CERCLA Reportable Quantity

Ingredients	CAS-No.	Reportable quantity
Ethylene Oxide	75-21-8	10 lb
1,4-Dioxane	123-91-1	100 lb
Propylene Oxide	75-56-9	100 lb

SARA 304 Reportable Quantity

Ingredients	CAS-No.	Reportable quantity
Ethylene Oxide	75-21-8	10 lb
Propylene Oxide	75-56-9	100 lb

SARA 302 Reportable Quantity

	Ingredients	CAS-No.	Reportable quantity
Ethylene Oxide		75-21-8	10 lb
Propylene Oxide		75-56-9	100 lb

15.3 State Regulations

California Prop 65

 WARNING! This product contains a chemical known in the State of California to cause cancer.
 1,4-Dioxane
 Ethylene Oxide
 Propylene Oxide

WARNING: This product contains a chemical known in the State of California to cause birth defects or other reproductive harm. Ethylene Oxide

No Significant Risk Levels (NSRLs) have been established for the following: 1,4-Dioxane Value : 30 micrograms per day

Ethylene Oxide Value : 2 micrograms per day

SECTION 16: Other information

NFPA-Classification Health Flammability Instability or Reactivity	:	1 slight 1 slight 0 minimal
HMIS-Classification Health Flammability Reactivity	:	1 slight 1 slight 0 minimal

Primer Select



Revision: 1.02 US

Issuing date: 05.06.15

Further information

Date Prepared:05.06.15Further information:Product classified under the US GHS format.

Key or legend to abbreviations and acronyms used in the safety data sheet

ACGIH OSHA WHMIS	:	American Conference of Governmental Industrial Hygienists Occupational Safety and Health Administration Workplace Hazardous Materials Information System
NTP	:	National Toxicology Program
IARC	:	International Agency for Research on Cancer
SAEL	:	Solvay Acceptable Exposure Limit
NIOSH	:	National Institute for Occupational Safety and Health
NFPA	:	National Fire Protection Association
HMIS	:	Hazardous Materials Identification System (Paint & Coating)

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information, and belief at the date of its publication. Such information is only given as a guidance to help the user handle, use, process, store, transport, dispose, and release the product in satisfactory safety conditions and is not to be considered as a warranty or quality specification. It should be used in conjunction with technical sheets but do not replace them. Thus, the information only relates to the designated specific product and may not be applicable if such product is used in combination with other materials or in another manufacturing process, unless otherwise specifically indicated. It does not release the user from ensuring he is in conformity with all regulations linked to its activity.