# SEAL

# **Hybrid Polyurethane Caulking**

## SAFETY DATA SHEET

#### 1.0 IDENTIFICATION

#### **Product identifier**

Product name SEAL

Other means of identification

Product Code(s) BC-CG020

Synonyms None

#### Recommended use of the chemical and restrictions on use

Recommended use Adhesive Sealant Coating
Restrictions on use No information available

#### Details of the supplier of the safety data sheet

#### **Manufacturer Address**

Sabal Green Group 8255 Consumer Court Sarasota, FL 34240

Emergency Telephone Chemtrec 1-800-424-9300

#### **HAZARD(S) IDENTIFICATION**

#### Classification

2.0

Serious eye damage/eye irritation	Category 2A
Skin sensitization	Category 1
Specific target organ toxicity (repeated exposure)	Category 2

Appearance No information available Physical State Liquid Odor No information available

**Disclaimer** ATTENTION! Some of the additives disclosed in Section 3 such as Carbon Black, Crystalline Silica, and or Titanium Dioxide are regulated by California Proposition 65 as carcinogens when they are in the form of "airborne, unbound particles of respirable size." Since the disclosed materials are bound in the polymer matrix, they will not be available as an airborne hazard (dust, mist, or spray) under normal conditions of use. Therefore, this product does not present a respiration hazard as outlined by the Prop 65 regulations.

#### **Label elements**

#### Warning

#### **Hazard statements**

Causes serious eye irritation May cause an allergic skin reaction

May cause damage to organs through prolonged or repeated exposure

#### **Precautionary Statements - Prevention**

Wash face, hands and any exposed skin thoroughly after handling Contaminated work clothing must not be allowed out of the workplace Do not breathe dust, fume, gas, mist, vapors and spray

Wear protective gloves, eye protection and face protection

#### **Precautionary Statements - Response**

Specific treatment (see .? on this label)

Get medical advice/attention if you feel unwell

#### Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice and attention

#### Skin

IF ON SKIN: Wash with plenty of water and soap

If skin irritation or rash occurs: Get medical advice and attention

Wash contaminated clothing before reuse

#### **Precautionary Statements - Disposal**

Dispose of contents and container to an approved waste disposal plant

#### **Other information**

May be harmful in contact with skin. May be harmful if inhaled.

#### COMPOSITION/INFORMATION ON INGREDIENTS

#### **Substance**

Not applicable.

#### <u>Mixture</u>

Chemical Name	CAS No	Weight-%	Hazardous Material Information Review Act registry number (HMIRA registry#)	Date HMIRA filed and date exemption granted (if applicable)
Calcium Carbonate	471-34-1	20 - 40	-	-
Limestone	1317-65-3	10 - 20	-	-
Titanium Dioxide	13463-67-7	1 - <5	-	-
Stearic Acid	57-11-4	1 - <5	-	-
Proprietary Dehydration Agent	Trade secret	1 - <5	-	-
Proprietary Adhesion Promoter	Trade secret	1 - <5	-	-
Crystalline Silica	14808-60-7	<0.1	-	-



#### 4.0 FIRST-AID MEASURES

#### **Description of first aid measures**

**General advice** Show this safety data sheet to the doctor in attendance.

**Inhalation** Remove to fresh air.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area. Get medical attention if irritation

develops and persists.

**Skin contact** Wash with soap and water. May cause an allergic skin reaction. In the case of

skin irritation or allergic reactions see a physician.

**Ingestion** Rinse mouth. Never give anything by mouth to an unconscious person. Do NOT

induce vomiting. Call a physician.

**Self-protection of the first aider** Avoid contact with skin, eyes or clothing. Wear personal protective clothing

(see section 8).

Most important symptoms and effects, both acute and delayed

Symptoms Itching. Rashes. Hives. May cause redness and tearing of the eyes. Burning

sensation.

Indication of any immediate medical attention and special treatment needed

Note to physicians May cause sensitization in susceptible persons. Treat symptomatically.

#### 5.0 FIRE-FIGHTING MEASURES

Suitable Extinguishing Media Use extinguishing measures that are appropriate to local circumstances and

the surrounding environment.

Large Fire CAUTION: Use of water spray when fighting fire may be inefficient.

**Unsuitable extinguishing media**Do not scatter spilled material with high pressure water streams.

Specific hazards arising from the

chemical

6.0

Product is or contains a sensitizer. May cause sensitization by skin contact.

Containers may explode when heated.

**Explosion data** 

Sensitivity to mechanical impact None.

Sensitivity to static discharge None.

Special protective equipment and

precautions for fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting

turnout gear. Use personal protection equipment.

#### **ACCIDENTAL RELEASE MEASURES**

#### Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal

protective equipment as required. Evacuate personnel to safe areas. Keep people

away from and upwind of spill/leak.

**Other information** Refer to protective measures listed in Sections 7 and 8.

#### Methods and material for containment and cleaning up

Methods for containmentPrevent further leakage or spillage if safe to do so.Methods for cleaning upPick up and transfer to properly labeled containers.

#### 7.0 HANDLING AND STORAGE

**Precautions for safe handling** 

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid

contact with skin, eyes or clothing. Ensure adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Do not eat, drink or smoke when using

this product. Take off contaminated clothing and wash before reuse.

Conditions for safe storage, including any incompatibilities

**Storage Conditions** Keep containers tightly closed in a dry, cool and well-ventilated place.

#### **EXPOSURE CONTROLS/PERSONAL PROTECTION**

#### **Control parameters**

#### **Exposure Limits**

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH
Calcium Carbonate 471-34-1	-	TWA: 15 mg/m³total dust TWA: 5 mg/m³ respirable fraction (vacated) TWA: 15 mg/m³ total dust (vacated) TWA: 5 mg/m³ respirable fraction	TWA: 10 mg/m³ total dust TWA: 5 mg/m³ respirable dust
Limestone 1317-65-3	-	TWA: 15 mg/m³ total dust TWA: 5 mg/m³ respirable fraction (vacated) TWA: 15 mg/m³ total dust (vacated) TWA: 5 mg/m³ respirable fraction	TWA: 10 mg/m³ total dust TWA: 5 mg/m³ respirable dust
Titanium Dioxide 13463-67-7	TWA: 0.2 mg/m³ nanoscale respirable particulate matter TWA: 2.5 mg/m³ finescale respirable particulate matter	TWA: 15 mg/m³ total dust (vacated) TWA: 10 mg/m³ total dust	IDLH: 5000 mg/m³ TWA: 2.4 mg/m³ CIB 63 fine TWA: 0.3 mg/m³ CIB 63 ultrafine, including engineered nanoscale
Stearic Acid 57-11-4	TWA: 10 mg/m³ inhalable particulate matter TWA: 3 mg/m³ respirable particulate matter	-	-
Crystalline Silica 14808-60-7	TWA: 0.025 mg/m³ respirable particulate matter	TWA: 50 µg/m³ (vacated) TWA: 0.1 mg/m³ respirable dust : (250)/(%SiO2 + 5) mppcf TWA respirable fraction : (10)/(%SiO2 + 2) mg/m³ TWA respirable fraction	IDLH: 50 mg/m³ respirable dust TWA: 0.05 mg/m³ respirable dust

Chemical Name	Alberta	British Columbia	Ontario	Quebec
Calcium Carbonate 471-34-1	TWA: 10 mg/m³	TWA: 10 mg/m³ TWA: 3 mg/m³ STEL: 20 mg/m³	-	TWA: 10 mg/m³
Limestone 1317-65-3	TWA: 10 mg/m³	TWA: 10 mg/m³ TWA: 3 mg/m³ STEL: 20 mg/m³	-	TWA: 10 mg/m³
Titanium Dioxide 13463-67-7	TWA: 10 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup> TWA: 3 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup>	TWA: 10 mg/m³
Stearic Acid 57-11-4	-	TWA: 10 mg/m <sup>3</sup> TWA: 3 mg/m <sup>3</sup>	TWA: 10 mg/m³ TWA: 3 mg/m³	TWA: 10 mg/m³
Proprietary Dehydration Agent	-	-	STEL: 10 ppm STEL: 60 mg/m³	-
Crystalline Silica 14808-60-7	TWA: 0.025 mg/m <sup>3</sup>	TWA: 0.025 mg/m <sup>3</sup>	TWA: 0.10 mg/m <sup>3</sup>	TWA: 0.1 mg/m <sup>3</sup>

#### **Appropriate engineering controls**

**Engineering controls** Showers

> Eyewash stations Ventilation systems

#### Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

**Hand protection** Wear suitable gloves.

Skin and body protection Wear suitable protective clothing.

No protective equipment is needed under normal use conditions. If exposure limits **Respiratory protection** 

are exceeded or irritation is experienced, ventilation and evacuation may be required.

**General hygiene considerations** Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face

protection. Do not eat, drink or smoke when using this product.

#### **PHYSICAL AND CHEMICAL PROPERTIES**

#### Information on basic physical and chemical properties

Physical state Liquid **Appearance** Paste Physical state Not applicable Not applicable Physical state Physical state

**Property Values** Remarks • Method

Not applicable

Not applicable None known Melting point / freezing point Not applicable None known Initial boiling point and boiling range Not applicable None known Flash point Not applicable None known **Evaporation rate** Not applicable None known **Flammability** Not applicable None known Flammability Limit in Air None known

Upper flammability or explosive

Not applicable limits

Lower flammability or explosive
Not applicable

limits

Vapor pressure Not applicable None known Relative vapor density (Air=1) > 1None known Relative density Not applicable None known Water solubility Not applicable None known Solubility(ies) Not applicable None known Partition coefficient Not applicable None known **Autoignition temperature** Not applicable None known **Decomposition temperature** Not applicable None known Kinematic viscosity Contact the manufacturer None known None known **Dynamic viscosity** Contact the manufacturer

Other information

10.0

Explosive properties

No information available

#### STABILITY AND REACTIVITY

**Reactivity** No information available.

Chemical stabilityStable under normal conditions.Possibility of hazardous reactionsNone under normal processing.

Conditions to avoid

None known based on information supplied.

Incompatible materials

None known based on information supplied.

Hazardous decomposition products

None known based on information supplied.

#### 11.0 TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

#### Product Information

**Inhalation** Specific test data for the substance or mixture is not available. May cause irritation of

respiratory tract. May be harmful if inhaled.

**Eye contact** Specific test data for the substance or mixture is not available. Causes serious eye

irritation. (based on components). May cause redness, itching, and pain.

**Skin contact** May be harmful in contact with skin. May cause sensitization by skin contact. Specific

test data for the substance or mixture is not available. Repeated or prolonged skin contact may cause allergic reactions with susceptible persons. (based on components).

May cause irritation. Prolonged contact may cause redness and irritation.

**Ingestion** Specific test data for the substance or mixture is not available. Ingestion may cause

gastrointestinal irritation, nausea, vomiting and diarrhea.

#### Symptoms related to the physical, chemical and toxicological characteristics

**Symptoms** Itching. Rashes. Hives. May cause redness and tearing of the eyes.

#### **Acute toxicity**

#### **Numerical measures of toxicity**

The following values are calculated based on chapter 3.1 of the GHS document

 ATEmix (oral)
 14,012.70 mg/kg

 ATEmix (dermal)
 3,088.00 mg/kg

 ATEmix (inhalation-gas)
 99,999.00 ppm

 ATEmix (inhalation-dust/mist)
 76.50 mg/l

 ATEmix (inhalation-vapor)
 276.00 mg/l

#### **Component Information**

Chemical Name	emical Name Oral LD50 Dermal LD50		Inhalation LC50
Calcium Carbonate 471-34-1	= 6450 mg/kg ( Rat )	> 2000 mg/kg ( Rat )	> 3 mg/L ( Rat ) 4 h
Titanium Dioxide 13463-67-7	> 10000 mg/kg ( Rat )	-	= 5.09 mg/L ( Rat ) 4 h
Stearic Acid 57-11-4	= 4600 mg/kg ( Rat )	> 2000 mg/kg ( Rabbit )	-
Proprietary Dehydration Agent	= 7340 μL/kg ( Rat )	= 3.54 mL/kg ( Rabbit )	= 16.8 mg/L ( Rat ) 4 h
Proprietary Adhesion Promoter	= 2413 mg/kg ( Rat )	> 2009 mg/kg ( Rabbit )	1.49 - 2.44 mg/L ( Rat ) 4 h

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Skin corrosion/irritation** May cause skin irritation.

Serious eye damage/eye irritation Classification based on data available for ingredients. Causes serious eye

irritation.

**Respiratory or skin sensitization** May cause an allergic skin reaction.

Germ cell mutagenicity No information available.

Carcinogenicity No information available.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
Titanium Dioxide 13463-67-7	А3	Group 2B	-	Х
Crystalline Silica 14808-60-7	A2	Group 1	Known	X

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 2B - Possibly Carcinogenic to Humans

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

**Reproductive toxicity**No information available. **STOT - single exposure**No information available.

**STOT - repeated exposure**May cause damage to organs through prolonged or repeated exposure.

**Aspiration hazard** No information available.

#### 12.0 ECOLOGICAL INFORMATION

#### **Ecotoxicity**

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Stearic Acid 57-11-4	-	LC50: <3000mg/L (96h, Brachydanio rerio) LC50: >1000mg/L (96h, Danio rerio)	-	-
Proprietary Dehydration Agent	-	LC50: =191mg/L (96h, Oncorhynchus mykiss)	-	-

Persistence and degradability

No information available.

**Bioaccumulation** 

**Component Information** 

Chemical Name	Partition coefficient
Stearic Acid 57-11-4	3.3

Mobility in soilNo information available.Other adverse effectsNo information available.

#### 13.0 DISPOSAL CONSIDERATIONS

**Disposal methods** 

Waste from residues/unused products

Dispose of in accordance with local regulations. Dispose of waste in accordance

with environmental legislation.

**Contaminated packaging** Do not reuse empty containers.

### TRANSPORT INFORMATION

**DOT** Not regulated

#### 15.0

#### **REGULATORY INFORMATION**

#### Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **International Regulations**

The Montreal Protocol on Substances that Deplete the Ozone Layer

Not applicable

The Stockholm Convention on Persistent Organic Pollutants

Not applicable

Not applicable

#### **International Inventories**

TSCA All ingredients are listed or exempt.

DSL/NDSL All ingredients are listed or exempt.

EINECS/ELINCS

Contact supplier for inventory compliance status.

ENCS

Contact supplier for inventory compliance status.

IECSC

Contact supplier for inventory compliance status.

KECL

Contact supplier for inventory compliance status.

Contact supplier for inventory compliance status.

Contact supplier for inventory compliance status.

AIIC

Contact supplier for inventory compliance status.

Contact supplier for inventory compliance status.

Contact supplier for inventory compliance status.

#### Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

**IECSC** - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

AIIC - Australian Inventory of Industrial Chemicals

NZIoC - New Zealand Inventory of Chemicals

#### **US Federal Regulations**

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

#### SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

#### **CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

<u>CERCLA</u> This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

#### **US State Regulations**

#### **California Proposition 65**

This product contains the following Proposition 65 chemicals:

Chemical Name	California Proposition 65
Titanium Dioxide - 13463-67-7	Carcinogen
Crystalline Silica - 14808-60-7	Carcinogen

See disclaimer in section 2.

#### **California Proposition 65**

#### **EPA Pesticide Registration Number** Not applicable

#### 16.0 OTHER INFORMATION

**NFPA Health hazards** 2 Flammability 0 Instability 0 Special hazards -**HMIS** Health hazards 2 \* Flammability 0 Physical hazards 0 Personal protection X

#### Key or legend to abbreviations and acronyms used in the safety data sheet

Legend Section 8: Exposure controls/personal protection

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value Skin designation

#### Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)

U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA)

EPA (Environmental Protection Agency)

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

National Institute of Technology and Evaluation (NITE)

Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organization for Economic Co-operation and Development Environment, Health, and Safety Publications

Organization for Economic Co-operation and Development High Production Volume Chemicals Program

Organization for Economic Co-operation and Development Screening Information Data Set

World Health Organization

**Revision date** Jan 6, 2025

**Revision Note** No information available.

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**