



Above Ground Vinyl Liners

Splash™ Series

Scan this QR
Code to learn
about GLI Above
Ground Liners.






SplashTM

Above Ground Vinyl Liners

THE BENEFITS OF UNIBEAD

GLI's Splash Series versatile Unibead construction allows you to replace an overlap or beaded liner with one of our beautiful tile patterns. If replacing an overlap liner, simply attach the Unibead J-hook to the top of the pool wall. If replacing a beaded liner, remove the J-hook portion of the liner and install like a standard beaded liner. Both options give you a professional look and make installation a snap. Splash Series Unibead liners come with a 20 year limited / 1 year full warranty and are made from durable 100% Virgin Vinyl.






UNIBEAD LINERS



CAPRI
Unibead 48", 52", 54"



GOLDEN BEACH
Unibead 48", 52", 54"



LUCIA
Unibead 48", 52"



AQUARIUM
Unibead 48", 52"



MARINA
Unibead 48", 52"



BOULDER
Unibead 48", 52"



*Splash*TM


Above Ground Vinyl Liners

THE OVERLAP OPTION

GLI's Splash Series Overlap liners are the ideal economical option for your liner replacement needs and can accommodate any 48" or 52" above ground pool wall. GLI also offers Expandable overlap liners (available in Solid Blue, Blue Wall/Swirl Floor and Swirl Wall/Swirl Floor) that fit pools up to 72" deep.

The Above Ground Overlap liner is designed to hang over the top of the pool wall and is held in place with coping strips. Splash Series Overlap liners come with a 20 year limited / 1 year full warranty and are made from durable 100% Virgin Vinyl.

OVERLAP LINERS



SOLID BLUE
Overlap



BLUE WALL/SWIRL FLOOR
Overlap



SWIRL WALL/SWIRL FLOOR
Overlap



BOULDER
Overlap



AQUARIUM
Overlap





PROTECT EVERY ABOVE GROUND LINER EVERY TIME WITH THE PROTECTION OF ARMOR SHIELD.

Armor Shield

Armor Shield provides an important protective layer between a vinyl swimming pool liner and its sand or soil base. Unlike TRADITIONAL FOAM padding, Armor Shield is a Polypropylene Geotextile material that prevents cuts and punctures to the vinyl liner caused by rocks, roots, grass and even GLASS! Armor Shield also reduces convective heat loss and provides a comfortable floor pad for tired feet.

GLI makes redemption of your warranty easy. Simply be sure to keep a DATED copy of the purchase invoice for both the GLI liner and the Armor Shield floor protector in your records. If a defect should occur, send a copy to our Customer Care department along with a photo/digital image of the defective area. *JUST LIKE THAT*, your warranty will take effect and a replacement liner or a repaired liner will be issued.

A warranty assistance representative, may be reached by email at support@glipoolproducts.com or by phone at 1-800-448-2343, Ext 6 x 15251.

Our Program

We are so certain of the protection Armor Shield will provide, we will extend the warranty of your GLI Above Ground Liner from 20/1 years to 25/3 years when installed with ARMOR SHIELD.


Should you experience a problem with your liner as a result of a manufacturing defect, GLI will replace or repair your liner within your first 3 years of ownership.

pol•y•pro•pyl•ene - noun *Chemistry*

A plastic polymer of propylene, (C₃H₅), used chiefly for molded parts, electrical insulation, packaging, and fibers for wearing apparel.

GEOTEXTILES are permeable fabrics which, when used in association with soil, have the ability to separate, filter, reinforce, protect, or drain.

GEOTEXTILES have a wide range of applications, many of which are currently used to the advantage of civil engineering projects including; roads, airfields, railroads, embankments, retaining structures, reservoirs, canals, etc.





Don't forget to pair your GLI Above Ground Liner with the best protection for your pool bottom, the Armor Shield Protection System. Ask your dealer for more information today!



Scan this QR code to learn
more about GLI's Armor
Shield Protection System.



215 SINTER COURT
YOUNGSTOWN, OHIO 44510
800-448-2343
WWW.GLIPOOLPRODUCTS.COM

VER. 15.01.01

DEALER INFORMATION: