Safety Data Sheet



Issue Date: 01-May-2007 Revision Date: 24-Sep-2021 Version 2

1. IDENTIFICATION

Product identifier

Product Name Champion -50 Pool Antifreeze

Other means of identification

SDS # CPD-014-10002

Product Code CH201402, CH201404

UN/ID No UN1170

Recommended use of the chemical and restrictions on use

Recommended Use Pool Pipe Antifreeze for Winterizing.

Details of the supplier of the safety data sheet

Supplier Address

Champion Packaging & Distribution, Inc. 1840 Internationale Pkwy Woodridge, IL 60517

Emergency telephone number

Company Phone Number 630-972-0100

Emergency Telephone INFOTRAC 1-352-323-3500 (International)

1-800-535-5053 (North America)

2. HAZARDS IDENTIFICATION

Appearance Clear pink liquid Physical state Liquid

Classification

Serious eye damage/eye irritation	Category 2
Flammable liquids	Category 3

Signal Word Warning

Hazard statements

Causes serious eye irritation Flammable liquid and vapor





Precautionary Statements - Prevention

Wear protective gloves/protective clothing/eye protection/face protection

Wash face, hands and any exposed skin thoroughly after handling

Keep away from heat/sparks/open flames/hot surfaces. — No smoking

Keep container tightly closed

Ground/bond container and receiving equipment

Use explosion-proof equipment

Use only non-sparking tools

Take precautionary measures against static discharge

Precautionary Statements - Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower

IN CASE OF FIRE: Use CO2, dry chemical, or foam to extinguish

Precautionary Statements - Storage

Store in a well-ventilated place. Keep cool

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other hazards

Harmful to aquatic life with long lasting effects

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	CAS No	Weight-%
Ethyl Alcohol	64-17-5	10-20
Glycerol	56-81-5	1-10
1,2 Propanediol	57-55-6	1-10

^{**}If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.**

4. FIRST AID MEASURES

Description of first aid measures

General Advice In case of accident or if you feel unwell, seek medical advice immediately (show the label or

SDS where possible).

Eye Contact Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes.

Inhalation Remove victim to fresh air and keep at rest in a position comfortable for breathing.

Ingestion Clean mouth with water and drink afterwards plenty of water.

Most important symptoms and effects, both acute and delayed

Symptoms Causes serious eye irritation.

Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Revision Date: 24-Sep-2021

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media Not determined.

Specific Hazards Arising from the Chemical

Flammable liquid and vapor.

Explosion Data

Sensitivity to Static Discharge Take precautionary measures against static discharge.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal PrecautionsUse personal protective equipment as required.

Environmental precautions

Environmental precautions See Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for Clean-Up Keep in suitable, closed containers for disposal.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on Safe Handling Wear protective gloves/protective clothing and eye/face protection. Wash face, hands and

any exposed skin thoroughly after handling. Keep away from heat/sparks/open flames/hot surfaces. — No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion proof equipment. Use only non-sparking tools. Take

precautionary measures against static discharges.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up.

Incompatible Materials None known based on information supplied.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Revision Date: 24-Sep-2021

Exposure Guidelines

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Ethyl Alcohol	STEL: 1000 ppm	TWA: 1000 ppm	IDLH: 3300 ppm
64-17-5		TWA: 1900 mg/m ³	TWA: 1000 ppm
		(vacated) TWA: 1000 ppm	TWA: 1900 mg/m ³
		(vacated) TWA: 1900 mg/m ³	_
Glycerol	-	TWA: 15 mg/m³ mist, total	-
56-81-5		particulate	
		TWA: 5 mg/m ³ mist, respirable	
		fraction	
		(vacated) TWA: 10 mg/m³ mist,	
		total particulate	
		(vacated) TWA: 5 mg/m³ mist,	
		respirable fraction	

Appropriate engineering controls

Engineering Controls Apply technical measures to comply with the occupational exposure limits.

Individual protection measures, such as personal protective equipment

Eye/Face Protection Wear eye/face protection. Refer to 29 CFR 1910.133 for eye and face protection

regulations.

Skin and Body Protection Wear protective gloves and protective clothing. Refer to 29 CFR 1910.138 for appropriate

skin and body protection.

Respiratory Protection Ensure adequate ventilation, especially in confined areas. Refer to 29 CFR 1910.134 for

respiratory protection requirements.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Liquid

AppearanceClear pink liquidOdorNot determinedColorPinkOdor ThresholdNot determined

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

pH 7.67

Melting point / freezing point

Boiling point / boiling range
Flash point 44.4°C / 112°F

Evaporation Rate Not determined
Flammability (Solid, Gas) Not determined

Flammability Limit in Air

Upper flammability or explosive Not determined

limits

Lower flammability or explosive Not determined

limits

Vapor Pressure
Vapor Density
Relative Density
Water Solubility
Solubility in other solvents
Partition Coefficient
Autoignition temperature
Not determined
Not determined
Not determined
Not determined
Not determined

Decomposition temperature Not determined Kinematic viscosity Not determined **Dynamic Viscosity** Not determined **Explosive Properties** Not determined **Oxidizing Properties** Not determined

10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions.

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

None under normal processing.

Conditions to Avoid

Keep out of reach of children.

Incompatible materials

None known based on information supplied.

Hazardous decomposition products

None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Eye Contact Causes serious eye irritation.

Skin Contact Avoid contact with skin.

Inhalation Do not inhale.

Ingestion Do not ingest.

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Ethyl Alcohol 64-17-5	= 7060 mg/kg (Rat)	-	= 124.7 mg/L (Rat)4 h
Glycerol 56-81-5	= 12600 mg/kg(Rat)	> 10 g/kg(Rabbit)	> 2.75 mg/L (Rat)4 h
1,2 Propanediol 57-55-6	= 20 g/kg(Rat)	= 20800 mg/kg(Rabbit)	-

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Please see section 4 of this SDS for symptoms.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Carcinogenicity Ethanol has been shown to be carcinogenic in long-term studies only when consumed as

an alcoholic beverage.

Chemical name	ACGIH	IARC	NTP	OSHA
	•			

CPD-014-10002 Champion -50 Pool Antifreeze

Ethyl Alcohol	A3	Group 1	Known	X
64-17-5				

Revision Date: 24-Sep-2021

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans NTP (National Toxicology Program)

Known - Known Carcinogen
OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document

Oral LD50 9,746.03 mg/kg **Dermal LD50** 27,799.70 mg/kg ATEmix (inhalation-dust/mist) 6.39 mg/L ATEmix (inhalation-vapor) 330.00 mg/L

12. ECOLOGICAL INFORMATION

Ecotoxicity

Harmful to aquatic life with long lasting effects.

Component Information

Chemical name	Algae/aquatic plants	Fish	Crustacea
Ethyl Alcohol		12.0 - 16.0: 96 h Oncorhynchus	9268 - 14221: 48 h Daphnia magna
64-17-5		mykiss mL/L LC50 static	mg/L LC50
		13400 - 15100: 96 h Pimephales	2: 48 h Daphnia magna mg/L EC50
		promelas mg/L LC50 flow-through	Static
		100: 96 h Pimephales promelas	
		mg/L LC50 static	
Glycerol		51 - 57: 96 h Oncorhynchus mykiss	
56-81-5		mL/L LC50 static	
1,2 Propanediol	19000: 96 h Pseudokirchneriella	41 - 47: 96 h Oncorhynchus mykiss	1000: 48 h Daphnia magna mg/L
57-55-6	subcapitata mg/L EC50	mL/L LC50 static	EC50 Static
		51400: 96 h Pimephales promelas	
		mg/L LC50 static	
		51600: 96 h Oncorhynchus mykiss	
		mg/L LC50 static	
		710: 96 h Pimephales promelas	
		mg/L LC50	

Persistence/Degradability

Not determined.

Bioaccumulation

There is no data for this product.

Mobility

mount;	
Chemical name	Partition coefficient
Ethyl Alcohol 64-17-5	-0.32
Glycerol 56-81-5	-1.76

Other Adverse Effects

Not determined

13. DISF	POSAL	CONSIDERAT	FIONS
----------	-------	------------	--------------

Waste Treatment Methods

Disposal of Wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated Packaging Disposal should be in accordance with applicable regional, national and local laws and

regulations.

California Hazardous Waste Status

Chemical name	California Hazardous Waste Status
Ethyl Alcohol	Toxic
64-17-5	Ignitable

14. TRANSPORT INFORMATION

Note Please see current shipping paper for most up to date shipping information, including

exemptions and special circumstances.

DOT Not regulated (If shipped in NON BULK packaging by ground transport)

For BULK packages:

UN/ID No UN1170

Proper Shipping Name Ethanol solution

Hazard class 3
Packing Group III

IATA

UN number UN1170

Proper Shipping Name Ethanol solution

Transport hazard class(es) 3
Packing Group III

IMDG

UN number UN1170

Proper Shipping Name Ethanol solution

Transport hazard class(es) 3
Packing Group III

15. REGULATORY INFORMATION

International Inventories

Chemical name	TSCA	TSCA Inventory	DSL/NDSL	EINECS/ELI	ENCS	IECSC	KECL	PICCS	AICS
		Status		NCS					
Ethyl Alcohol	X	ACTIVE	Х	Х	Х	Х	Х	Х	Х
Glycerol	Х	ACTIVE	X	Х	Х	X	Х	Х	Х
1,2 Propanediol	Х	ACTIVE	X	X	Х	X	X	Х	X

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355).

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

US State Regulations

California Proposition 65

Ethyl alcohol is only considered a Proposition 65 hazard when it is ingested as an alcoholic beverage. Based on the intended use, this product does not contain any Proposition 65 chemicals.

Chemical name	California Proposition 65
Ethyl Alcohol - 64-17-5	Carcinogen
	Developmental

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Ethyl Alcohol	X	X	X
64-17-5			
Glycerol	X	X	X
56-81-5			
1,2 Propanediol	X		X
57-55-6			

16. OTHER INFORMATION

Health Hazards Flammability Instability **Special Hazards** NFPA Not determined Not determined Not determined Not determined **Health Hazards** Physical hazards **Personal Protection** HMIS **Flammability** Not determined Not determined Not determined Not determined

Issue Date:01-May-2007Revision Date:24-Sep-2021Revision Note:Regulatory update

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet