

Safety Data Sheet

May be used to comply with
OSHA's Hazard Communication
Standard, 29 CFR 1910.1200.
Standard must be consulted for
specific requirements.

**U.S. Department of Labor**

Occupational Safety and Health
Administration (Non-Mandatory
Form) Form Approved OMB No.
1218-0072

NOTE: Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that.

IDENTITY/TRADE NAME (as used on Label and List) :

Crystalstones

GENERIC NAME:**SECTION I : IDENTIFICATION****MANUFACTURER'S NAME:**

C.L. Industries

EMERGENCY TELEPHONE NUMBER:

1-800-222-1222

**ADDRESS (NUMBER, STREET, CITY, STATE and
ZIP CODE):**

8188 S. Orange Ave.

TELEPHONE NUMBER FOR INFORMATION:

352-365-6522

REVISION DATE: 7/17/2014**REPLACES: Nov-00**

Orlando, FL 32809

SIGNATURE OF PREPARER (optional)

C. Rodriguez

To Purchasers/Users: This MSDS contains important safety, health and environmental information. Federal regulations require that employers make this information available to their employees. If you are a reseller of this product, you should supply a copy of this MSDS to purchasers.

SECTION II : HAZARD(S) IDENTIFICATION**EMERGENCY OVERVIEW:****POTENTIAL HEALTH EFFECTS**

ACUTE: Dust can irritate the eyes and upper respiratory system. Slurry can dry the skin and cause alkali burns

CHRONIC: Dust may cause inflammation of the tissue linings of the eyes and cornea.

EYES: May cause irritation; dust may cause inflammation of the tissue linings of the eyes and cornea.

SKIN: May cause irritation.

INHALATION: Dust can irritate the upper respiratory system.

SECTION III : COMPOSITION/INFORMATION ON INGREDIENTS

MATERIAL DESCRIPTION

COMMON NAME	C.A.S. NO.
Portland Cement	
Rock (Raw Aggregates)	
Earth Minerals	
Various admixes in proprietary blend	

The components of this product are in compliance with the chemical notification requirements of TSCA.
This product contains the following toxic chemical or chemicals subject to the reporting requirements of Section 313 of Title III of the
Emergency Planning and Community Right-To-Know Act of 1986 and 40 CFR Part 372:

SECTION IV : FIRST AID MEASURES

EYES:	Irrigate eyes with gentle flowing water or at specified eyewash stations. Seek medical attention.
SKIN:	Wash skin with soapy water. If rash or irritation occur, seek medical attention immediately.
INHALATION:	Remove from exposure into fresh air, seek medical attention.

SECTION V : FIRE FIGHTING MEASURES

FLAMMABLE PROPERTIES:	
Flash Point: Nonflammable	
Flammable Limits: not applicable	
LEL: not applicable	
UEL: not applicable	
SUITABLE EXTINGUISHING MEDIA N/A	
UNUSUAL FIRE & EXPLOSION HAZARDS:	Non-explosive
SPECIAL FIRE FIGHTING INSTRUCTIONS:	This product will not burn and rock is not flammable.

SECTION VI : ACCIDENTAL RELEASE MEASURES

Sweep up material; follow good housekeeping procedures. Wear personal protection equipment. Emergency procedures are not required.

SECTION VII : HANDLING AND STORAGE

Handling & Storage:	Use with adequate ventilation. In dusty environments, use NIOSH approved respirator.
---------------------	--

SECTION VIII : EXPOSURE CONTROL/PERSONEL PROTECTION

RESPIRABLE DUST	
TOTAL DUST:	10 MG/M3 5/MG/M3 respirable dust
THRESHOLD LIMIT VALUE	

ENGINEERING CONTROLS:	Provide adequate ventilation.
RESPIRATORY PROTECTION:	Use MSHA/NIOSH approved air-purifying respirator with cartridges. Provide adequate ventilation.
SKIN PROTECTION:	Boots, long pants and sleeves. Wash thoroughly after use.
EYE PROTECTION:	Protective goggles or glasses
SIGNS & SYMPTOMS OF EXPOSURE:	Reduced visibility, may cause unpleasant deposits in the eyes, ears, mouth and nasal passages. Difficulty in breathing, abraded skin.
OTHER:	Medical conditions generally aggravated by exposure are contact dermatitis; respiratory disorders may be aggravated by exposure.

SECTION IX : PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE:	powder with sand stone, tan, white or black raw aggregates
COLOR:	grey, white or colored
VAPOR PRESSURE:	N/A
VAPOR DENSITY:	N/A
SOLUBILITY IN WATER:	slight
SPECIFIC GRAVITY:	N/A
EVAPORATION RATE:	N/A
BOILING POINT:	4046° F (rock only)
ODOR:	odorless

SECTION X : STABILITY AND REACTIVITY

CHEMICAL STABILITY:	Stable
INCOMPATIBILITY:	N/A
CONDITIONS TO AVOID:	Keep dry until ready to use
HAZARDOUS DECOMPOSITION:	N/A
HAZARDOUS POLYMERIZATION:	Will not occur.

SECTION XI : TOXICOLOGICAL INFORMATION

Not Available

SECTION XII : ECOLOGICAL INFORMATION

Not Available

SECTION XIII : DISPOSAL CONSIDERATIONS

Waste Disposal: Dispose of in accordance with applicable federal, state and local regulations.

SECTION XIV : TRANSPORTATION INFORMATION

Not Available

SECTION XV : REGULATORY INFORMATION
--

Not Available

SECTION XVI : OTHER INFORMATION
--

None
