# SAFETY DATA SHEET

Version 1

#### Revision Date 01-May-2015

# **1. IDENTIFICATION**

Muriatic Acid
26457034391
1789
ical and restrictions on us

Recommended use of the chemical and restrictions on useRecommended UseSwimming pool chemicals. Cleaning agent.Uses advised againstNo information available

## Details of the supplier of the safety data sheet Manufacturer Address KIK International LLC

33 Macintosh Blvd. Concord, Ontario Canada L4K 4L5 1-800-479-6603

#### Emergency telephone number Emergency Telephone

Chemtrec (Transportation) 1-800-424-9300, 703-527-3887 Poison Control Center (Medical) : (877) 800-5553

# 2. HAZARDS IDENTIFICATION

#### **Classification**

### **OSHA Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)


Acute toxicity - Oral	Category 4
Acute toxicity - Inhalation (Dusts/Mists)	Category 4
Skin corrosion/irritation	Category 1
Serious eye damage/eye irritation	Category 1
Specific target organ toxicity (single exposure)	Category 3
Corrosive to metals	Category 1

## Label elements

**Emergency Overview** 

# Danger

Hazard statements Harmful if swallowed Causes severe skin burns and eye damage Harmful if inhaled May cause respiratory irritation. May cause drowsiness or dizziness May be corrosive to metals



### **Precautionary Statements - Prevention**

Wash face, hands and any exposed skin thoroughly after handling Do not eat, drink or smoke when using this product Use only outdoors or in a well-ventilated area Do not breathe dust/fume/gas/mist/vapors/spray Wear protective gloves/protective clothing/eye protection/face protection Keep only in original container

#### **Precautionary Statements - Response**

Immediately call a POISON CENTER or doctor/physician

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/physician

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell. Rinse mouth. Do NOT induce vomiting. Absorb spillage to prevent material damage

#### **Precautionary Statements - Storage**

Store locked up. Store in a well-ventilated place. Keep container tightly closed. Store in corrosive resistant plastic container with a resistant inner liner.

### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

#### Hazards not otherwise classified (HNOC)

Not applicable

#### Other Information

0% of the mixture consists of ingredient(s) of unknown toxicity

### **3. COMPOSITION/INFORMATION ON INGREDIENTS**

### Mixture

Chemical Name	CAS No.	Weight-%
Hydrogen chloride	7647-01-0	25-35*

\*The exact percentage (concentration) of composition has been withheld as a trade secret.

## 4. FIRST AID MEASURES

### **Description of first aid measures**

Eye contact

Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.

Skin contact	Wash skin with soap and water. If symptoms persist, call a physician.		
Inhalation	Remove to fresh air.		
Ingestion	Do NOT induce vomiting. Clean mouth with water and drink afterwards plenty of water. If symptoms persist, call a physician.		
Most important symptoms and eff	ects, both acute and delayed		
Symptoms	No information available.		
Indication of any immediate medio	cal attention and special treatment needed		
Note to physicians	Treat symptomatically.		
	5. FIRE-FIGHTING MEASURES		
Suitable extinguishing media Use extinguishing measures that are	e appropriate to local circumstances and the surrounding environment.		
Unsuitable extinguishing media	No information available.		
Specific hazards arising from the No information available.	<u>chemical</u>		
<u>Explosion data</u> Sensitivity to Mechanical Impa Sensitivity to Static Discharge			
Protective equipment and precaut As in any fire, wear self-contained by protective gear.	tions for firefighters reathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full		
	6. ACCIDENTAL RELEASE MEASURES		
Personal precautions, protective e	equipment and emergency procedures		
Personal precautions	Keep people away from and upwind of spill/leak. Avoid contact with skin, eyes or clothing. Use personal protective equipment as required. Ensure adequate ventilation, especially in confined areas.		
Environmental precautions			
Environmental precautions	See Section 12 for additional ecological information.		
Methods and material for containr	nent and cleaning up		
Methods for containment	Prevent further leakage or spillage if safe to do so.		
Methods for cleaning up	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Pick up and transfer to properly labeled containers.		
	7. HANDLING AND STORAGE		
Precautions for safe handling			
Advice on safe handling	Handle in accordance with good industrial hygiene and safety practice. Do not mix with		

Conditions for safe storage, including any incompatibilities

other chemicals.

### **Storage Conditions**

Keep containers tightly closed in a dry, cool and well-ventilated place.

Incompatible materials

Strong oxidizing agents, Bases, Metals.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control parameters

### **Exposure Guidelines**

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Hydrogen chloride 7647-01-0	Ceiling: 2 ppm	(vacated) Ceiling: 5 ppm (vacated) Ceiling: 7 mg/m <sup>3</sup> Ceiling: 5 ppm Ceiling: 7 mg/m <sup>3</sup>	IDLH: 50 ppm Ceiling: 5 ppm Ceiling: 7 mg/m <sup>3</sup>

NIOSH IDLH Immediately Dangerous to Life or Health

**Other Information** 

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

### Appropriate engineering controls

Engineering Controls	Showers
	Eyewash stations
	Ventilation systems.

## Individual protection measures, such as personal protective equipment

Eye/face protection	Wear safety glasses with side shields (or goggles).
Skin and body protection	Wear protective gloves and protective clothing.
Respiratory protection	If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.
General Hygiene Considerations	Handle in accordance with good industrial hygiene and safety practice.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

### Information on basic physical and chemical properties

Physical state Appearance Color	liquid clear amber, colorless to light amber	Odor Odor threshold	Pungent No information available
Property pH Melting point/freezing point Boiling point / boiling range Flash point Evaporation rate Flammability (solid, gas) Flammability Limit in Air Upper flammability limit: Lower flammability limit: Vapor pressure Vapor density Specific Gravity Water solubility Solubility in other solvents	Values < 1 No information available No information available	<u>Remarks • Method</u>	

Partition coefficient Autoignition temperature Decomposition temperature Kinematic viscosity Dynamic viscosity Density Bulk density Explosive properties Oxidizing properties

### **Other Information**

Softening point Molecular weight VOC Content (%) No information available No information available

No information available No information available No information available

# **10. STABILITY AND REACTIVITY**

 Reactivity

 No data available

 Chemical stability

 Stable under recommended storage conditions.

 Possibility of Hazardous Reactions

 None under normal processing.

 Conditions to avoid

 Do not mix with other chemicals. Extremes of temperature and direct sunlight.

 Incompatible materials

 Strong oxidizing agents, Bases, Metals.

 Hazardous Decomposition Products

 None known based on information supplied.

# **11. TOXICOLOGICAL INFORMATION**

### Information on likely routes of exposure

Inhalation	May be harmful if inhaled. May cause central nervous system depression with nausea, headache, dizziness, vomiting, and incoordination. May cause irritation of respiratory tract.
Eye contact	Avoid contact with eyes. Risk of serious damage to eyes. May cause burns.
Skin contact	Avoid contact with skin. May cause burns.
Ingestion	May be fatal if swallowed. Can burn mouth, throat, and stomach. Ingestion causes burns of the upper digestive and respiratory tracts.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Hydrogen chloride 7647-01-0	238 - 277 mg/kg (Rat)	> 5010 mg/kg (Rabbit)	= 1.68 mg/L (Rat)1 h

## Information on toxicological effects

Symptoms

No information available.

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization	No information available.
Germ cell mutagenicity	No information available.
Carcinogenicity	The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
Hydrogen chloride 7647-01-0	-	Group 3	-	-

IARC (International Agency for Research on Cancer)<br/>Not classifiable as a human carcinogenReproductive toxicityNo information available.STOT - single exposureNo information available.STOT - repeated exposure<br/>Target Organ EffectsNo information available.Aspiration hazardNo information available.

Numerical measures of toxicity - Product Information

# The following values are calculated based on chapter 3.1 of the GHS document .

# **12. ECOLOGICAL INFORMATION**

### **Ecotoxicity**

0% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Hydrogen chloride	-	282: 96 h Gambusia affinis mg/L	-
7647-01-0		LC50 static	

# Persistence and degradability

No information available.

### **Bioaccumulation**

No information available.

#### Mobility

No information available.

Other adverse effects

No information available

# **13. DISPOSAL CONSIDERATIONS**

Waste treatment methods	
Disposal of wastes	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated packaging	Do not reuse container. Refer to all federal, state and local regulations prior to disposal of container and unused contents by reuse, recycle or disposal.

# 14. TRANSPORT INFORMATION

DOT	
UN/ID no.	1789
Proper shipping name	HYDROCHLORIC ACID SOLUTION
Hazard Class	8
Packing Group	II
Description	UN1789 HYDROCHLORIC ACID SOLUTION, 8, II
ΙΔΤΔ	

UN/ID no.	1789
Proper shipping name	HYDROCHLORIC ACID SOLUTION
Hazard Class	8
Packing Group	II
• •	

### Description

### UN1789 HYDROCHLORIC ACID SOLUTION, 8, II

IMDG	
UN/ID no.	1789
Proper shipping name	HYDROCH
Hazard Class	8
Packing Group	11
Description	UN1789 HY

1789 HYDROCHLORIC ACID SOLUTION 8 II UN1789 HYDROCHLORIC ACID SOLUTION, 8, II

# **15. REGULATORY INFORMATION**

International	Inventories
TSCA	
DSL/NDSL	

Complies Complies

## Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

# US Federal Regulations

### <u>SARA 313</u>

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	SARA 313 - Threshold Values %	
Hydrochloric Acid - 7647-01-0	1.0	
SARA 311/312 Hazard Categories		
Acute health hazard	Yes	
Chronic Health Hazard	No	
Fire hazard	No	
Sudden release of pressure hazard	No	
Reactive Hazard	No	

### CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Hydrogen chloride 7647-01-0	5000 lb	-	-	Х

### CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Hydrogen chloride	5000 lb	5000 lb	RQ 5000 lb final RQ
7647-01-0			RQ 2270 kg final RQ

# US State Regulations

## **California Proposition 65**

This product does not contain any Proposition 65 chemicals

### U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Hydrogen chloride 7647-01-0	Х	Х	Х

# U.S. EPA Label Information

**EPA Pesticide Registration Number** This product does not contain any substances regulated as pesticides **Difference between SDS and CPSC label** 

This product is regulated under Consumer Product Safety Commission and is subject to certain labeling requirements under the Federal Hazardous Substances Act (16 CFR Part 1500). These requirements differ from the classification criteria and hazard information required for safety data sheets and for workplace product labels.

# 16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

<u>NFPA</u>	Health hazards 3	Flammability 0	Instability 1	Physical and Chemical Properties -
HMIS	Health hazards 3	Flammability 0	Physical hazards 1	Personal protection B
Prenared By	Regulato	ry Affairs		

 Prepared By
 Regulatory Affairs

 Revision Date
 01-May-2015

 Revision Note
 No information available

 Disclaimer

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet