

**SPECIFICATION SHEET** 

Gasket:

1633 Staunton Ave Los Angeles, CA 90021

FAX. (800) 727-9957 (800) 727-9262

(213) 747-3234 (213) 747-4500

E-Mail: sales@coronalighting.com

# PRODUCT #: CL-505

Aluminum

# **Fixture Specifications:**

Housing: Die-cast aluminum. 360 degree rotatable shroud.

Finish: Polyester UV powder coated, available in BK-Black,

BZ-Bronze, GT-Granite, RT-Rust, VG-Verde Green,

WH-White.

Lens: Clear, tempered, and heat resistant glass.

Socket: Top grade fixed ceramic bi-pin socket, with lamp

retension clip to securely hold lamp in place.

Lamp: 12V, MR-16, 35W max.

> Available in LED (3.5W & 5W) or without lamp. See the Lamp Guide below for more information.

Wiring: Fixture is prewired with a 3ft 18-2 SPT1-W direct

> burial cord. Wire connector sold seperately. Universal connector (CX-839), silicone filled wire nut (CX-854) or quick locking wire connector (CX-LOC)

are available from Corona Lighting.

Directional Lights

Knuckle:

Adjustable die-cast aluminum knuckle with philips

Silicone gasket for weather-tight sealing.

screw and 1/2" NPT threaded male hub on bottom.

Mounting Spike: 8½" Black ABS spike with ½" NPT threaded male

**Electrical Notes:** A remote 12V transformer is required. Options are

available from Corona Lighting.

Voltage range for LED lamps are 9V-17V. Proper grease/lubricant is suggested on threaded parts during installation process.

Warranty: One (1) year warranty on fixture housing against

manufacturer's defects.







| MPS (Corona LED lamps have a five (5) year limited warranty against manufacturer's defects) |
|---------------------------------------------------------------------------------------------|
| NIVIPO (Corona LED lamps have a five (5) year limited warranty against manufacturer's defec |

|                                                                                |       | BEAM           |       | COLOR & | RATED  | HALOGEN           |
|--------------------------------------------------------------------------------|-------|----------------|-------|---------|--------|-------------------|
| LAMP NUMBER                                                                    | WATTS | SPREAD         | LUMEN | TEMP.   | HOURS  | <b>EQUIVALENT</b> |
| L-ED16-3W-SP                                                                   | 3.5   | 15° Spot       | 270   | 2700K   | 50,000 | 25 Watt           |
| L-ED16-3W-FL                                                                   | 3.5   | 45° Flood      | 270   | 2700K   | 50,000 | 25 Watt           |
| L-ED16-3W-WF                                                                   | 3.5   | 60° Wide Flood | 270   | 2700K   | 50,000 | 25 Watt           |
| L-ED16-5W-SP                                                                   | 5     | 15° Spot       | 350   | 2700K   | 50,000 | 40 Watt           |
| L-ED16-5W-FL                                                                   | 5     | 45° Flood      | 350   | 2700K   | 50,000 | 40 Watt           |
| L-ED16-5W-WF                                                                   | 5     | 60° Wide Flood | 350   | 2700K   | 50,000 | 40 Watt           |
| L-ED16-COB5W-SP                                                                | 5     | 15° Spot       | 450   | 2700K   | 50,000 | 50 Watt           |
| L-ED16-COB5W-FL                                                                | 5     | 38° Flood      | 450   | 2700K   | 50,000 | 50 Watt           |
| L-ED16-COB5W-WF                                                                | 5     | 60° Wide Flood | 450   | 2700K   | 50,000 | 50 Watt           |
| L-ED16-COB5W-SP3K                                                              | 5     | 15° Spot       | 470   | 3000K   | 50,000 | 50 Watt           |
| L-ED16-COB5W-FL3K                                                              | 5     | 38° Flood      | 470   | 3000K   | 50,000 | 50 Watt           |
| L-ED16-COB5W-WF3K                                                              | 5     | 60° Wide Flood | 470   | 3000K   | 50,000 | 50 Watt           |
| Single color MR-16 LED available in AMBER, BLUE, GREEN, PURPLE, RED and VIOLET |       |                |       |         |        |                   |

## JOB INFORMATION

DATE:

JOB NAME & ADDRESS:

PRODUCT #:

TOTAL QUANTITY:

LAMP TYPE & WATTAGE:

TRANSFORMER:

CONTRACTOR:

SPECIFIER:

• When ordering LED lamp with a fixture your part number should follow the format below:



Example: CL-505-GT-L-ED16-5W-FL

Corona Lighting reserves the right to make any change and/or improvement to the design and construction of this fixure without further notification.



**Mounting Pedestals** 

CX-603-VG

**ACCESSORIES SHEET** 

1633 Staunton Ave Los Angeles, CA 90021

FAX.

Aluminum


(800) 727-9957 (800) 727-9262

(213) 747-3234 (213) 747-4500

E-Mail: sales@coronalighting.com

# PRODUCT #: CL-505

#### CX-601-BK 1" PVC Mounting Pedestal, 1/2" NPT, Black CX-601-VG 1" PVC Mounting Pedestal, 1/2" NPT, Verde Green CX-602-BK 2" PVC Mounting Pedestal, 1/2" NPT, Black CX-602-VG 2" PVC Mounting Pedestal, 1/2" NPT, Verde Green CX-603-BK 3" PVC Mounting Pedestal, 1/2" NPT Female Brass Hub on top, Black



on top, Verde Green

3" PVC Mounting Pedestal, ½" NPT Female Brass Hub

CX-603-BK

| CX-621-BK | 1" PVC Cap, ½" NPT, <b>Black</b>                  |
|-----------|---------------------------------------------------|
| CX-621-VG | 1" PVC Cap, ½" NPT, Verde Green                   |
| CX-622-BK | 2" PVC Cap, ½" NPT, Black                         |
| CX-622-VG | 2" PVC Cap, ½" NPT, Verde Green                   |
| CX-624-BK | 3" PVC Cap, ½" NPT Female Brass Hub, <b>Black</b> |
| CX-624-VG | 3" PVC Cap, ½" NPT Female Brass Hub, Verde Green  |

4/11 1 10 7 7 7



#### **Ground Spikes**

CX-642-BK 8.5" ABS Spike, 1/2" NPT, Black CX-642-BZ 8.5" ABS Spike, 1/2" NPT, Bronze CX-643-BZ 8.5" ABS Spike, 1/2" NPT, Bronze



### CX-647-BK

| CX-646-BK | 8" ABS Spike, ½" NPT, Black               |
|-----------|-------------------------------------------|
| CX-646-BR | 8" ABS Spike, ½" NPT, Natural Brass       |
| CX-646-SS | 8" ABS Spike, ½" NPT, Stainless Steel     |
| CX-647-BK | 10.5" Heavy Duty ABS Spike, ½" NPT, Black |

## **Mounting Canopies**

Directional Lights

CX-701-BK

|           | • • •                                                                                                |
|-----------|------------------------------------------------------------------------------------------------------|
| CX-702-BK | Aluminum Rectangular Canopy, ½ NPT, <b>Black</b>                                                     |
| CX-703    | Aluminum tree mount canopy ½ NPT Finishes: <b>BK</b> - Black, <b>BZ</b> - Bronze, <b>GR</b> - Green, |
|           | GT- Granite, RT- Rust, VG- Verde Green                                                               |

Aluminum Round Canopy, 1/2 NPT, Black

n, WH- White

CX-720 Aluminum Tree mount Canopy with 9" Rubber Strap

stretches to 14"

Finishes: BK- Black, BZ- Bronze, GR- Green, GT- Granite, RT- Rust, VG- Verde Green,

WH- White

CX-721 Aluminum Tree mount Canopy with 15" Rubber Strap

stretches to 22"

Finishes: BK- Black, BZ- Bronze, GR- Green, GT- Granite, RT- Rust, VG- Verde Green,

CX-722 Aluminum Tree mount Canopy with 22" Rubber Strap

stretches to 33"

Finishes: BK- Black. BZ- Bronze. GR- Green.

GT- Granite, RT- Rust, VG- Verde Green,

WH- White

CX-723 Aluminum Tree mount Canopy with 31" Rubber Strap

stretches to 45"

Finishes: BK- Black, BZ- Bronze, GR- Green,

GT- Granite, RT- Rust, VG- Verde Green,

CX-724 Aluminum Tree mount Canopy with 41" Rubber Strap

stretches to 61"

Finishes: BK- Black, BZ- Bronze, GR- Green, GT- Granite, RT- Rust, VG- Verde Green,

WH- White

#### **Mounting Risers**

| CX-671 | 6" Aluminum Riser, ½ NPT Male/Female        |
|--------|---------------------------------------------|
|        | Finishes: BK- Black, BZ- Bronze, GR- Green, |
|        | GT- Granite, RT- Rust, VG- Verde Green,     |
|        | WH- White                                   |

CX-672 12" Aluminum Riser, ½ NPT Male/Female Finishes: BK- Black, BZ- Bronze, GR- Green,

GT- Granite, RT- Rust, VG- Verde Green,

WH- White

CX-673 18" Aluminum Riser, ½ NPT Male/Female Finishes: BK- Black, BZ- Bronze, GR- Green,

GT- Granite, RT- Rust, VG- Verde Green,

WH- White



CX-722-BK



**ACCESSORIES SHEET** 

Directional Lights

1633 Staunton Ave Los Angeles, CA 90021

TEL. FAX. (800) 727-9262 (800) 727-9957

(213) 747-4500 (213) 747-3234

E-Mail: sales@coronalighting.com

• Aluminum

# PRODUCT #: CL-505

## **Mounting Brackets**

CX-700 Aluminum Bracket with ½" NPT

Finishes: **BK**- Black, **BZ**- Bronze, **GR**- Green,

GT- Granite, RT- Rust, VG- Verde Green,

WH- White

CX-704 Aluminum Oval Bracket with ½" NPT Female Hub

Finishes: **BK**- Black, **BZ**- Bronze, **GR**- Green,

GT- Granite, RT- Rust, VG- Verde Green,

WH- White





## Special Lenses & Honeycomb Louvers

CX-238 MR-16 Snap-on holder, **Silver Plated**CX-239 MR-16 honeycomb louver, **Black** 

CX-240-AM MR-16 color lens, **Amber**CX-240-BL MR-16 color lens, **Blue** 

CX-240-GR MR-16 color lens, **Green**CX-240-RD MR-16 color lens, **Red** 

CX-240-YL MR-16 color lens, **Yellow**CX-241 MR-16 lens. **Linear Sprea** 

CX-241 MR-16 lens, Linear Spread
CX-242 MR-16 lens, Frosted

CX-243 MR-16 lens, Prismatic

• For MR-16 Lenses and Louvers, you will need the CX-238



## **Cable Connectors**

CX-854 Direct Burial Silicone Filled Wire Nut, **Tan** 

CX-858 Speedy Cable Connector, Supply Cable up to 10-2, Black

CX-839 Universal cable connector, Supply cable up to 8-2,

one/Pack Black

CX-LOC Quick-Locking Silicone Filled Wire Connector, 25 Sets (50 per Pack)

