

SAVE THESE INSTRUCTIONS

DEALER/INSTALLER: GIVE TO HOMEOWNER

MODEL 635-52X

ALL PLASTIC INPOOL LADDER

ASSEMBLY AND INSTALLATION MANUAL

Assembly video available online: www.conferplastics.com

WEIGHT LIMIT 250 LBS.



- 635-52X Fits Decks 46"-56"
- Easy Assembly
- Adjustable Handrail Mounting System

Note: 10 Lbs of sand required (See Step 2)

***Model 635-52X is a straight up-and-down ladder and should be installed 3" to 6" from the pool wall.**



Made in U.S.A. by

CONFER
plastics inc.

CONFER LADDERS ARE DESIGNED FOR EASE OF ASSEMBLY AND ARE CONSTRUCTED OF MAINTENANCE-FREE, NON-CORROSIVE RESINS AND MATERIALS.

Note: WARRANTY ON PAGE 4. PLEASE SAVE THIS BOOKLET AND YOUR WARRANTY.

CONFER PLASTICS, INC.

Model #635-52X


ASSEMBLY INSTRUCTIONS - PLEASE READ BEFORE ATTEMPTING ASSEMBLY

Parts List

- 2 - Handrails
- 1 - Ladder Section
- 1 - Platform

Hardware Pack

- 14 - #10 x 1-1/4" Screws
- 1 - Threaded Cap
- 2 - Mounting Blocks
- 2 - Adjustable Tubes




Tools Needed for Assembly

- * Sand - 10 lbs
- * Cordless Drill Motor
- * 1/8" Drill Bit
- * Phillips Screwdriver
- * Tape Measure
- * Liquid Soap or Lubricant


If missing parts call - Toll free U.S. - 800-635-3213 or www.conferladders.com

Step 1.




Install threaded cap over bottom drain hole.

Step 2.



Pour 5 lbs of sand into each leg. Fill remainder with water.


Step 3.



Using a knife carefully remove all four [4] wedges.

Step 4.

Insert tabs on platform into handrail. Repeat for 2nd handrail.




Step 5.



Insert wedge into handrail just below the platform tab, using rubber mallet tap into place. Repeat to install remaining three [3] wedges into handrails.

Step 6.

Slide the handrails onto the legs. **DO NOT** secure with screws at this stage.




Step 7.




Coat the adjustable tubes with a little liquid soap. Slide the mounting block over the tube and slide all the way down until resting on the nubs.

Step 8.

Push the adjustable tubes up into the handrails.




Step 9.



Place the ladder into the pool and position mounting blocks on deck. Slide the adjustable tubes up or down as needed until mounting blocks are sitting flush on the deck. Ladder **MUST** rest on pool bottom. If not, EB100 riser(s) are required. (See page 3 to order)

Step 10.

Slide down into position once mounting blocks have been fastened.




Drill four pilot holes (1/8") through holes in each block into wood surface. Fasten blocks to deck using the four #10 x 1-1/4" screws per mounting block. Drill three holes through each side of each handrail at the pre-marked locations. Fasten using three #10 x 1-1/4" screws.

For winterizing in cold climates remove ladder from the pool, and drain water from ladder.

ADDITIONAL ACCESSORIES

For #635-52X Ladder

EB 100-3" RISER



Used to raise ladder when deck is built higher than pool. Maximum 2 risers. Fill with sand and water, rest ladder on top. Straps included.

SKIM-IT



SKIMS OFF DEBRIS

Cut cleaning time 75% with skimmer extension that guides debris directly into your skimmer. Fits most in-ground and above-ground pool skimmers. Corrosion-resistant plastic Skim-It installs in seconds without tools.

SAFETY RULES

- * One person on the ladder at a time
- * Ladder **MUST** be installed per manufacturer's instructions
- * **DANGER:** No Jumping or Diving from ladder
- * Face ladder when entering and leaving pool
- * To prevent entrapment or drowning —
DO NOT swim through, behind or around ladder
- * Ladder to be used as a swimming pool ladder only.
- * Weight limit - **250 lbs maximum**
- * **Warning:** Exceeding the maximum weight restriction may cause the ladder to fail.
- * Consult your local Building Department before installation of your pool and equipment.
- * **DANGER:** Use a cordless drill for assembly and installation

Never use an electric drill in or around the pool.

IMPORTANT FOR YOUR SAFETY

- * Check the contents of the carton with the Parts list for this ladder.
- * If any parts are missing call Toll Free U.S. - 800-635-3213 or visit our web site at www.conferladders.com
- * **DO NOT** attempt to assemble or install the ladder if there are **ANY** shortages of parts or hardware.
- * For proper assembly and installation follow all instructions in the sequence shown.
- * Before using the product, after assembly and installation, go over the instructions and procedures again to make sure nothing has been overlooked.
- * Be sure and safe. The manufacturer **IS NOT** responsible for improper assembly, installation and use.

CONFER PLASTICS, INC. FIVE YEAR WARRANTY

Confer Plastics, Inc. warrants their swimming pool ladders and steps to be free from defects in workmanship for five years from date of purchase.

DO NOT RETURN DEFECTIVE PART TO DEALER

E-MAIL CONFER PLASTICS AT: **LADDERS@CONFERPLASTICS.COM**
A PICTURE [S] OF DEFECTIVE PART, A BRIEF DESCRIPTION OF PROBLEM,
PROOF OF PURCHASE AND YOUR CONTACT INFORMATION.

INFORMATION MAY ALSO BE FAXED TO CONFER PLASTICS AT: **716-694-3102**
OR MAILED TO THE ADDRESS BELOW. UPON REVIEW OF THE INFORMATION YOU
WILL BE NOTIFIED IF PART IS COVERED UNDER THE WARRANTY AND
THE SHIPPING/HANDLING CHARGES.

This warranty gives you specific legal rights, and you may also have other rights which may vary from state to state.

Confer Plastics, Inc.
97 Witmer Road
North Tonawanda, N.Y. 14120-2421

MADE IN THE USA



CONFER
plastics inc.

Printed in USA

97 Witmer Road
North Tonawanda, New York 14120-2421
Toll Free U.S. 800-635-3213
FAX 716-694-3102
www.conferladders.com