W. R. MEADOWS. SEATTIGHT.

SAFETY DATA SHEET

							Pag	e 1 of 2
		SECTION 1:	PRODUCT AND CO	OMPANY ID	ENTIFICATION			
Product:	DECK-O-S	EAL® GG BASE	Ē	Part Number	: 4702010			
Manufacturer:	W. R. M	eadows®, Inc		Address	: 300 Industrial Drive	9		
					Hampshire, Illinois	60140		
Telephone:	(847) 214-2	2100		In cas	se of emergency, dial	(800) 424-9	300 (CHEMTRE	.C)
Revision Date:	9/9/2014							
Product Use:	Two Comp	onent Joint Sea						
			HAZARDS IDENTIFI	CATION/EX	POSURE LIMITS			
HMIS		HAZARD STA	ATEMENTS					
Health	1	WARNING!						
Flammability	1		kin/eye irritation.					
Reactivity	0		NARY STATEMENTS		•			
Personal Protection		Avoid direct						
			ning aerosols/sprays. CTION 3: HAZARD		ENTS			
		JL	CHON 5. HAZAND	SARA	Vapor Pressure	LEL		
Chemical Name:	CAS	S Number	<u>% by Weight</u>	313	(mm Hg@20°C)	<u>(@25°C</u>)	
1. Polysulfide Polymer		611-50-7	55-60	No	N/E	<u>N/E</u>	L	
2. Titanium Dioxide	13,	463-67-7	1-5	No	, N/E	N/E		
This product contains lime					ring component Exp		ca is not expect	od
to occur as the product is								eu
exposure to airborne silica		solution. Il prot	auct is di y/abi aucu a	ppi opriate p	I OLECLIVE MEASULES SI			
Under the reporting requi		ection 313 of Tit	le III of the Superfun	d Amendmer	ts and Reauthorizati	an Act of 10	66 (SARA) and	10
CFR Part 372, chemicals lis							I/A: Not Applica	
			: EMERGENCY AND		-	5. 1	<i>//</i>	
EYE CONTACT: Move victim from exposure source. Flush eyes with water for fifteen minutes. If symptoms persist, seek medical attention.							n.	
SKIN CONTACT: Remove contaminated shoes/clothing. Wash affected areas with mild soap and water. If symptoms persist, seek medical								
attention.								
INHALATION: Move victim from exposure source and treat symptoms. If symptoms persist, seek medical attention.								
INGESTION: Seek immedia							m's head below	r
the hips to prevent lung a	spiration.							
SECTION 5: FIRE AND EXPLOSIVES HAZARDS								
FLASHPOINT: > 210 degree	es F							
EXTINGUISHING MEDIA: Water fog, foam, dry chemical, and carbon dioxide.								
CHEMICAL/COMBUSTION HAZARDS: Carbon monoxide, carbon dioxide, and incomplete combustion products may be emitted.								
PRECAUTIONS/PERSONAL PROTECTIVE EQUIPMENT: Use of full fire protection ensemble with SCBA is recommended.								
SECTION 6: ACCIDENTAL RELEASE MEASURES								
SPILL OR LEAK PROCEDUR	RES: Evacuate	e area of unprot	ected personnel. Dik	e/contain spi	illed material. Take u	o with an ap	opropriate	
absorbent and place in se	aled/marked	containers for p	roper disposal.					
		SE	CTION 7: HANDLIN	IG AND STO	RAGE			
SAFE HANDLING PROCED	URES: Avoid	direct contact.						
SAFE STORAGE: Keep containers closed when not in use. Store in cool/dry location.								
SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION								
			OSHA			ACGI	н	
Chemical Name:	PEL	PEL/CEILING	<u>G</u> <u>PEL/STEL</u>	<u>SKIN</u>		<u>/CEILING</u>	<u>TLV/STEL</u>	<u>SKIN</u>
1. Polysulfide Polymer	N/E	N/E	N/E	N/E	N/E	N/E	N/E	N/E
2. Titanium Dioxide*	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
· · ·	Established.		tanium dioxide expos		t provided as materia	als are in su	spension.	
ENGINEERING CONTROLS PERSONAL PROTECTIVE E								

	SAFETY	DATA SHEET				
Date of Preparation: 9/	9/14 P	age 2 of 2 4702010				
	SECTION 9: PHYSICAI	AND CHEMICAL PROPERTIES				
BOILING POINT: Not Establish	ed VAPOR DENSITY: >1 (Air=1	.) % VOLATILE BY VOLUME: Not Applicable				
EVAPORATION RATE: <1 (Ethe	r=1) pH LEVEL: N/A	% VOLATILE BY WEIGHT: Not Applicable				
WEIGHT PER GALLON: 11.82	PRODUCT APPEARANCE:	Heavy Liquid VOC CONTENT: 0 g/L				
	SECTION 10: 5	STABILITY/REACTIVITY				
STABILITY: Stable.	HAZARDOUS POLYMERIZA					
	TO AVOID: Oxidizing materials and st	-				
HAZARDOUS DECOMPOSITIO		on dioxide, and incomplete combustion products.				
		COLOGICAL INFORMATION				
	may cause mild to moderate irritation.					
		on. Prolonged contact may result in drying/defatting of the skin.				
-	be an exposure route under normal u					
INGESTION: Not expected to be an exposure route under normal use conditions.						
		rring, redness, and swelling. Symptoms of skin irritation include				
reddening, swelling, rash, and redness. Symptoms of respiratory irritation include runny nose, chest discomfort, shortness of breath, and						
reduced lung function. Symptoms of gastrointestinal irritation include sore throat, abdominal pain, nausea, vomiting, and diarrhea.						
		piratory disorders may be aggravated by exposure to this product.				
OTHER HEALTH EFFECTS: Non						
		DLOGICAL INFORMATION				
	ECOTOXICITY: Not Established DEGRADABILITY: N/E BIOACCUMULATIVE F					
SOIL MOBILITY: N/E	OTHER ADVERSE EFFE					
		E DISPOSAL INFORMATION				
WASTE DISPOSAL INFORMATI		e disposal purposes. Material mixed and set up can be landfill disposed.				
		PORTATION INFORMATION				
•	US MATERIAL: Non-hazardous.					
UN NUMBER: None.	HAZARD CLASS: None.	PACKING GROUP: None.				
UN PROPER SHIPPING NAME: Not regulated.						
ENVIRONMENTAL HAZARDS: Not determined.						
BULK TRANSPORTATION INFORMATION: Not applicable; product is not shipped in bulk.						
SPECIAL PRECAUTIONS: None recognized.						
	SECTION 15: REG	ULATORY INFORMATION				
OTHER REGULATORY CONSIDI	RATIONS: None.					
	SECTION 16: 0	OTHER INFORMATION				
PREPARATION DATE: 9/	9/2014					
PREPARED BY: Da	ave Carey					

The information contained herein is based on the data available to us and is believed to be correct. However, we make no warranty, expressed or implied regarding the accuracy of this data or the results to be obtained from the use thereof. We assume no responsibility for injury from the use of this product described herein.

W. R. MEADOWS. SEATTIGHT.

SAFETY DATA SHEET

							Pa	age 1 of 2
		SECTION	1: PRODUCT AN	ID COMPANY I	DENTIFIC	ATION		
Product:	DECK-O-SEAL [®] GG SETTING AGENT-VARIOUS COLORS Part Number: 4702000							
Manufacturer:	W. R. M	eadows [®] , Inc.				Address: 300 Industi	rial Drive	
		-					, Illinois 60140	
Telephone:	(847) 214-	2100			In	case of emergency, dial	(800) 424-9300	(CHEMTREC)
Revision Date:	9/9/2014							
Product Use:	Two Comp	onent Joint Sealan						
			HAZARDS IDEN	NTIFICATION/E	XPOSURE	LIMITS		
HMIS	141		MENTS					
Health Flammability	1 1	WARNING! May cause skin,	lava irritation					
Reactivity	1 0		llergic skin reactic	nn 🦂		S		
Personal Protection			RY STATEMENTS	л.	\• /			
	1 1	Avoid direct co						
			g aerosols/sprays.					
			SECTION 3: HAZ		NENTS			
					SARA	Vapor Pressure	LEL	
Chemical Name:			<u>Number</u>	<u>% by Weight</u>	<u>313</u>	<u>(mm Hg@20°C)</u>	<u>(@25°C)</u>	
1. Epoxy Resin			58-38-6	5-10	No	N/E	N/E	
2. Dimethylbenzyl Hydrop	peroxide		-15-9	5-10	Yes	2	N/E	
3. Titanium Dioxide		1346	53-67-7	0-28	No	N/E	N/E	
airborne silica. Under the reporting requ Part 372, chemicals listed EYE CONTACT: Move vict SKIN CONTACT: Remove INHALATION: Move victi INGESTION: Seek immedi prevent lung aspiration.	d on the 313 Li tim from expo contaminated im from expos	ist (40 CFR Part 373 SECTION sure source. Flush o d shoes/clothing. W sure source and tre	3.65) are identified 4: EMERGENCY eyes with water for ash affected area at symptoms. If sy	d under the head AND FIRST AII or fifteen minute is with mild soap ymptoms persist,	ding "SARA 3 D PROCED es. If sympto and water. , seek medie	313." N/A. URES Dems persist, seek medical If symptoms persist, see cal attention.	: Not Applicable l attention. ek medical atten	ention.
		SEC	FION 5: FIRE AN	ID EXPLOSIVES	HAZARDS	j		
FLASHPOINT: > 210 degr EXTINGUISHING MEDIA: CHEMICAL/COMBUSTIOI PRECAUTIONS/PERSONA	Water fog, fo N HAZARDS: C	Carbon monoxide, o E EQUIPMENT: Us	arbon dioxide, an e of full fire prote	nd incomplete co ection ensemble v	with SCBA is	s recommended.		
SECTION 6: ACCIDENTAL RELEASE MEASURES SPILL OR LEAK PROCEDURES: Evacuate area of unprotected personnel. Dike/contain spilled material. Take up with an appropriate absorbent and								
place in sealed/marked co		•		ie, contain opnice		and ap man appropri-		
			ECTION 7: HAN	DLING AND ST	ORAGE			
SAFE HANDLING PROCED	DURES: Avoid				0.0.02			
SAFE STORAGE: Keep co			Store in cool/drv	location.				
SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION								
			SHA			ACGIH		
Chemical Name:	PEL	PEL/CEILING	PEL/STEL	<u>SKIN</u>	<u>TWA</u>	TLV/CEILING	<u>TLV/STEL</u>	<u>SKIN</u>
1. Epoxy Resin	N/E	N/E	N/E	N/E	N/E	N/E	N/E	N/E
2. Dimethyl Benzyl						N/ / F		
Hydroperoxide	N/E	N/E	N/E	N/E	N/E	N/E	N/E	N/E
3. Titanium Dioxide*	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
ENGINEERING CONTROL		nally required unde		ditions.	xide exposu	ure limits not provided as	materials are ir	n suspension.

SAFETY DATA SHEET							
Date of Preparation: 9/9/14 Page 2 of 2 4702000							
SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES							
BOILING POINT: 250 degrees	F VAPOR DENSITY: >1 (Air=1)	% VOLATILE BY VOLUME: Not Applicable					
EVAPORATION RATE: <1 (Eth	er=1) pH LEVEL: N/A	% VOLATILE BY WEIGHT: Not Applicable					
WEIGHT PER GALLON: 15.14	PRODUCT APPEARANCE: Heavy Liquid	VOC CONTENT: 0 g/L					
	SECTION 10: STABILITY/REACTIVITY						
STABILITY: Stable. HAZARDOUS POLYMERIZATION: Will not occur.							
CONDITIONS AND MATERIALS TO AVOID: Oxidizing materials, strong acids, lead, copper, and their alloys, zinc, amines, polyamines, and polyamides							
under uncontrolled conditions.							
HAZARDOUS DECOMPOSITIO	HAZARDOUS DECOMPOSITION PRODUCTS: Carbon monoxide, carbon dioxide, and incomplete combustion products.						
	SECTION 11: TOXICOLOGIC	CAL INFORMATION					
	may cause mild to moderate irritation.						
		e a skin sensitization reaction in suspectable individuals. Skin					
	ry or permanent. Once an individual is diagnosed as s						
-	o be an exposure route under normal use conditions.						
	be an exposure route under normal use conditions.						
-		, and swelling. Symptoms of skin irritation include reddening,					
-		chest discomfort, shortness of breath, and reduced lung					
function. Symptoms of gastro	ntestinal irritation include sore throat, abdominal pa	in, nausea, vomiting, and diarrhea. Skin sensitization includes					
allergic dermatitis exhibited by rash, itching, hives, and swelling of extremities.							
AGGRAVATED MEDICAL CON	DITIONS: Pre-existing skin, eye, and respiratory disor	ders may be aggravated by exposure to this product.					
OTHER HEALTH EFFECTS: Nor	e recognized.						
	SECTION 12: ECOLOGICA	AL INFORMATION					
ECOTOXICITY: Not Establishe	d DEGRADABILITY: N/E	BIOACCUMULATIVE POTENTIAL: N/E					
SOIL MOBILITY: N/E	OTHER ADVERSE EFFECTS: N/E						
SECTION 13: WASTE DISPOSAL INFORMATION							
WASTE DISPOSAL INFORMATION: Non-hazardous material for waste disposal purposes. Material mixed and set up can be landfill disposed.							
SECTION 14: TRANSPORTATION INFORMATION							
HAZARDOUS/NON-HAZARDO	US MATERIAL: Non-hazardous.						
UN NUMBER: None.	HAZARD CLASS: None.	PACKING GROUP: None.					
UN PROPER SHIPPING NAME: Not regulated.							
ENVIRONMENTAL HAZARDS: Not determined.							
BULK TRANSPORTATION INFORMATION: Not applicable; product is not shipped in bulk.							
SPECIAL PRECAUTIONS: None recognized.							
SECTION 15: REGULATORY INFORMATION							
OTHER REGULATORY CONSIDERATIONS: None.							
SECTION 16: OTHER INFORMATION							
PREPARATION DATE: 9	/9/2014						
PREPARED BY: D	ave Carey						

The information contained herein is based on the data available to us and is believed to be correct. However, we make no warranty, expressed or implied regarding the accuracy of this data or the results to be obtained from the use thereof. We assume no responsibility for injury from the use of this product described herein.