# **Dryden Aqua**

ACCORDING TO OSHA HCS (29 CFR 1910.1200)



Date of Issue: 10 May 2022 Date of First Issue: 24 April 2020 Version: 4.0

SECTION 1: IDENTIFICATION		
Product identifier		
Product Name	ACO	
Other Means of Identification		
Product code	20020, 20021 & 20022	
Relevant identified uses of the substance or mixture and uses advised against		
Identified Use(s)	UV filters for photo-Reduction of	Chlorine.
Uses Advised Against	Anything other than the above.	
Details of the supplier of the safety data sheet		
Supplier	Dryden Aqua Ltd Butlerfield Industrial Estate, Bonnyrigg, Edinburgh EH19 3JQ, United Kingdom	
Telephone	+44 (0) 18758 22222	
Fax	+44 (0) 18758 22229	
E-Mail (competent person)	Agnieszka@drydenaqua.com (A	gnieszka Szewczyk)
Emergency telephone number		
Emergency Phone No.	+44 (0) 800 246 1274	24/7 EcoStar Environmental
Languages spoken	English	

ACO

### SECTION 2: HAZARD(S) IDENTIFICATION

#### Classification of the substance or mixture in accordance with paragraph (d) of 29 CFR 1910.1200

Physical hazards	Not classified as hazardous for supply/use.
Health hazards	Not classified as hazardous for supply/use.
Environmental hazards	Hazardous to the aquatic environment, Acute, Category 3
Label elements	None assigned
Hazard Pictogram(s)	None assigned
Signal Word(s)	Harmful to aquatic life.
Hazard Statement(s)	Avoid release to the environment.
Precautionary Statement(s)	Dispose of contents in accordance with local, state or national legislation.
Other hazards	None known
Percent of the mixture consists of ingredient(s) of unknown acute toxicity:	0% of the mixture consists of ingredients of unknown acute inhalated toxicity. 0% of the mixture consists of ingredients of unknown acute oral toxicity. 0% of the mixture consists of ingredients of unknown acute dermal toxicity.

#### SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Substances Not applicable

# **Dryden Aqua**



Date of Issue: 10 May 2022 Date of First Issue: 24 April 2020

Version: 4.0

ACCORDING TO OSHA HCS (29 CFR 1910.1200)

ACO

**Mixtures** Substances in preparations / mixtures Classification: OSHA HCS (29 CFR 1910.1200)

Chemical identity of the substance	%W/W	CAS No.	EC No.	Hazard classification
Sodium chlorite	<u>≥</u> 0.25 - <1	7758-19-2	231-836-6	Oxidising liquid, Category 1 Acute toxicity, Category 3, Oral Acute toxicity, Category 2, Dermal Skin corrosion/irritation, Category 1 Specific target organ toxicity — repeated exposure, Category 2 Hazardous to the aquatic environment, acute, Category 1 Hazardous to the aquatic environment, Chronic , Category 1 (M-factor = 1)

#### **SECTION 4: FIRST AID MEASURES**



Description of first aid measures	
Self-protection of the first aider	No action should be taken involving personal risk. Use personal protective equipment as required. Ensure adequate ventilation. Avoid breathing vapours. Avoid contact with skin and eyes.
Inhalation	IF INHALED: If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing.
Skin Contact	IF ON SKIN: Gently wash with plenty of soap and water. If irritation develops and persists, get medical attention.
Eye Contact	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists, get medical advice/attention.
Ingestion	IF SWALLOWED: Rinse mouth. Give plenty of water to drink.
Most important symptoms and effects, both acute and delayed	None Known
Indication of any immediate medical attention and special treatment needed	Unlikely to be required but if necessary treat symptomatically.

#### SECTION 5: FIRE-FIGHTING MEASURES

Extinguishing media	
Suitable Extinguishing Media	As appropriate for surrounding fire. Water spray, foam, dry powder or CO2.
Unsuitable extinguishing Media	Do not use water jet. Direct water jet may spread the fire.
Special hazards arising from the substance or	Not flammable. None known.
mixture	
Advice for fire-fighters	Portable containers should be moved if possible and without risk. Fire fighters
	should wear complete protective clothing including self-contained breathing
	apparatus. Keep containers cool by spraying with water if exposed to fire. Avoid

release to the environment.

### Dryden Aqua

ACCORDING TO OSHA HCS (29 CFR 1910.1200)



Date of Issue: 10 May 2022 Date of First Issue: 24 April 2020 Version: 4.0

### ACO

SECTION 6: ACCIDENTAL RELEASE MEASURES				
Personal precautions, protective equipment and emergency procedures	Caution - spillages may be slippery. No action should be taken involving personal risk. No action should be taken involving personal risk. Wear suitable protective clothing. Ensure adequate ventilation. Avoid breathing vapours. Avoid contact with skin and eyes. Avoid release to the environment.			
Methods and material for containment and cleaning up	Small spillages: Allow small spillages to evaporate provided there is adequate ventilation.			
	Large spillages: Shut off leaks if without risk. Absorb spillage in suitable inert material. Sweep up and shovel into waste drums or plastic bags. Ventilate the area and wash spill site after material pick-up is complete. Flush spill area with copious amounts of water.			
SECTION 7: HANDLING AND STORAGE				
Precautions for safe handling	Wear suitable protective clothing. Ensure adequate ventilation. Avoid breathing vapours. Do not eat, drink or smoke when using this product. Remove contaminated clothing and wash clothing before reuse.			
Conditions for safe storage, including any incompatibilities	Keep only in original packaging. Keep in a cool, well ventilated place. Store in a			

incompatibilities Storage temperature Incompatible materials dry place. Keep away from heat and direct sunlight.

Store at room temperature. Do not allow material to freeze.

Keep away from oxidising substances. Avoid contact with acids and alkalis. Keep away from: Wood, Rubber, Aluminium, Copper and Alloys.

#### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

**Occupational Exposure Limits** 

No substance specific National Institute for Occupational Safety and Health (NIOSH) Recommended exposure limits (RELs)

SUBSTANCE	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA mg/m³)	STEL (ppm)	STEL (mg/m³)	Note	
Titanium Dioxide	13463-67-7	-	15	-	-		OSHA
	13403-07-7	_	10	-	_	A4	ACGIH

Notes:

A4: Not classified as a human carcinogen

Source:

NIOSH: National Institute for Occupational Safety and Health (NIOSH) Recommended exposure limits (RELs) OSHA Permissible Exposure Limit (PEL): Occupational Safety and Health Standards, 1910.1000 TABLE Z-1 ACGIH: American Conference of Governmental Industrial Hygienists - Threshold limit values (TLV) 2017s

Biological exposure indicies	Not established.
Appropriate engineering controls	Provide adequate ventilation when using the material and follow the principles of good occupational hygiene to control personal exposures. Remove contaminated clothing and gloves and wash before re-use.
Individual protection measures, such as personal protective equipment (PPE)	Use personal protective equipment as required. Take care for general good hygiene and housekeeping. Avoid breathing vapours. Do not eat, drink or smoke at the work place.

### **Dryden Aqua**




ACCORDING TO OSHA HCS (29 CFR 1910.1200)

Date of Issue: 10 May 2022 Date of First Issue: 24 April 2020 Version: 4.0

### ACO

Protective clothing should be selected specifically for the working place, depending on concentration and quantity of the hazardous substances handled. The resistance of the protective clothing to chemicals should be ascertained with the respective supplier.

Eye/face protection



Skin protection

Respiratory protection



regularly to avoid permeation problems. Breakthrough time of the glove material: refer to the information provided by the gloves' producer. Suitable materials for this product are: PVC, nitrile rubber or Polychloroprene - CR.

Hand protection: Wear impervious gloves (EN374). Gloves should be changed

Body protection: Wear work clothes with long sleeves.

Not normally required. In case of inadequate ventilation wear respiratory protection. Wear a full face respirator conforming to EN136 with Type A filter or better. Recommended: EN143 Type A-P2

#### **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

Information on basic physical and chemical pr	operties
Appearance	Colourless Liquid
Odor	Odourless
Odor Threshold	Not established
рН	10.5 – 11.2
Melting Point/Freezing Point	Not established
Initial boiling point and boiling range	Not established
Flash Point	Not established
Evaporation Rate	Not established
Flammability (solid, gas)	Not applicable - Liquid
Upper/lower flammability or explosive limits	Not applicable
Vapour pressure	Not established
Vapour density	Not established
Relative density	Not established
Solubility(ies)	Miscible with water.
Partition coefficient: n-octanol/water	Not established
Auto-ignition temperature	Not established
Decomposition Temperature	Not established
Viscosity	Not established

### SECTION 10: STABILITY AND REACTIVITY

Reactivity	Stable under normal conditions.
Chemical stability	Stable under normal conditions.
Possibility of hazardous reactions	Hazardous polymerisation will not occur.
Conditions to avoid	High Temperature, Temperatures below freezing as this may damage the product.
Incompatible materials	Keep away from oxidising substances. Avoid contact with acids and alkalis. Keep away from: Wood, Rubber, Aluminium, Copper and Alloys.
Hazardous decomposition product(s)	None Known

# **Dryden Aqua**

ACCORDING TO OSHA HCS (29 CFR 1910.1200)



Date of Issue: 10 May 2022 Date of First Issue: 24 April 2020 Version: 4.0

### ACO

### SECTION 11: TOXICOLOGICAL INFORMATION

Information on toxicological effects	
Acute toxicity - Ingestion	Mixture: Based upon the available data, the classification criteria are not met.
	Calculated acute toxicity estimate (ATE) >2,000 mg/kg.
Acute toxicity - Skin Contact	Mixture: Based upon the available data, the classification criteria are not met.
	Calculated acute toxicity estimate (ATE) >2,000 mg/kg.
Acute toxicity - Inhalation	Mixture: Based upon the available data, the classification criteria are not met.
	Calculated acute toxicity estimate (ATE) > 5 mg/l
Skin corrosion/irritation	Mixture: Based upon the available data, the classification criteria are not met.
Serious eye damage/irritation	Mixture: Based upon the available data, the classification criteria are not met.
Respiratory or skin sensitization	Mixture: Based upon the available data, the classification criteria are not met.
Germ cell mutagenicity	Mixture: Based upon the available data, the classification criteria are not met.
Carcinogenicity	Mixture: Based upon the available data, the classification criteria are not met.
Reproductive toxicity	Mixture: Based upon the available data, the classification criteria are not met.
STOT - single exposure	Mixture: Based upon the available data, the classification criteria are not met.
STOT - repeated exposure	Mixture: Based upon the available data, the classification criteria are not met.
Aspiration hazard	Mixture: Based upon the available data, the classification criteria are not met.
Information on likely routes of exposure	
Inhalation	Possible – accidental exposure
Ingestion	Possible – accidental exposure
Skin Contact	Possible – accidental exposure
Eye Contact	Unlikely – accidental exposure
Early onset symptoms related to exposure	None known
Delayed health effects from exposure	None known
Exposure levels and health effects	See Section: 8
Interactive effects	
Other information	
OSHA Designated Carcinogen	No components of the mixture are listed
NIOSH Occupational Carcinogen List	Titanium dioxide
NTP Report on Carcinogens	No components of the mixture are listed
IARC Monographs	Titanium dioxide – IARC Classification: Group 2B.

### SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicity	Sodium chlorite	Mixture: Hazardous to the aquatic environment, Acute, Category 3 Estimated LC50 (96 hour) Fish > 10 mg/l ≤ 100 mg/l Aquatic Chronic 1; H410 Acute: LC50 (fish) mg/l (96 hour) 105 (EPA OPP 72-1) Chronic: EC50 (Daphnia magna) mg/l (22 days) 0.085 (OECD 211)
Persistence and degradability		No data for the mixture as a whole.
	Sodium chlorite	Not applicable for inorganic substances
Bioaccumulative potential		No data for the mixture as a whole.
	Sodium chlorite	The substance has low potential for bioaccumulation.
		Log Kow <u>&lt;</u> 3
Mobility in soil		No data for the mixture as a whole.
	Sodium chlorite	The substance has low mobility in soil.
		Log Kow <u>&lt;</u> 3
Other adverse effects		Click or tap here to enter text. None Known

### **Dryden Aqua**

ACCORDING TO OSHA HCS (29 CFR 1910.1200)



Date of Issue: 10 May 2022 Date of First Issue: 24 April 2020 Version: 4.0

Air (ICAO/IATA)

Not classified as

Not classified

Not classified Not classified

Not classified

dangerous for transport.

### ACO

### SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods

Dispose of wastes in an approved waste disposal facility. Avoid release to the environment. Recover or recycle if possible. Dilute with a large volume of water. Disposal should be in accordance with local, state or national legislation. Recover or recycle if possible.

Sea transport (IMDG)

dangerous for transport.

Not classified as

Not classified

Not classified

Not classified

Not classified as a

Marine Pollutant.

#### **SECTION 14: TRANSPORT INFORMATION**

Not classified according to the United Nations 'Recommendations on the Transport of Dangerous Goods'.

UN number

UN proper shipping name Transport hazard class(es) Packing group Environmental hazards

Special precautions for user Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Additional Information Road/Rail (ADR/RID) Not classified as dangerous for transport. Not classified Not classified Not classified Not classified

See Section: 2 Not applicable

None

#### **SECTION 15: REGULATORY INFORMATION**

Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **US Federal Regulations**

NIOSH Occupational Carcinogen List EPCRA Section 313 CWA 307- Toxic CERCLA - Hazardous Substances CWA Section 311 List of Hazardous Substances

TSCA Chemical Data Reporting (CDR) Rule

#### **US State Regulations**

Proposition 65 (California) Massachusetts, New Jersey, Pennsylvania, Rhode Island- State Right to Know Lists New York -State Right to Know Lists Minnesota - State Right to Know Lists Massachusetts – Toxic Use reduction act

Non-Regional IARC Monographs Titanium dioxide, Silicic acid, sodium salt, Sodium Chlorite, - Subject to 25,000lb reporting threshold Titanium dioxide No components of the mixture are listed No components of the mixture are listed No components of the mixture are listed No components of the mixture are listed

Titanium dioxide - airborne, unbound particles of respirable size Titanium dioxide - MSL, RTKHSL Sodium Chlorite – RTKHSL Titanium dioxide- Hazardous Substance List - TRQ = 100 lbs Titanium dioxide – CHC No components of the mixture are listed

Titanium dioxide - IARC Classification: Group 2B.

### **SECTION 16: OTHER INFORMATION**

Version4.0Revision Date10 May 2022Date of First Issue24 April 2020

This Safety Data Sheet was prepared in accordance with US Regulation OSHA HCS (29 CFR 1910.1200)

**References:** 

## **Dryden Aqua**

#### ACCORDING TO OSHA HCS (29 CFR 1910.1200)

### DRYDEN AQUA TECHNOLOGY UUALITY

Date of Issue: 10 May 2022 Date of First Issue: 24 April 2020 Version: 4.0

### ACO

Classification of the substance or mixture in accordance with paragraph (d) of 29 CFR 1910.1200	Classification Procedure
Hazardous to the aquatic environment, Chronic, Category 3	Summation Calculation

#### LEGEND

ADR/RID	ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road / RID: Regulations concerning
	the international railway transport of dangerous goods
BCF	Bioconcentration factor (BCF)
CAS	CAS: Chemical Abstracts Service
DNEL	Derived No Effect Level
EC	EC: European Community
EU	European Union
IATA	IATA: International Air Transport Association
ICAO/IATA	ICAO: International Civil Aviation Organization / IATA: International Air Transport Association
IMDG	IMDG: International Maritime Dangerous Goods
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No Effect Concentration
UN	United Nations
vPvB	very Persistent and very Bioaccumulative

Training advice: Consideration should be given to the work procedures involved and the potential extent of exposure as they may determine whether a higher level of protection is required.

#### Disclaimers

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Dryden Aqua Ltd gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Dryden Aqua Ltd accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.