

Eaton BRP12L125R

Catalog Number: BRP12L125R

Eaton Eaton BR main lug loadcenter, Main lug only, 125 A, X0, Aluminum, NEMA 3R, Metallic, 10 kAIC, BR, NEMA 3R, 24 Circuits, Single-pole, 12 Spaces, Three-wire, Single-phase, Type BR 1-inch breakers, 120/240V, #6-2/0



General specifications

| | |
|------------------------------|----------------------|
| Product Name | Catalog Number |
| Eaton BR main lug loadcenter | BRP12L125R |
| UPC | Product Length/Depth |
| 786689059156 | 18.4 in |
| Product Height | Product Width |
| 5.6 in | 15.4 in |
| Product Weight | Warranty |
| 14 lb | 10 year |
| Certifications | |
| UL 50 | |
| UL 67 | |

Product specifications

Type

MLO

Amperage Rating

125 A

Bus material

Aluminum

Cover

Cover included

Main circuit breaker

BR

Number of circuits

24

Number Of Poles

Single-pole

Number of spaces

12

Phase

Single-phase

Used with

Type BR 1-inch breakers

Voltage rating

120/240V

Box size

X0

Enclosure

NEMA 3R

Enclosure material

Metallic

Interrupt rating

10 kAIC

NEMA rating

NEMA 3R

Number of wires

3

Resources

Brochures

[Loadcenters and Circuit Breakers](#)

Specifications and datasheets

[Eaton Specification Sheet - BRP12L125R](#)

Warranty guides

[Eaton type BR circuit breaker limited warranty June 2024](#)



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are
property of their respective
owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)