

GHS SAFETY DATA SHEET

WELD-ON® Seal Lube Pipe Gasket Lubricant

Date Revised: APR 2015 Supersedes: NOV 2014

SECTION I - PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: WELD-ON® Seal Lube Pipe Gasket Lubricant

PRODUCT USE: Pipe Gasket Lubricant

SUPPLIER: MANUFACTURER: IPS Corporation

17109 South Main Street, Gardena, CA 90248-3127

P.O. Box 379, Gardena, CA 90247-0379

Tel. 1-310-898-3300

EMERGENCY: Transportation: CHEMTEL Tel. 800-255-3924, +1 813-248-0585 (International) Medical: CHEMTEL Tel. 800-255-3924, +1 813-248-0585 (International)

SECTION 2 - HAZARDS IDENTIFICATION

GHS CLASSIFICATION:

<u>Health</u>			<u>Environmental</u>	<u>Physical</u>
Acute Toxicity:	Not Established	Acute Toxicity:	None Known	None Known
Skin Irritation:	Not Established	Chronic Toxicity:	None Known	
Skin Sensitization:	NO			
Eye:	Not Established			

GHS LABEL: Signal Word: WHMIS CLASSIFICATION: N/A Not Regulated

Hazard Statements	Precautionary Statements			
None	P102: Keep out of reach of children			
	P233: Keep container tightly closed			
	P262: Do not get in eyes, skin or on clothing			
	P264: Wash thoroughly after handling			
	P280: Wear protective gloves/protective clothing/eye protection/face protection			

SECTION 3 - COMPOSITION/INFORMATION ON INGREDIENTS

	CAS#	EINECS #	Pre-registration Number	% by Weight
FATTY ACIDS C16-18 AND C18-UNSAT	67701-08-0	266-932-7	Not Established	30-60%
DISTILLATES HYDROTREATED LIGHT NAPHTHENIC	64742-53-6	265-156-6	Not Established	15-25%
POTASSIUM HYDROXIDE	1310-58-3	215-181-3	01-2119487136-33-XXXX	5-15%
1,2-PROPANEDIOL	57-55-6	200-338-0	01-2119456809-23-XXXX	3-7%

All of the constituents of this adhesive product are listed on the TSCA inventory of chemical substances maintained by the US EPA, or are exempt from that listing. *Indicates this chemical is subject to the reporting requirements of Section 313 of the Emergency Planning and Community Right-to-Know Act of 1986 (40CFR372). # indicates that this chemical is found on Proposition 65's List of chemicals known to the State of California to cause cancer or reproductive toxicity.

SECTION 4 - FIRST AID MEASURES

Contact with eyes: Flush eyes immediately with plenty of water for 15 minutes while holding eyelids open. If irritation develops, seek medical advice.

Skin contact: Wash with water. If irritation develops, seek medical advice.

Inhalation: Not available

Ingestion:

If swallowed, immediately call a poison center or physician. Rinse mouth. DO NOT INDUCE VOMITING. Never give anything by mouth to

an unconscious person.

Likely Routes of Exposure: Eye and Skin Contact

Acute symptoms and effects:

Inhalation: None Known Eye Contact: Eye irritant

Skin Contact: Slight skin irritant if allowed to remain in contact

Ingestion: None Known

Chronic (long-term) effects: None known to humans

SECTION 5 - FIREFIGHTING MEASURES

	,				
Suitable Extinguishing Media:	Water, water fog, alcohol foam, carbon dioxide or dry chemical.		HMIS	NFPA	0-Minimal
Unsuitable Extinguishing Media:	N/A	Health	1	1	1-Slight
Exposure Hazards:	None	Flammability	0	0	2-Moderate
Combustion Products:	None	Reactivity	0	0	3-Serious
		PPE	В		4-Severe

Protection for Firefighters: Self-contained breathing apparatus or full-face positive pressure air-supply masks

SECTION 6 - ACCIDENTAL RELEASE MEASURES

Personal precautions: This product is a biodegradable soap.

Environmental Precautions: None known

Methods for Cleaning up: Place the bulk of any spilled material into drums, then absorb any remaining material.

SECTION 7 - HANDLING AND STORAGE

Handling: Keep out of reach of children. Avoid contact with eyes, skin and clothing.

Wash thoroughly after handling. Do not eat, drink or smoke in the work area.

Storage: Keep container tightly closed when not in use. Empty containers may contain residue; treat as if full and observe all product precautions.

Do not reuse empty containers.

Incompatible Materials: Strong oxidizing agents.

SECTION 8 - PRECAUTIONS TO CONTROL EXPOSURE / PERSONAL PROTECTION

EXPOSURE LIMITS:	Component	ACGIH TLV	ACGIH STEL	OSHA PEL	OSHA STEL	OSHA PEL-Ceiling	CAL/OSHA PEL	CAL/OSHA Ceiling	CAL/OSHA STEL	
	Fatty Acids	N/E	N/E	N/E	N/E	N/E	N/E	N/E	N/E	
	POTASSIUM HYDROXIDE	N/E	2 mg/m3	N/E	N/E	2 mg/m3	N/E	N/E	2 mg/m3	
	1,2-PROPANEDIOL	N/E	N/E	10 mg/m3	N/E	N/E	N/E	N/E	N/E	

Engineering Controls: N/A
Monitoring: N/A
Personal Protective Equipment (PPE):

Eye Protection: Avoid contact with eyes, wear splashproof chemical goggles.

Skin Protection: Wear chemically protective gloves to prevent prolonged or repeated skin contact.

Respiratory Protection: None needed for normal use



Auto-ignition Temperature:

Decomposition Temperature

GHS SAFETY DATA SHEET

WELD-ON® Seal Lube Pipe Gasket Lubricant

Date Revised: APR 2015 Supersedes: NOV 2014

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Amber Odor: Odorless pH: Not Applicable Boiling Point: > 104.4°C (220°F) Flash Point: Non-Flammable Specific Gravity: 1.20 @ 23°C (73°F) Solubility:

Not Available Not Available Not Available

Evaporation Rate: N/A Flammability: None Known Flammability Limits:

Odor Threshold:

Vapor Pressure:

LC50

LEL: N/A UEL: N/A N/A

N/A

Vapor Density: N/A Viscosity: Viscous paste VOC Content: 0%

SECTION 10 - STABILITY AND REACTIVITY

Stability: Stable at room temperature in closed containers under normal storage and handling conditions. Hazardous decomposition products: Oxides of carbon and nitrogen

Conditions to avoid: Reactive alloys such as aluminum, brass, bronze. Also avoid contact with strong oxidizing agents.

Incompatible Materials: None Known

SECTION 11 - TOXICOLOGICAL INFORMATION

LD50 Toxicity:

DISTILLATES HYDROTREATED Oral LD50 Rat >5000 mg/kg, Dermal: Rabbit >2000 mg/kg Inhalation: Rat 2.18 mg/L 4 h

Reproductive Effects **Teratogenicity** Mutagenicity Embryotoxicity Sensitization to Product Synergistic Products Not Established Not Established Not Established Not Established Not Established Not Established

SECTION 12 - ECOLOGICAL INFORMATION

Ecotoxicity: None Known Mobility: Not Established Degradability: Not Established Bioaccumulation: Not Established

SECTION 13 - WASTE DISPOSAL CONSIDERATIONS

Incinerate in accordance with local and national regulations. Consult local disposal expert.

SECTION 14 - TRANSPORT INFORMATION

Proper Shipping Name:

Hazard Class: Not Regulated as a hazardous material

Secondary Risk: None Identification Number: None Packing Group: None Label Required: None NO Marine Pollutant:

TDG INFORMATION TDG CLASS: Not Regulated SHIPPING NAME: Not Regulated UN NUMBER/PACKING GROUP Not Regulated

SECTION 15 - REGULATORY INFORMATION

Precautionary Label Information: Ingredient Listings: None Known Irritant

Symbols: Xi

Risk Phrases: R-36/38 Irritating to eyes and skin.

S-2/3 Keep in a cool place, out of reach of children. S-37/39 Wear suitable gloves and eye protection. Safety Phrases:

S-7 Keep container tightly closed when not in use. S-24/25 Avoid contact with skin and eyes.

S-45 If seeking medical advice show physician label or SDS.

S-35 Dispose of material and container in a safe way.

SECTION 16 - OTHER INFORMATION

Specification Information: Department issuing data sheet: IPS, Safety Health & Environmental Affairs

E-mail address: <EHSinfo@ipscorp.com>

All ingredients are compliant with the requirements of the European Directive on RoHS (Restriction of Hazardous Substances).

4/21/2015 1:35 PM

Training necessary: Yes, training in practices and procedures contained in product literature.

Reissue date / reason for reissue: 4/21/2015/ Updated GHS Standard Format

Intended Use of Product:

This product is intended for use by skilled individuals at their own risk. The information contained herein is based on data considered accurate based on current state of knowledge and experience. However, no warranty is expressed or implied regarding the accuracy of this data or the results to be obtained from the use thereof.

FileName: W-OSeal Lube 4-15.xls Page 2 of 2