

SAFETY DATA SHEET

Date issued : 01/30/2023
 SDS number : E-Z Clor Metal Magnet
 Date revised : 07/06/2023
 Revision number : 1

E-Z Clor Metal Magnet

1. Identification

Product identifier: E-Z Clor Metal Magnet

Active ingredient(s): 1-Hydroxy Ethylidene-1, 1-Diphosphonic Acid (HEDP)

Relevant identified uses: Metal control for swimming pools.

Distributor

Alliance Trading, Inc.
 109 North Park Blvd., 4th Floor
 Covington, LA 70433

Emergency telephone number (24 hour)

Chem-Tel 24-Hour Emergency # (800) 255-3924

2. Hazard identification

Classification of the substance or mixture

Skin Corrosion/Skin Irritation, Category 1

Eye Damage, Category 1

Corrosive to Metals, Category 1

Label elements

Corrosion

Signal word: DANGER

Hazard statement(s)

H290: May be corrosive to metals.

H314: Causes severe skin burns and eye damage.

H318: Causes serious eye damage.

Precautionary statement(s)**Supplemental label elements:**

P234: Keep only in original packaging.

P260: Do not breathe dust/fume/gas/mist/vapours/spray.

P264: Wash ... thoroughly after handling.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P301+P330+P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P501: Dispose of contents/container to ...

Emergency overview

Immediate concerns: Causes eye, skin and digestive tract burns. Mist may cause respiratory tract burns.

Potential health effects

Eye: Corrosive. Causes eye burns and permanent tissue damage.

Skin: Corrosive. May cause skin burns and permanent skin damage.

Ingestion: Low order of toxicity. Corrosive to mouth, esophagus and stomach.

Inhalation: Mist may be severely irritating to nose, throat and lungs, depending on concentration and duration of exposure.

Carcinogenicity: Not listed by NTP, IARC or OSHA.

SAFETY DATA SHEET

Date issued : 01/30/2023
SDS number : E-Z Clor Metal Magnet
Date revised : 07/06/2023
Revision number : 1

E-Z Clor Metal Magnet

3. Composition/information on ingredients

Chemical name	% w/w	CAS No.
1-Hydroxy Ethylidene-1, 1-Diphosphonic Acid (HEDP)	30 - 50	2809-21-4
Phosphonic Acid	< 0 - 2	13598-36-2

Comments: Proprietary blend. Ingredients in this section have been determined to be hazardous as defined by 29CFR 1910.1200.

4. First-aid measures

Eye: Immediately flush eyes with plenty of water for at least 15 minutes. Get immediate medical attention.

Skin: Immediately wash with large amounts of water; use soap, if available. Remove contaminated clothing, including shoes, after washing has begun. Get immediate medical attention.

Ingestion: DO NOT induce vomiting. If individual is conscious, give milk or water to dilute stomach contents. Keep warm and quiet. Get prompt medical attention. DO not attempt to give anything by mouth to an unconscious person.

Inhalation: In case of adverse exposure to vapors and/or aerosols, immediately remove the affected victim from exposure and get immediate medical attention. If breathing is difficult, give oxygen. If breathing stops, give artificial respiration.

5. Fire-fighting measures

Suitable extinguishing media: Use extinguishing media appropriate for surrounding fire.

Fire fighting procedures: Material will not burn. Containers can build up pressure if exposed to heat (fire). Use water spray to cool fire-exposed surfaces and to protect personnel.

Fire fighting equipment: Firefighters should wear self-contained breathing apparatus (SCBA) in positive pressure mode, if possible, and full protective gear.

6. Accidental release measures

Small spill: For spills, implement cleanup procedures.

Large spill: Implement cleanup procedures and if in public areas, advise authorities.

Environmental precautions

Water spill: Prevent additional discharge of material, if possible to do so without hazard. Request all to stay clear. This material is water soluble/dispersible, and may not be recoverable.

Land spill: Prevent additional discharge of material, if possible to do so without hazard. Warn occupants and downwind areas of corrosive release hazard and request all to stay clear.

General procedures: Contain spilled liquid with sand or earth. Recover by pumping or with suitable absorbent.

Release notes: Recycle or dispose of recovered material in accordance with all federal, state, and local regulations.

7. Handling and storage

General procedures: Keep containers closed. Open container carefully and handle with care. Store in a cool, well-ventilated place away from incompatible materials. Do NOT pressurize, cut, heat or weld containers. Empty product containers may contain product residue. Do not reuse empty containers.

Conditions for safe storage: Corrosive to most metals, including carbon steel, aluminum/aluminum alloys and copper /copper alloys.

Storage temperature: Ambient.

Storage pressure: Atmospheric

Comments: When working or handling this product, wash hands and face thoroughly before eating, drinking, using tobacco, applying cosmetics, or using the toilet. Wash exposed skin promptly to remove accidental splashes or contact.

8. Exposure controls/personal protection

SAFETY DATA SHEET

Date issued : 01/30/2023
SDS number : E-Z Clor Metal Magnet
Date revised : 07/06/2023
Revision number : 1

E-Z Clor Metal Magnet

Exposure controls

Control parameters				
		Occupational exposure limit values		
Chemical name	Type		ppm	mg/m³
1-Hydroxy Ethylidene-1, 1-Diphosphonic Acid (HEDP)	OSHA PEL	TWA	ppm ^[1]	mg/m3 ^[1]
		STEL	ppm	mg/m3
	ACGIH TLV	TWA	ppm	mg/m3
		STEL	ppm	mg/m3
	Supplier OEL	TWA	NL	NL
		STEL	NL	NL
Footnotes: 1. NL = Not Listed				

Appropriate engineering controls: Local exhaust.

Individual protection measures, such as personal protective equipment

Eye / face protection: Chemical splash goggles and face shield.

Skin protection - hand protection: Where contact may occur, wear chemical resistant gloves and long sleeves.

Respiratory protection: Where overexposure by inhalation may occur; or other means of exposure reduction are not adequate, approved respirators may be necessary.

Occupational hygiene practices: Provide safety shower and eyewash station in the work area.

9. Physical and chemical properties

Physical state: Liquid

Appearance: Pink liquid.

Odor: Faint.

pH: < 2

Initial boiling point and boiling range: Not Available

Flash point: > 100°C (212°F)

Explosion limit / flammability limit notes: Non-flammable.

Vapor pressure: Not Available

Relative vapor density: Not Available

Relative density: 1.139 to 1.147

Solubility: Soluble in water.

Auto-ignition temperature: Not Applicable

10. Stability and reactivity

Dangerous polymerization: Will not occur.

Chemical stability: Stable.

Conditions to avoid: Contact with common metals might produce flammable hydrogen gas.

Hazardous decomposition products: Phosphines, CO, CO₂ and oxides of nitrogen.

Incompatible materials: Strong oxidizers and strong alkalis.

SAFETY DATA SHEET

Date issued : 01/30/2023
 SDS number : E-Z Clor Metal Magnet
 Date revised : 07/06/2023
 Revision number : 1

E-Z Clor Metal Magnet

11. Toxicological information

Acute toxicity

Acute dermal toxicity LD₅₀: > 2000 mg/kg

Acute oral toxicity LD₅₀: > 2000 mg/kg

Respiratory or skin sensitization: No sensitizing effects known.

12. Ecological information

Ecotoxicological information: Low mobility in soil

Aquatic toxicity, both acute and chronic

96-hour LC₅₀: > 100 mg/L (fish)

48-hour EC₅₀: > 100 mg/L (Crustacea)

96-hour EC₅₀: > 100 mg/L (Algae)

Bioaccumulative potential: No bioaccumulation is expected.

13. Disposal considerations

Disposal methods: Dispose in accordance with all applicable regulations.

14. Transport information

USA Department of Transport Regulations (DOT)

UN proper shipping name: Corrosive Liquids, N.O.S. (1-Hydroxy Ethylidene-1, 1-Diphosphonic Acid (HEDP), Phosphonic Acid)

UN number: UN 1760

Transport hazard class(es): 8

Packing group, if applicable: III

Reportable quantity (rq) under CERCLA: None

Environmental hazards - marine pollutant: No.

DOT other shipping information: Refer to 49 CFR 173.154 for limited and consumer commodity exceptions.

15. Regulatory information

UNITED STATES

SARA Section 311/312 Hazard Categories

311/312 Health hazards: Hazard Categories: Health: Immediate (Acute) Health Hazard

313 reportable ingredients: No reportable chemicals.

CERCLA Hazardous Substances and Reportable Quantities (RQ)

CERCLA regulatory: If spilled, this product is not subject to any reporting requirements.

TSCA (The Toxic Substances Control Act)

TSCA regulatory: All components are listed on the TSCA Inventory or are exempt from TSCA Inventory requirements.

RCRA status: When disposed of, this product may be regulated as a RCRA Hazardous Waste with the characteristic of corrosivity due the pH of the neat material.

16. Other information

Date revised: 07/06/2023

Revision summary: This SDS replaces the 01/30/2023 SDS. Revised: **Section 2:** Comments.

SAFETY DATA SHEET

Date issued : 01/30/2023

SDS number : E-Z Clor Metal Magnet

Date revised : 07/06/2023

Revision number : 1

E-Z Clor Metal Magnet

Manufacturer disclaimer: Although reasonable care has been taken in the preparation of this document, we extend no warranties and make no representations as to the accuracy or completeness of the information contained therein, and assume no responsibility regarding the suitability of this information for the user's intended purposes or for the consequences of its use. Each individual should make a determination as to the suitability of the information for their particular purpose(s).