# SAFETY DATA SHEET

Date issued : 11/04/2024 SDS number : EZC Stop Yellow

# **E-Z Clor Stop Yellow**

## 1. Identification

Product identifier: E-Z Clor Stop Yellow Product description: Inorganic and organic salt

#### Distributor

Alliance Trading, Inc. 109 North Park Blvd., 4th Floor Covington, LA 70433

## 2. Hazard identification

## Classification of the substance or mixture

#### Health hazards:

Skin Irritation, Category 3

#### Label elements

No GHS Pictogram associated with this product.

#### Signal word: WARNING

#### Hazard statement(s)

H316: Causes mild skin irritation.

#### Precautionary statement(s)

## Response:

7052PC2H: Wear protective gloves, eye protection, protective clothing.
P264: Wash ... thoroughly after handling.
P302+P352: IF ON SKIN: Wash with plenty of water/...
P332+P313: If skin irritation occurs: Get medical advice/attention.

#### **Potential health effects**

Ingestion: May be harmful if swallowed.

3. Composition/information on ingredients			
	Chemical name	% w/w	
	Disodiumsalt of ethylenediaminetetraacetic acid dihydrate diammonium sulfate	100	

#### 4. First-aid measures

**Eye:** Immediately flush eyes with large amounts of running water for at least 15 minutes. Hold eyelids apart to ensure rinsing of the entire surface of the eye and lids with water. Get immediate medical attention.

Skin: Immediately wash skin with plenty of soap and water for 15 minutes then wash with soap and water...

Ingestion: DO NOT INDUCE VOMITING. Rinse mouth with water. Obtain immediate medical attention. Never give anything by mouth to an unconscious person.

Inhalation: Remove to fresh air.

#### 5. Fire-fighting measures

Flammable class: This product is not flammable.

Suitable extinguishing media: Carbon dioxide, foam and dry chemical.

**Explosion hazards:** At temperatures above 450 deg F, material decomposes with the evolution of ammonia and sulfur trioxide. If accidentally mixed with oxidizers like potassium chlorate or potassium nitrate, there is an explosive hazard during a fire.

Fire fighting equipment: Firefighters should wear self-contained breathing apparatus (SCBA) with full facepiece operated in pressure demand or

#### Emergency telephone number (24 hour)

Chem-Tel 24-Hour Emergency # (800) 255-3924

# SAFETY DATA SHEET

Date issued : 11/04/2024 SDS number : EZC Stop Yellow

## **E-Z Clor Stop Yellow**

other positive pressure mode.

#### 6. Accidental release measures

**General procedures:** Dike to contain spill. Cover with inert absorbent material. Sweep up and place in a suitable container. Ventilate, if spilled in an enclosed area. Flush area well with water. Keep spills and cleaning run-off out of municipal sewers and open bodies of water. Use appropriate protective equipment.

Comments: Dispose of collected material in compliance with local, state and federal regulations.

## 7. Handling and storage

Precautions for safe handling: Keep containers tightly closed. Conditions for safe storage: Store in a cool dry place.

#### 8. Exposure controls/personal protection

Appropriate engineering controls: Local exhaust.

Individual protection measures, such as personal protective equipment

Eye / face protection: Chemical goggles or face shield. Do not wear contact lenses.

Respiratory protection: In dusty atmospheres use a NIOSH-approved dust respirator.

Skin protection - other: Impervious gloves and protective clothing to prevent skin contact.

Occupational hygiene practices: Provide safety shower and eyewash station in the work area.

#### 9. Physical and chemical properties

Physical state: Solid
Appearance: Light blue granular/powder
Odor: Mild.
pH: > 4.8 5% solution at 25 deg C
Flash point: Will not burn.
Evaporation rate (n-butyl acetate = 1): Nil.
Vapor pressure: Negligible
Relative vapor density: N/A
Relative density: Not Available

#### 10. Stability and reactivity

Dangerous polymerization: Will not occur.

Chemical stability: Stable.

Conditions to avoid: Material composes at temperature above 450 deg F.

Hazardous decomposition products: Evolution of ammonia and sulfur trioxides at temperatures above 450 deg F.

Incompatible materials: Mixing with strong caustic will cause evolution of ammonia. Violent reaction occurs when mixed with concentrated chlorine or bromine compounds.

#### 11. Toxicological information

Skin corrosion / irritation: None known.

Respiratory or skin sensitization: None known.

Germ cell mutagenicity: None known.

Specific Target Organ Toxicity - repeated exposure: None known.

Date issued : 11/04/2024 SDS number : EZC Stop Yellow

# **E-Z Clor Stop Yellow**

## 12. Ecological information

Comments: Ecological effects of this mixture have not been tested.

## **13.** Disposal considerations

Disposal methods: Dispose in accordance with all applicable regulations.

## 14. Transport information

## USA Department of Transport Regulations (DOT)

UN proper shipping name: Not Regulated.

## 15. Regulatory information

## UNITED STATES

SARA Section 311/312 Hazard Categories

313 reportable ingredients: None.

## **CERCLA Hazardous Substances and Reportable Quantities (RQ)**

CERCLA regulatory: Not listed.

## TSCA (The Toxic Substances Control Act)

**TSCA Status:** All ingredients in this mixture are in compliance with TSCA.

#### Regulations

State regulations: No components of this product are regulated by the states.

## 16. Other information

## Date Prepared: 11/04/2024

HMIS rating			
Health	2		
Flammability	0		
Physical hazard	0		
Personal protection	Α		

**Manufacturer disclaimer:** Although reasonable care has been taken in the preparation of this document, we extend no warranties and make no representations as to the accuracy or completeness of the information contained therein, and assume no responsibility regarding the suitability of this information for the user's intended purposes or for the consequences of its use. Each individual should make a determination as to the suitability of the information for their particular purpose(s).