

FIRE ROCK



HANDCRAFTED, ARCHITECTURAL WET CAST CONCRETE PAVERS



HANDCRAFTED

CONCRETE PAVERS

FireRock wet cast concrete pavers reflect the character of natural stone with a quieter, more disciplined expression. They belong to spaces that value proportion, permanence, and material honesty.

STRONGER

CONSISTENTLY OUTPERFORMS THE ASTM 1731 REQUIREMENTS

In independent tests of strength, FireRock pavers significantly outperform the industry standards, reaching levels of 8,000 PSI.

SAFER

EXCEEDS ASTM 1731 STANDARDS FOR SLIP RESISTANCE

Per accredited 3rd party testing, FireRock concrete pavers exceed minimum standards for the Dynamic Coefficient of Friction (DCOF) by more than 45%.

COOLER

HIGHER SOLAR REFLECTANCE THAN THE COMPETITION

Solar Reflectance Index (SRI) is measured on a scale of 1-100. The higher the number, the cooler the surface will be after prolonged exposure to sunlight. Five of our six colors are above the LEED minimum 29, with Oyster averaging around 90.



OYSTER

1.75" | TRADITIONAL | SQUARE EDGE


COLORS

We offer six unique colors to accommodate and blend naturally with any design plan.


*all samples are depicted in our 'modern' finish



OYSTER



DOVE




STEEL



CLAY



ORE



CHARCOAL

Color and texture may vary. Images are for representation only. Please request physical samples for accurate review.



FINISHES



OYSTER

1.75" | MODERN | SQUARE EDGE

MODERN

Our modern pavers have a smoother finish that provides a clean, more sleek aesthetic. Rather than pitting, these pavers have a more consistent look to set the stage and let your home, landscaping, pool, etc. be the star.



ORE
1.75" | TRADITIONAL | SQUARE EDGE

TRADITIONAL


Our Traditional finish is characterized by pitting, an organic finish that is designed to blend into your home environment as natural stone products like travertine, bluestone, and limestone might.

STANDARD SIZES

All Sizes are Nominal to account for a grout line
(E.g., a 12" x 12" Paver is Actually 11.5" x 11.5")

PAVER SIZES (1" & 1.75")

*Standard coping sizes



SIZES INCLUDED IN STANDARD PATTERNS

7 PIECE RANDOM NO CONTINUOUS LINES 12" x 12" 12" x 18" 12" x 30" 18" x 18" 18" x 24" 18" x 30" 24" x 24"	7 PIECE RANDOM CONTINUOUS LINES 12" x 12" 12" x 18" 12" x 30" 18" x 18" 18" x 24" 18" x 30" 24" x 24"	3 PIECE 18" x 24" 18" x 30" 24" x 24"
---	--	---

COPING & TREADS



STRAIGHT EDGE



BULLNOSE


*standard bullnose is on longer

CUSTOM ORDERS


FireRock is happy to fulfill custom orders. An order is considered custom when it is outside the standard sizes, colors, and coping/tread options listed in this information guide.

STANDARD PATTERN: 7 PIECE RANDOM

*AVAILABLE IN 1" OR 1.75" PAVERS




7 PIECE RANDOM PATTERN - NO CONTINUOUS LINES




7 PIECE RANDOM PATTERN - CONTINUOUS LINES

STANDARD PATTERN: 3 PIECE

*AVAILABLE IN 1" OR 1.75" PAVERS



3 PIECE



OYSTER

1" T MODERN | SQUARE EDGE



STEEL + OYSTER
1.75" | MODERN | SQUARE EDGE



OYSTER

1" | MODERN | SQUARE EDGE



ORE

1.75" | TRADITIONAL | SQUARE EDGE

OYSTER

1.75" | TRADITIONAL | BULLNOSE





CHARCOAL

1" | MODERN | SQUARE EDGE

F I R E R O C K

FIREROCK PRODUCTS, LLC

888.876.1025 | [FIREROCKPRODUCTS.COM](https://firerockproducts.com)