



Safety Data Sheet 24-5-11 40% UFLEXX

SECTION 1: Identification

1.1 Product identifier

Product name	24-5-11 40% UFLEXX
Product number	R802971A
Brand	Nutrite

1.2 Other means of identification

Granular fertilizer

1.3 Recommended use of the chemical and restrictions on use

For turf fertilizer applications. See product label for application instructions.

1.4 Supplier's details

Name	Ferti Technologies
Address	155 East Street Wallingford CT 06492
Telephone	203-265-0500

1.5 Emergency phone number(s)

USA National Capital Poison Center: 1 800 222 1222

SECTION 2: Hazard identification

General hazard statement

Avoid creating dust when handling, using or storing. Use outdoors or in well ventilated area to avoid exposure to dust.

2.1 Classification of the substance or mixture

GHS classification in accordance with: OSHA (29 CFR 1910.1200)

- Serious eye damage/eye irritation, Cat. 2B
- Skin corrosion/irritation, Cat. 2
- Specific target organ toxicity (single exposure), Cat. 3

2.2 GHS label elements, including precautionary statements

Pictogram

Safety Data Sheet

24-5-11 40% UFLEXX



Signal word

Warning

Hazard statement(s)

H315
H320
H335

Causes skin irritation
Causes eye irritation
May cause respiratory irritation

Precautionary statement(s)

P261
P264
P271
P280
P302+P352
P304+P340
P305+P351+P338

Avoid breathing dust/fume/gas/mist/vapors/spray.
Wash hands thoroughly after handling.
Use only outdoors or in a well-ventilated area.
Wear protective gloves.
IF ON SKIN: Wash with plenty of water/...
IF INHALED: Remove person to fresh air and keep comfortable for breathing.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.
Call a POISON CENTER/doctor/.../ if you feel unwell.
Specific treatment (see First Aid section).
If skin irritation occurs: Get medical advice/attention.
If eye irritation persists: Get medical advice/attention.
Take off contaminated clothing and wash it before reuse.
Store in a well-ventilated place. Keep container tightly closed.
Store locked up.
Dispose of contents/container according to local regulations

P312
P321
P332+P313
P337+P313
P362+P364
P403+P233
P405
P501

2.3 Other hazards which do not result in classification

No data available

SECTION 3: Composition/information on ingredients

3.2 Mixtures

This Safety Data Sheet is not a guarantee of product specification or NPK value(s).

Hazardous components

Component	Concentration
Urea (CAS no.: 57-13-6)	48.76 - 49.691 % (weight)
Potassium chloride (CAS no.: 7447-40-7; EC no.: 231-211-8)	18.3 - 18.5 % (weight)
Feldspar	14.365 - 14.43 % (weight)
Monoammonium phosphate (CAS no.: 7722-76-1)	8.88 - 9.261 % (weight)
Quartz (CAS no.: 14808-60-7; EC no.: 238-878-4)	7.735 - 7.77 % (weight)
Guanidine, N-cyano- (CAS no.: 461-58-5)	0.208 - 1.045 % (weight)
Ammonium Sulfate (CAS no.: 7783-20-2)	0.528 - 0.735 % (weight)

Trade secret statement (OSHA 1910.1200(i))

*The specific chemical identities and/or actual concentrations or actual concentration ranges for one or more listed components are being withheld as trade secrets under the US regulation 29 CFR 1910.1200(i).

Note: The balance of the ingredients are not classified as hazardous or are below the concentration limit to be classified as hazardous, under the criteria of the Federal OSHA Hazard Communication Standard 29CFR 1910.1200.

SECTION 4: First-aid measures

Safety Data Sheet

24-5-11 40% UFLEXX

4.1 Description of necessary first-aid measures

General advice	Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Use oxygen as required, provided by a qualified operator. Get medical attention if irritation develops and persists
In case of skin contact	Wash off immediately with plenty of water for at least 15 minutes. Take off contaminated clothing and shoes immediately. Wash contaminated clothing before re-use. Get medical attention if irritation develops and persists.
In case of eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention if irritation develops and persists.
If swallowed	Call a poison center or doctor if you feel unwell. If vomiting occurs naturally, have victim lean forward to reduce the risk of aspiration. Do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person

4.2 Most important symptoms/effects, acute and delayed

INHALATION: May cause respiratory irritation if inhaled

SKIN: May cause skin irritation

EYES: Dust particles may irritate eyes by mechanical abrasion. Symptoms may include stinging, tearing, redness, swelling, and blurred vision

INGESTION: May cause discomfort if swallowed. May be harmful if swallowed in large quantities.

4.3 Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician: Treat symptomatically.

SECTION 5: Fire-fighting measures

5.1 Suitable extinguishing media

Use extinguishing agent suitable for type of surrounding fire. Avoid excessive water to minimize runoff. Prevent firefighter water from entering the environment.

Small fires: Water spray, foam, dry chemical or CO₂

Large fires: Water spray, fog or foam.

5.2 Specific hazards arising from the chemical

Container may rupture on heating. Cool closed containers exposed to fire with water spray. Do not allow run-off from firefighting to enter drains or water courses. Explosive reactions with oxidizing agents such as potassium chlorate and/or peroxides. In case of fire hazardous decomposition products may be produced such as:

Ammonia

Carbon monoxide

Carbon dioxide (CO₂)

Potassium chloride: Hydrogen chloride gas, Potassium oxides

5.3 Special protective actions for fire-fighters

In the event of fire and/or explosion do not breathe fumes. In the case of respirable dust and/or fumes, use self-contained breathing apparatus and dust impervious protective suit.

SECTION 6: Accidental release measures

Safety Data Sheet

24-5-11 40% UFLEXX

6.1 Personal precautions, protective equipment and emergency procedures

Wear personal protective equipment. Unprotected persons must be kept away. Evacuate personnel to safe areas. Provide adequate ventilation. Avoid dust formation. Avoid breathing dust.

6.2 Environmental precautions

Fertilizers will dissolve and disperse in water and promote algae growth, Notify downstream water users of any release that may affect water quality

6.3 Methods and materials for containment and cleaning up

Do not flush into surface water or sanitary sewer system. Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Clean contaminated surface thoroughly. Pick up and arrange disposal without creating dust. Use a suitable vacuum cleaner.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Keep containers tightly closed in a dry, cool and well-ventilated place. Containers should be protected against falling down. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store away from incompatible substances. Avoid generation and spreading of dust.

7.2 Conditions for safe storage, including any incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place. Containers should be protected against falling down. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store away from incompatible substances. Avoid generation and spreading of dust.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

CAS: 14808-60-7 (EC: 238-878-4)

Silica, crystalline

ACGIH: 0.025 mg/m³ (resp.) for α -quartz and cristobalite TLV[®] inhalation; Cal/OSHA: 0.05 mg/m³ PEL inhalation; NIOSH: 0.05 mg/m³ REL inhalation; OSHA: 10 mg/m³ respirable 30 mg/m³ total PEL-TWA inhalation

8.2 Appropriate engineering controls

Use adequate general or local exhaust ventilation to keep airborne concentrations below the permissible exposure limits.

8.3 Individual protection measures, such as personal protective equipment (PPE)

Eye/face protection

Wear as appropriate: Safety glasses with side-shields

Skin protection

Gloves: Gloves must be inspected prior to use. Replace when worn
Wash hands before breaks and at the end of workday.

Body protection

Wear appropriate protective clothing to prevent skin exposure.
Remove and wash contaminated clothing before re-use. Wash working clothes separately.

Respiratory protection

Safety Data Sheet

24-5-11 40% UFLEXX

When product is used outdoors and as intended respirators are not expected to be required. A NIOSH approved air purifying respirator with a type 95 (R or P) particulate filter may be used under conditions where airborne concentrations are expected to exceed exposure limits or respiratory irritation is experienced. Protection provided by air purifying respirators is limited (see manufacturer's respirator selection guide). A respiratory protection program that meets OSHA's 29 CFR 1910.134 and ANSI Z88.2 requirements must be followed if workplace conditions warrant a respirator use.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Appearance/form (physical state, color, etc.)	Multi-color granules
Odor	No data available.
Odor threshold	No data available.
pH	No data available.
Melting point/freezing point	No data available.
Initial boiling point and boiling range	No data available.
Flash point	No data available.
Evaporation rate	No data available.
Flammability (solid, gas)	No data available.
Upper/lower flammability limits	No data available.
Upper/lower explosive limits	No data available.
Vapor pressure	No data available.
Vapor density	No data available.
Relative density	No data available.
Solubility(ies)	No data available.
Partition coefficient: n-octanol/water	No data available.
Auto-ignition temperature	No data available.
Decomposition temperature	No data available.
Viscosity	No data available.
Explosive properties	No data available.
Oxidizing properties	No data available.

Other safety information

Bulk Density: 62.6

SECTION 10: Stability and reactivity

10.1 Reactivity

Stable under recommended storage and use conditions. Some components may react if exposed to incompatible materials.

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

Hazardous polymerization does not occur.

10.4 Conditions to avoid

Contact with incompatible materials. Contact with open flames, heat, or sparks

10.5 Incompatible materials

Contact with powerful oxidizing agents such as fluorine, boron trifluoride, chlorine trifluoride, manganese trifluoride, and oxygen difluoride may cause fire and/or explosions.

Safety Data Sheet

24-5-11 40% UFLEXX

Ammonium Sulfate: Oxidizing substances, Zinc, copper

Potassium chloride: Strong acids, Strong oxidizing agents

Silica, crystalline : Hydrogen fluoride

10.6 Hazardous decomposition products

The decomposition of fertilizer products may result in the generation of some or all of the following: ammonia, formaldehyde, biuret, chlorine, cyanic acid, and cyanide, and oxides of carbon, nitrogen, phosphorus, potassium, sulfur, and chlorine, and oxides of alkaline earth metals, and certain heavier metals used as nutrients in fertilizer products, such as copper, iron, manganese, and zinc, and other irritating and toxic fumes and gases.

Ammonium Sulfate: Sulfur oxides, Ammonia, Carbon Dioxide, Carbon Monoxide

SECTION 11: Toxicological information

Information on toxicological effects

Acute toxicity

Ammonium Sulfate

LD50 Oral - Rat - 2,000 mg/kg

Ammonium Sulfate

LD50 Skin - Rat - > 2,000 mg/kg

Guanidine, N-cyano-

LD50 Oral - Rat - >10000 mg/kg

Guanidine, N-cyano-

LD50 Skin - Rabbit - >2000 mg/kg - 24 hr

Monoammonium phosphate

LC50 Oral - Rat - > 2000 mg/kg

Monoammonium phosphate

LD50 Skin - Rat - > 5000 mg/kg

Potassium chloride

LD50 Oral - Rat - 2600 mg/kg

Citation: The National Institute for Occupational Safety and Health (NIOSH)

<https://www.cdc.gov/niosh-rtecs/TS7AD550.html>

UREA

LD50 Oral - Rat - > 8471 mg/kg

Skin corrosion/irritation

Irritating to skin. Signs/symptoms may include localized redness, swelling, and itching.

Serious eye damage/irritation

Causes eye irritation by mechanical abrasion of dust. Signs/symptoms may include redness, swelling, pain, tearing, and blurred or hazy vision.

Safety Data Sheet

24-5-11 40% UFLEXX

Respiratory or skin sensitization

May cause respiratory irritation. May cause allergy or asthma symptoms or breathing difficulties if inhaled

Germ cell mutagenicity

No data available

Carcinogenicity

Silica, crystalline

Result: IARC: 1 - Group 1: Carcinogenic to humans (Quartz)

NTP: Known to be human carcinogen (Quartz)

Reproductive toxicity

No data available

STOT-single exposure

May cause respiratory irritation if dust is inhaled

STOT-repeated exposure

Dust inhalation may cause damage to organs through prolonged or repeated exposure. Dust exposure has been related to silicosis.

Aspiration hazard

No data available.

SECTION 12: Ecological information

Toxicity

Ammonium Sulfate

LC50 - Oncorhynchus mykiss (rainbow trout) - 5.2 - 8.2 mg/l - 96 hr (static)

Ammonium Sulfate

LC50 - Daphnia magna (water flea) - 423 mg/l - 24 hr

Guanidine, N-cyano-

EC50 - Oncorhynchus mykiss (rainbow trout) - 7700 ppm - 96 hr

Monoammonium phosphate

LC50 - Oncorhynchus mykiss (rainbow trout) - >86mg/L - 96 hr

Potassium chloride

LD50 Oral - Rat - 2600 mg/kg

Citation: The National Institute for Occupational Safety and Health (NIOSH)

<https://www.cdc.gov/niosh-rtecs/TS7AD550.html>

UREA

EC50 - Daphnia magna (water flea) - > 10000 mg/l - 96 hr

UREA

LC50 - Leuciscus idus (golden orfe) - >6810 mg/l - 96 hr

Persistence and degradability

Safety Data Sheet

24-5-11 40% UFLEXX

No data available

Bioaccumulative potential

Not expected to bioconcentrate or bioaccumulate.

Mobility in soil

This product is water soluble and may disperse in soil

Results of PBT and vPvB assessment

No data available.

Other adverse effects

In sufficient quantity may deplete oxygen required by aquatic life. May cause eutrophication of ponds and lakes.

Monoammonium phosphate: May release phosphates which will result in algae growth, increased turbidity, and depleted oxygen. At extremely high concentrations, this may be hazardous to fish or other marine organisms.

SECTION 13: Disposal considerations

Disposal of the product

Dispose in accordance with all applicable regulations. Recover or recycle if possible. Properly characterize all waste materials.

Disposal of contaminated packaging

Empty containers should be taken to an approved waste handling site for recycling or disposal.

Waste treatment

Consult federal, state/provincial and local regulations regarding the proper disposal of this material.

Sewage disposal

Prevent material from entering sewers, storm drains, other unauthorized treatment drainage systems, and natural waterways.

SECTION 14: Transport information

14.1 UN Number	None
14.2 UN Proper Shipping Name	None
14.3 Transport hazard class(es)	None
14.4 Packing group	None
14.5 Environmental hazards	None
14.6 Special precautions for user	None
14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	None

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations specific for the product in question

California Prop. 65 Components

WARNING! This product contains a chemical known to the State of California to cause cancer.

Quartz (crystalline silica)

CAS-No. 14808-60-7

CERCLA

Safety Data Sheet

24-5-11 40% UFLEXX

Not listed

Massachusetts Right To Know Components

Ammonium sulfate CAS Number 7783-20-2

Chemical name: Quartz

CAS number: 14808-60-7

New Jersey Right To Know Components

Common name: SILICA, QUARTZ

CAS number: 14808-60-7

Pennsylvania Right To Know Components

Chemical name: Sulfuric acid diammonium salt

CAS number: 7783-20-2

Chemical name: Quartz

CAS number: 14808-60-7

SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 311/312 Hazards

Immediate (acute) health hazard

SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Toxic Substances Control Act (TSCA) Inventory

Components Listed

SECTION 16: Other information

This safety data sheet was developed from safety data sheets of suppliers of the constituent materials identified herein and does not relate to the use of such materials in combination with any other material or beyond its intended use. This information is based on our present knowledge and is provided according to the relevant national regulations.

16.1 Further information/disclaimer

This information is intended as a characterization of the product in order to provide guidance for the relevant safety issues. However, this document does not provide any warranty, expressed or implied, regarding the properties of the product. No warranty is expressed or implied with respect to the completeness or ongoing accuracy of the information contained in this data sheet, and Ferti Technologies. disclaims all liability for reliance on such information. This data sheet is not a guarantee of safety. Users are responsible for ensuring that they have all current information necessary to safely use the product described by this data sheet for their specific purposes.

16.2 Preparation information

The classification of the mixture was set based on the regulation (US) HazCom 1910.1200 [HCS 2012].