




PROJECT
CATALOG #
TYPE
NOTES

TREE RING Accessory

The Tree Ring is an adjustable, drill-free tree-mounting accessory that can accommodate up to six lighting fixtures.

Quick Facts

- TGIC powder coat finish
- Designed for 9-20" (229-508 mm) diameter trees
- Compatible with 1/2" NPT threads
- Accommodates up to six fixtures
- Mounting hardware included




TREE RING Accessory SPECIFICATIONS

18" (457 mm) Tree Ring

14.7" (373 mm)
Maximum Diameter


8.7" (221 mm)
Minimum Diameter




24" (610 mm) Tree Ring

20.7" (526 mm)
Maximum Diameter

14.8" (376 mm)
Minimum Diameter



Tree Ring Assembly View



TREE RING Accessory ORDERING INFORMATION

Model	Size	Positions	Finish
■ TR	■ 18 9-14" (229-356 mm)	■ 6P Six positions	■ BZ Bronze Metallic 
	■ 24 14-20" (356-508 mm)		■ FB Black 

EXAMPLE CONFIGURATION: TR-24-6P-BZ



Includes zip ties; specify lock rings separately

Accessory: Specify Separately

Item		Code
■ LL-STYLE CONDUIT BODY* Bronze Metallic		TRJBLLBZ
■ LL-STYLE CONDUIT BODY* Black		TRJBLLFB
■ T-STYLE CONDUIT BODY** Bronze Metallic		TRJBTBZ
■ T-STYLE CONDUIT BODY** Black		TRJBTFB

* Order one per Tree Ring. Includes strain relief connectors.

** Order one less T-Style Conduit Body than the number of fixtures installed per Tree Ring (e.g., Order five T-Style Conduit Bodies for a six-fixture installation). Includes strain relief connectors.