

SAFETY DATA SHEET

according to US Regulation 29 CFR 1910.1200 and the Canadian HPA

GLB Filter Rinse

Version 2.1

Revision Date 2020.05.29

Print Date 2020.11.07

SECTION 1. IDENTIFICATION

Product name : GLB Filter Rinse

Manufacturer or supplier's details

Company : Innovative Water Care, LLC
1400 Bluegrass Lakes Parkway
Alpharetta, GA
30004

Telephone : 1-800-511-6737 (Outside the USA: 1-423-780-2347)
E-mail address : sds@sigurawater.com
Emergency telephone number : 1-800-654-6911 (Outside the USA: 1-423-780-2970)

Recommended use of the chemical and restrictions on use

Recommended use : Filter cleaner

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Corrosive to metals : Category 1
Skin irritation : Category 2
Serious eye damage : Category 1

GHS label elements

Hazard pictograms : 

Signal word : Danger

Hazard statements : H290 May be corrosive to metals.
H315 Causes skin irritation.
H318 Causes serious eye damage.

Precautionary statements : **Prevention:**
P234 Keep only in original packaging.
P264 Wash skin thoroughly after handling.



GLB Filter Rinse

P280 Wear protective gloves.

P280 Wear eye protection/ face protection.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

P332 + P313 If skin irritation occurs: Get medical advice/ attention.

P362 Take off contaminated clothing and wash before reuse.

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.

P390 Absorb spillage to prevent material damage.

Storage:

P405 Store locked up.

P406 Store in a corrosion resistant container with a resistant inner liner.

Disposal:

P501 Dispose of contents/container in accordance with local regulation.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical nature : Mixture

Hazardous components

Chemical name / Synonyms	CAS-No.	Concentration (% w/w)
Citric acid	77-92-9	10 - 15
Etidronic acid	2809-21-4	10 - 15
2-Butoxyethanol	111-76-2	5 - 10
Poly(oxy-1,2-ethanediyl), .alpha.- (nonylphenyl)-.omega.-hydroxy-	9016-45-9	3 - 5

SECTION 4. FIRST AID MEASURES

If inhaled : IF INHALED: Remove individual to fresh air. Seek medical attention if breathing becomes difficult or if respiratory irritation develops.

In case of skin contact : IF ON SKIN: Immediately flush skin with plenty of water for 15 minutes. If clothing comes in contact with the product, the clothing should be removed immediately and laundered before re-use. Seek medical attention if irritation develops.

In case of eye contact : IF IN EYES: Immediately flush eyes with plenty of water for at least 15 minutes. Seek medical attention immediately.



GLB Filter Rinse

If swallowed	: IF SWALLOWED: Call a physician immediately. DO NOT induce vomiting unless directed to do so by a physician. Never give anything by mouth to an unconscious person.
Most important symptoms and effects, both acute and delayed	: None known.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	: Use dry chemical, water fog, carbon dioxide (CO2), or foam.
Specific hazards during firefighting	: Material may be ignited only if preheated to high temperatures, for example in a fire.
Further information	: Use water spray to cool unopened containers. In case of fire, use normal fire-fighting equipment and the personal protective equipment recommended in Section 8 to include a NIOSH approved self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	: Use the personal protective equipment recommended in Section 8 and a NIOSH approved self-contained breathing apparatus. Prevent further leakage or spillage if safe to do so. Use personal protective equipment as required. Evacuate personnel to safe areas. Remove all sources of ignition.
Environmental precautions	: If the product contaminates rivers and lakes or drains inform respective authorities.
Methods and materials for containment and cleaning up	: Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Do not flush into surface water or sanitary sewer system.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling	: Do not take internally. Avoid contact with skin, eyes and clothing. If in eyes or on skin, rinse well with water. Avoid breathing vapours, mist or gas.
Conditions for safe storage	: Store in a cool, dry and well ventilated place. Isolate from



GLB Filter Rinse

incompatible materials.
Do not freeze.

Materials to avoid

: Refer to Section 10, "Incompatible Materials."

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissi- ble concentra- tion	Basis
2-Butoxyethanol	111-76-2	TWA	20 ppm	ACGIH
		REL	5 ppm 24 mg/m ³	NIOSH/GUIDE

Biological occupational exposure limits

Components	CAS-No.	Control parame- ters	Biological specimen	Sampling time	Permissi- ble con- centration	Basis
2-Butoxyethanol	111-76-2	Butoxy- acetic acid (BAA), with hy- drolysis	Creatinine in urine	Sampling time: End of shift.	200 mg/g	ACGIH BEI

Engineering measures

: Local exhaust ventilation or other engineering controls are normally required when handling or using this product to keep airborne exposures below the TLV, PEL or other recommended exposure limit.

Personal protective equipment

Respiratory protection

: Wear a NIOSH approved respirator if levels above the exposure limits are possible.
A NIOSH approved air purifying respirator with organic vapor cartridge and N95 particulate filter. Air purifying respirators should not be used in oxygen deficient orIDLH atmospheres or if exposure concentrations exceed ten (10) times the published limit.

Hand protection

Remarks

: Avoid contact with skin. Impervious gloves

Eye protection

: Chemical resistant goggles must be worn.
Face-shield

Skin and body protection

: Impervious clothing



GLB Filter Rinse

Protective measures : Ensure that eyewash stations and safety showers are close to the workstation location.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: liquid
Colour	: no data available
Odour	: no data available
Odour Threshold	: no data available
pH	: 1.0 - 3.0
Melting point/freezing point	: no data available
Boiling point/boiling range	: 215.1 °F / 101.7 °C
Flash point	: no data available
Evaporation rate	: no data available
Flammability (solid, gas)	: The product is not flammable.
Flammability (liquids)	: no data available
Upper explosion limit	: no data available
Lower explosion limit	: no data available
Vapour pressure	: 22.7 hPa
Relative vapour density	: 0.6
Relative density	: 1.138 (68 °F / 20 °C)
Bulk density	: no data available
Water solubility	: soluble in cold water
Partition coefficient: n-octanol/water	: Not applicable
Auto-ignition temperature	: no data available
Decomposition temperature	: no data available
Viscosity, dynamic	: no data available
Viscosity, kinematic	: no data available



GLB Filter Rinse

SECTION 10. STABILITY AND REACTIVITY

Possibility of hazardous reactions	:	Stable under normal conditions.
Conditions to avoid	:	Sparks, open flame, other ignition sources, and elevated temperatures.
Incompatible materials	:	Strong oxidizing agents strong alkalies
Hazardous decomposition products	:	Nitrogen Aldehydes Ketones Carbon dioxide (CO ₂) Carbon monoxide

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure :

Eyes
Skin
Ingestion
Inhalation

Acute toxicity

Acute oral toxicity	:	LD50 (Rat): Believed to be > 5,000 mg/kg
Acute inhalation toxicity	:	Remarks: no data available Acute toxicity estimate: > 40 mg/l Exposure time: 4 h Test atmosphere: vapour Method: Calculation method
Acute dermal toxicity	:	LD50 (Rabbit): Believed to be > 4,000 mg/kg
Acute toxicity (other routes of administration)	:	Remarks: This product is corrosive to the eyes, moderately irritating to the skin and upon inhalation, may cause irritation to mucous membranes and respiratory tract.



GLB Filter Rinse

Skin corrosion/irritation

Remarks: Moderate skin irritation

Serious eye damage/eye irritation

Result: Corrosive to eyes

Respiratory or skin sensitisation

Remarks: This material is not known or reported to be a skin or respiratory sensitizer.

Carcinogenicity

IARC

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA

No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

ACGIH

Confirmed animal carcinogen with unknown relevance to humans

2-Butoxyethanol

111-76-2

Repeated dose toxicity

Remarks: Not known or reported to cause subchronic or chronic toxicity.

Further information

Remarks: no data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

no data available

Persistence and degradability

no data available

Bioaccumulative potential

Components:

Citric acid:

Partition coefficient: n-octanol/water : log Pow: -1.72 (20 °C)
Method: OECD Test Guideline 107



GLB Filter Rinse

Mobility in soil

no data available

Other adverse effects

Ozone-Depletion Potential : Regulation: US. EPA Clean Air Act (CAA) Section 602 Ozone-Depleting Substances (40 CFR 82, Subpt. A, App A & B)
Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

Additional ecological information : No data for product. Individual constituents are as follows:

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : If this product becomes a waste, it meets the criteria of a hazardous waste as defined under 40 CFR 261 and would have the following EPA hazardous waste number: D002.
As a hazardous liquid waste it must be disposed of in accordance with local, state and federal regulations.

SECTION 14. TRANSPORT INFORMATION

DOT

UN number	: 3265
Proper shipping name	: Corrosive liquid, acidic, organic, n.o.s. (1-Hydroxyethylidene-1,1-diphosphonic acid)
Transport hazard class	: 8
Packing group	: III
Labels	: 8
Emergency Response Guidebook Number	: 153
Environmental hazards	: no



GLB Filter Rinse

TDG

UN number	:	3265
Proper shipping name	:	CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (1-Hydroxyethylidene-1,1-diphosphonic acid)
Transport hazard class	:	8
Packing group	:	III
Labels	:	8
Environmental hazards	:	no

IATA

UN number	:	3265
Proper shipping name	:	Corrosive liquid, acidic, organic, n.o.s. (1-Hydroxyethylidene-1,1-diphosphonic acid)
Transport hazard class	:	8
Packing group	:	III
Labels	:	8
Environmental hazards	:	no

IMDG

UN number	:	3265
Proper shipping name	:	Corrosive liquid, acidic, organic, n.o.s. (1-Hydroxyethylidene-1,1-diphosphonic acid)
Transport hazard class	:	8
Packing group	:	III
Labels	:	8
EmS Number 1	:	F-A
EmS Number 2	:	S-B
Environmental hazards	:	Marine pollutant: no

ADR

UN number	:	3265
Proper shipping name	:	CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (1-Hydroxyethylidene-1,1-diphosphonic acid)
Transport hazard class	:	8
Packing group	:	III
Classification Code	:	C3
Hazard Identification Number	:	80
Labels	:	8
Environmental hazards	:	no



GLB Filter Rinse

RID

UN number	:	3265
Proper shipping name	:	CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (1-Hydroxyethylidene-1,1-diphosphonic acid)
Transport hazard class	:	8
Packing group	:	III
Classification Code	:	C3
Hazard Identification Number	:	80
Labels	:	8
Environmental hazards	:	no

Special precautions for user :

Product not regulated for ground transport in the USA per exception permitted in 49 CFR 173.154(d).

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	:	Not applicable
---	---	----------------

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act**CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards

See above: SECTION 2. Hazard Identification-GHS Classification

SARA 313

Components	CAS-No.	Concentration
Poly(oxy-1,2-ethanediyl), .alpha.-(nonylphenyl)-.omega.-hydroxy-	9016-45-9	1 - 5 %

Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

The following chemical(s) are listed as HAP under the U.S. Clean Air Act, Section 112 (40 CFR 61):

Components	CAS-No.	Concentration
Poly(oxy-1,2-ethanediyl), .alpha.-(nonylphenyl)-.omega.-hydroxy-	9016-45-9	1 - 5 %

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).



GLB Filter Rinse

The following chemical(s) are listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489):

Components	CAS-No.	Concentration
2-Butoxyethanol	111-76-2	5 - 10 %
Sodium benzoate	532-32-1	0.0001 - 0.001 %

This product does not contain any VOC exemptions listed under the U.S. Clean Air Act Section 450.

Clean Water Act

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

US State Regulations

Massachusetts Right To Know

Components	CAS-No.
2-Butoxyethanol	111-76-2

Pennsylvania Right To Know

Components	CAS-No.
Citric acid	77-92-9
Etidronic acid	2809-21-4
2-Butoxyethanol	111-76-2
Poly(oxy-1,2-ethanediyl), .alpha.-(nonylphenyl)-.omega.-hydroxy-	9016-45-9

New Jersey Right To Know

Components	CAS-No.
Citric acid	77-92-9
Etidronic acid	2809-21-4
2-Butoxyethanol	111-76-2
Poly(oxy-1,2-ethanediyl), .alpha.-(nonylphenyl)-.omega.-hydroxy-	9016-45-9

California Prop. 65

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

Canadian lists

NPRI

Components	CAS-No.



GLB Filter Rinse

2-Butoxyethanol	111-76-2
Poly(oxy-1,2-ethanediyl), .alpha.-(nonylphenyl)-.omega.-hydroxy-	9016-45-9

The components of this product are reported in the following inventories:

TSCA : The components of this product are listed on the TSCA Inventory of Existing Chemical Substances.

SECTION 16. OTHER INFORMATION

Full text of other abbreviations

ACGIH	: US. ACGIH Threshold Limit Values
ACGIH BEI	: US. ACGIH. BEIs. Biological Exposure Indices, as amended
NIOSH/GUIDE	: US. NIOSH: Pocket Guide to Chemical Hazards, as amended

AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative



GLB Filter Rinse

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Date format : yyyy/mm/dd

US / EN