



Tidal Wave Slide Specifications

Product Numbers and Shipping Weights:

Model Number	Description	Shipping Weights
GPPSTW-GREY-R	Tidal Wave – Grey Granite Right	375 lbs (170.1 kg)
GPPSTW-SAND-R	Tidal Wave – Sandstone Granite Right	375 lbs (170.1 kg)
GPPSTW-GREY-L	Tidal Wave – Grey Granite Left	375 lbs (170.1 kg)
GPPSTW-SAND-L	Tidal Wave – Sandstone Granite Left	375 lbs (170.1 kg)
GPPSTW-GREY-R-LED	Tidal Wave – Grey Granite Right w/ Light Pkg	385 lbs (174.6 kg)
GPPSTW-SAND-R-LED	Tidal Wave – Sandstone Granite Right w/ Light Pkg	385 lbs (174.6 kg)
GPPSTW-GREY-L-LED	Tidal Wave – Grey Granite Left w/ Light Pkg	385 lbs (174.6 kg)
GPPSTW-SAND-L-LED	Tidal Wave – Sandstone Granite Left w/ Light Pkg	385 lbs (174.6 kg)

Broad Description:

The Tidal Wave Slide is a sturdy, durable roto-molded slide with enclosed plumbing for a clean finished look. The Tidal Wave is available in Sandstone or Grey Granite finishes and has the option of an LED lighting package.

Utilization:

The Tidal Wave is intended for in-ground residential swimming pools only. Our multi point anchoring system allows the Tidal Wave to accommodate most geographical regions. The slide is rated for a maximum of 275 lb. (124 kg) for its riders.

Specifications:


- § The ladder is enclosed with nine (9) coping style steps for a safe and easy climbing.
- § The two (2) handrails are roto-molded into the ladder with two (2) optional widths for a comfortable climb for most riders.
- § The slide runway has a twenty-two (22) inch wide seating area made of a thick, durable roto-molded plastic.
- § The water delivery system is enclosed within the roto-molded ladder for a clean look. Water is delivered with a 1” PVC hose to allow maximum water coverage on the flume at 25 gpm.
- § The Tidal Wave is anchored to the pool deck with ½” diameter stainless anchor studs with attaching hardware.

Global Pool Products
 1330 Pigeon Rd
 Bad Axe, MI 48413
 P: 989-269-5900 TF: 866-712-0606
 Fax: 989-269-5902

The information contained in this document is proprietary and confidential to
 Global Pool Products and not to be reproduced without
 written consent from Global Pool Products

www.global-poolproducts.com

Tidal Wave Slide Specifications



Height: 7' 8"

Flume Length: 10' 11"

Flume Width: 22"


Required Deck Space: 11' 9" x 5' 5"

Global Pool Products
1330 Pigeon Rd
Bad Axe, MI 48413
P: 989-269-5900 TF: 866-712-0606
Fax: 989-269-5902

The information contained in this document is proprietary and confidential to Global Pool Products and not to be reproduced without written consent from Global Pool Products

www.global-poolproducts.com

Tidal Wave Slide Water Safety Envelope



Global Pool Products
1330 Pigeon Rd
Bad Axe, MI 48413
P: 989-269-5900 TF: 866-712-0606
Fax: 989-269-5902

The information contained in this document is proprietary and confidential to Global Pool Products and not to be reproduced without written consent from Global Pool Products

www.global-poolproducts.com