TURF CLAW 75



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 01/10/2023

 0.0
 02/07/2023
 F000005552
 Date of first issue: 01/10/2023

SECTION 1. IDENTIFICATION

Product name : TURF CLAW 75

Product code : F000005552

Manufacturer or supplier's details

Company name of supplier : Synlok Technologies, LLC

Address : 160 HILL RIVER RD.

HIDDENITE NC 28636

Telephone : +188879656553

Emergency telephone num: (CHEMTREC): (800) 424-9300 (CHEMTREC International):

(703) 527-3887 Industrial Health/Spill Emergency: (706) 277-

1300 Danny Welch (ehs@trcc.com)

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

ber

Acute toxicity (Oral) : Category 4

Acute toxicity (Inhalation) : Category 4

Skin irritation : Category 2

Eye irritation : Category 2B

Respiratory sensitisation : Category 1

Skin sensitisation : Category 1

Specific target organ toxicity

- single exposure

: Category 3 (Respiratory system)

Specific target organ toxicity

- repeated exposure (Inhala-

tion)

: Category 2 (Respiratory Tract)

GHS label elements

Hazard pictograms





Signal word : Danger

Hazard statements : H302 Harmful if swallowed.

H315 + H320 Causes skin and eye irritation. H317 May cause an allergic skin reaction.

H332 Harmful if inhaled.

H334 May cause allergy or asthma symptoms or breathing diffi-

TURF CLAW 75



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 01/10/2023

 0.0
 02/07/2023
 F000005552
 Date of first issue: 01/10/2023

culties if inhaled.

H335 May cause respiratory irritation.

H373 May cause damage to organs (Respiratory Tract) through

prolonged or repeated exposure if inhaled.

Precautionary statements

Prevention:

P260 Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P271 Use only outdoors or in a well-ventilated area.

P272 Contaminated work clothing should not be allowed out of the workplace.

P280 Wear protective gloves/ eye protection/ face protection. P284 In case of inadequate ventilation wear respiratory protection.

Response:

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P315 Get immediate medical advice/ attention.

P302 + P352 IF ON SKIN: Wash with plenty of soap and water. P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P333 + P313 If skin irritation or rash occurs: Get medical advice/attention.

P337 + P313 If eye irritation persists: Get medical advice/ attention.

P342 + P311 If experiencing respiratory symptoms: Call a POISON CENTER/ doctor.

P362 Take off contaminated clothing and wash before reuse.

Storage:

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous components

Chemical name	CAS-No.	Concentration (%)
Diphenylmethane 4,4'-diisocyanate	101-68-8	>= 1 - < 15
MDI Mixed Isomers	26447-40-5	>= 1 - < 5

Actual concentration is withheld as a trade secret

TURF CLAW 75



Date of last issue: 01/10/2023 Version Revision Date: SDS Number: 0.0 02/07/2023 F000005552 Date of first issue: 01/10/2023

SECTION 4. FIRST AID MEASURES

If inhaled : Move to fresh air in case of accidental inhalation of vapours.

Oxygen or artificial respiration if needed.

Call a physician or poison control centre immediately.

In case of skin contact : After contact with skin, wash immediately with a polyethylene

glycol solution, followed by plenty of water.

Take off contaminated clothing and shoes immediately.

Cover wound with sterile dressing. If symptoms persist, call a physician. Burns must be treated by a physician.

In case of eye contact In case of eye contact, remove contact lens and rinse imme-

diately with plenty of water, also under the eyelids, for at least

15 minutes.

Keep eye wide open while rinsing.

Seek medical advice.

If swallowed Do not induce vomiting without medical advice.

If conscious, drink plenty of water.

Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and

delayed

: Asthmatic appearance Respiratory disorders

Aspiration may cause pulmonary oedema and pneumonitis.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media Foam

Carbon dioxide (CO2)

Dry chemical Water mist

Alcohol-resistant foam

Specific hazards during fire-

fighting

Burning produces irritant fumes.

Exposure to decomposition products may be a hazard to

Cool closed containers exposed to fire with water spray. Do not allow run-off from fire fighting to enter drains or water

courses.

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

Special protective equipment

for firefighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

Exposure to decomposition products may be a hazard to

health.

SECTION 6. ACCIDENTAL RELEASE MEASURES

tive equipment and emer-

gency procedures

Personal precautions, protec- : Use personal protective equipment.

Ensure adequate ventilation.

Material can create slippery conditions.

TURF CLAW 75



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 01/10/2023

 0.0
 02/07/2023
 F000005552
 Date of first issue: 01/10/2023

Use non-slip safety shoes in areas where spills or leaks can

occur.

Environmental precautions : Prevent further leakage or spillage if safe to do so.

Do not let product enter drains.

Do not allow contact with soil, surface or ground water. Do not allow uncontrolled discharge of product into the envi-

ronment.

Methods and materials for containment and cleaning up

ials for : Dam up.

Soak up with inert absorbent material (e.g. sand, silica gel,

acid binder, universal binder, sawdust).

Sweep up and shovel.

Pick up and transfer to properly labelled containers.

Clean contaminated floors and objects thoroughly while ob-

serving environmental regulations.

SECTION 7. HANDLING AND STORAGE

Advice on protection against

fire and explosion

The product is not flammable. No special protective measures

against fire required.

Advice on safe handling : Wear personal protective equipment.

Handle with care.

Take care to avoid waste and spillage when weighing, loading

and mixing the product.

Conditions for safe storage : N

No smoking.

Keep in properly labelled containers.

Observe label precautions.

Keep containers tightly closed in a dry, cool and well-

ventilated place.

Keep in a cool place away from acids. Keep in a cool place away from bases.

Keep in a cool place away from oxidizing agents.

Keep in a cool place away from water.

Materials to avoid : Do not freeze.

Keep away from food and drink. Keep away from tobacco products.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Diphenylmethane 4,4'- diisocyanate	101-68-8	TWA	0.005 ppm	ACGIH
		TWA	0.005 ppm 0.05 mg/m3	NIOSH REL
		С	0.2 ppm	NIOSH REL

TURF CLAW 75



VersionRevision Date:SDS Number:Date of last issue: 01/10/20230.002/07/2023F000005552Date of first issue: 01/10/2023

	0.2 mg/m3	
С	0.02 ppm	OSHA Z-1
	0.2 mg/m3	
С	0.02 ppm	OSHA P0
	0.2 mg/m3	

Hazardous components without workplace control parameters

Components	CAS-No.
MDI Mixed Isomers	26447-40-5

Engineering measures : Handle only in a place equipped with local exhaust (or other

appropriate exhaust).

Maintain air concentrations below occupational exposure

standards.

Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally re-

quired.

When workers are facing concentrations above the exposure

limit they must use appropriate certified respirators.

Use NIOSH approved respiratory protection.

Hand protection

Material : Impervious gloves

Eye protection : Safety glasses with side-shields

Tightly fitting safety goggles

Face-shield

Skin and body protection : Chemical resistant apron

Footwear protecting against chemicals Skin should be washed after contact.

Change working clothes after each workshift.

Protective measures : Avoid contact with skin.

When using do not eat, drink or smoke.

Personal protective equipment comprising: suitable protective

gloves, safety goggles and protective clothing

The type of protective equipment must be selected according to the concentration and amount of the dangerous substance

at the specific workplace.

Hygiene measures : Do not smoke.

Keep away from food and drink.

Avoid contact with skin, eyes and clothing. Change working clothes after each workshift.

Remove and wash contaminated clothing and gloves, includ-

ing the inside, before re-use.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : viscous, liquid

Colour : green Odour : neutral

pH : No data available Melting point/range : No data available Boiling point/boiling range : No data available

TURF CLAW 75



SDS Number: Date of last issue: 01/10/2023 Version Revision Date: Date of first issue: 01/10/2023 0.0 02/07/2023 F000005552

: 399.2 °F Flash point

Upper explosion limit No data available

Lower explosion limit No data available

Vapour pressure : No data available

Relative density : No data available

Density : No data available

Solubility(ies)

Water solubility : No data available

Solubility in other solvents : not determined

Partition coefficient: n-

octanol/water

: No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity Stable

Possibility of hazardous reac-

tions

Conditions to avoid Protect from frost.

Incompatible materials Oxidizing agents

Strong acids and strong bases Hazardous decomposition Carbon dioxide (CO2), carbon monoxide (CO), oxides of ni-

trogen (NOx), dense black smoke. products

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Product:

: LD50 Oral (Rat): > 5,000 mg/kg Acute oral toxicity

Acute inhalation toxicity Remarks: Isocyanates may cause acute irritation and/or sensi-

tisation of the respiratory system leading to tightness of the

chest, wheeziness and an asthmatic condition.

Stable under recommended storage conditions.

Harmful by inhalation.

Irritating to respiratory system.

: LD50 Dermal (Rabbit): > 2,000 mg/kg Acute dermal toxicity

Remarks: Harmful by inhalation and in contact with skin.

Components:

Diphenylmethane 4,4'-diisocyanate:

Acute oral toxicity : LD50 Oral (Rat): 4,700 mg/kg

TURF CLAW 75



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 01/10/2023

 0.0
 02/07/2023
 F000005552
 Date of first issue: 01/10/2023

Skin corrosion/irritation

Product:

Remarks: Moderate skin irritation

Irritating to eyes, respiratory system and skin.

Serious eye damage/eye irritation

Product:

Remarks: Moderate eye irritation

Respiratory or skin sensitisation

Product:

Remarks: May cause sensitisation of susceptible persons by skin contact or by inhalation of dust.

Carcinogenicity

IARC No component of this product present at levels greater than or

equal to 0.1% is identified as probable, possible or confirmed

human carcinogen by IARC.

OSHANo component of this product present at levels greater than or

equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP No component of this product present at levels greater than or

equal to 0.1% is identified as a known or anticipated carcinogen

by NTP.

Further information

Product:

Remarks: Persons allergic to isocyanates, and particularly those suffering from asthma or other respiratory conditions, should not work with isocyanates.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 1,000 mg/l

Exposure time: 96 h

Toxicity to daphnia and other

aquatic invertebrates

: EC50 (Daphnia magna (Water flea)): > 1,000 mg/l

Exposure time: 24 h

Toxicity to algae : NOEC (Desmodesmus subspicatus (green algae)): 1,640 mg/l

Exposure time: 72 h Test Type: static test

TURF CLAW 75



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 01/10/2023

 0.0
 02/07/2023
 F000005552
 Date of first issue: 01/10/2023

Components:

Diphenylmethane 4,4'-diisocyanate:

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 0.35 mg/l

aquatic invertebrates Exposure time: 24 h

Persistence and degradability

No data available

Bioaccumulative potential

No data available

Mobility in soil

No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Do not dispose of waste into sewer.

Dispose of in accordance with local regulations.

Can be landfilled or incinerated, when in compliance with local

regulations.

Contaminated packaging : Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

49 CFR

Not regulated as a dangerous good

49 CFR

Not regulated as a dangerous good

SECTION 15. REGULATORY INFORMATION

TURF CLAW 75



SDS Number: Date of last issue: 01/10/2023 Version Revision Date: F000005552 0.0 02/07/2023 Date of first issue: 01/10/2023

SARA 302 : This material does not contain any components with a section

302 EHS TPQ.

SARA 313 : The following components are subject to reporting levels es-

tablished by SARA Title III, Section 313:

Diphenylmethane 4,4'-101-68-8

diisocyanate


California Prop 65

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

SECTION 16. OTHER INFORMATION

Further information

NFPA:



HMIS III:

HEALTH	2
FLAMMABILITY	1
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight,

2 = Moderate, 3 = High 4 = Extreme, * = Chronic

Revision Date : 02/07/2023

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN