

## **Safety Data Sheet**

## **ULTRABOND TURF PU 1K GREEN**

Safety Data Sheet dated: 3/28/2019 - version 3

Date of first edition: 4/16/2018

#### 1. IDENTIFICATION

#### **Product identifier**

Mixture identification:

Trade name: ULTRABOND TURF PU 1K GREEN

Recommended use of the chemical and restrictions on use

Recommended use: Polyurethane-based adhesive

Restrictions on use: N.A.

Name, address, and telephone number of the chemical manufacturer, importer, or other responsible party

Company: MAPEI CORP. (USA and Puerto Rico) 1144 East Newport Center Drive 33442 - Deerfield Beach - FL - USA

Phone: 954-246-8888

# **Emergency 24 hour numbers:**

(USA) CHEMTREC 1-800-424-9300 (Canada) CANUTEC 1-613-996-6666

# 2. HAZARD(S) IDENTIFICATION



# Classification of the chemical

Resp. Sens. 1 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Skin Sens. 1 May cause an allergic skin reaction.

Carc. 2 Suspected of causing cancer if inhaled, in contact with skin and if swallowed.

STOT RE 2 May cause damage to organs through prolonged or repeated exposure if inhaled and in contact with skin.

#### **Label elements**

## **Pictograms and Signal Words**



Danger

#### **Hazard statements:**

H317 May cause an allergic skin reaction.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H351 Suspected of causing cancer if inhaled, in contact with skin and if swallowed.

H373 May cause damage to organs through prolonged or repeated exposure if inhaled and in contact with skin.

#### **Precautionary statements:**

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P260 Do not breathe mist/vapours/spray.

P272 Contaminated work clothing should not be allowed out of the workplace.
P280 Wear protective gloves/protective clothing/eye protection/face protection.

P284 [In case of inadequate ventilation] wear respiratory protection.

P302+P352 IF ON SKIN: Wash with plenty of water.

P304+P341 IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable

for breathing.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P321 Specific treatment (see supplementary instructions on this label).

Date 3/29/2019 Production Name ULTRABOND TURF PU 1K GREEN Page n. 1 of 8

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
P342+P311 If experiencing respiratory symptoms: Call a POISON CENTER.

P363 Wash contaminated clothing before reuse.

P405 Store locked up.

P501 Dispose of contents/container in accordance with applicable regulations.

## Ingredient(s) with unknown acute toxicity:

None

# Hazards not otherwise classified identified during the classification process:

None

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### **Substances**

N.A.

# Mixtures

Hazardous components within the meaning of 29 CFR 1910.1200 and related classification:

#### List of components

Quantity	Name	Ident. Numb.	Classification	Registration Number
1-2.5 %	DIPHENYLMETHANE-2,4- DIISOCYANATE	CAS:5873-54-1	Eye Irrit. 2A, H319; Skin Irrit. 2, H315; STOT SE 3, H335; Resp. Sens. 1, H334; Acute Tox. 4, H332; STOT RE 2, H373; Skin Sens. 1, H317	
1-2.5 %	2,2-Dimorpholinodiethylether	CAS:6425-39-4	Eye Irrit. 2B, H320	
0.49-1 %	4-Methylbenzenesulfonyl isocyanate	CAS:4083-64-1	Eye Irrit. 2A, H319; STOT SE 3, H335; Skin Irrit. 2, H315; Resp. Sens. 1, H334	
0.49-1 %	4,4'-Methylenediphenyl diisocyanate	CAS:101-68-8	Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2A, H319; STOT SE 3, H335; STOT RE 2, H373; Carc. 2, H351; Resp. Sens. 1, H334; Skin Sens. 1, H317	
0.1-0.25 %	4,4'-(1,2-ethanediyl)bis-Morpholine	CAS:1723-94-0	Skin Irrit. 2, H315; Eye Irrit. 2B, H320; Skin Sens. 1, H317	

# 4. FIRST AID MEASURES

# **Description of first aid measures**

In case of skin contact:

Immediately take off all contaminated clothing.

OBTAIN IMMEDIATE MEDICAL ATTENTION.

Obtain medical attention if skin related symptoms persist.

Remove contaminated clothing immediately and dispose of safely.

In case of eyes contact:

Wash immediately with water.

In case of Ingestion:

Do not induce vomiting, get medical attention showing the SDS and the hazard label.

In case of Inhalation:

If breathing is irregular or stopped, administer artificial respiration.

In case of inhalation, consult a doctor immediately and show him packing or label.

## Most important symptoms/effects, acute and delayed

N.A.

# Indication of any immediate medical attention and special treatment needed

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

#### 5. FIRE-FIGHTING MEASURES

## **Extinguishing media**

Suitable extinguishing media:

Water.

Carbon dioxide (CO2).

## Unsuitable extinguishing media:

Date 3/29/2019 Production Name ULTRABOND TURF PU 1K GREEN Page n. 2 of 8

None in particular.

#### Specific hazards arising from the chemical

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

Hazardous combustion products: N.A.

Explosive properties: N.A. Oxidizing properties: N.A.

## Special protective equipment and precautions for fire-fighters

Use suitable breathing apparatus.

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

#### **6. ACCIDENTAL RELEASE MEASURES**

# Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment.

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

Provide adequate ventilation.

Use appropriate respiratory protection.

See protective measures under point 7 and 8.

#### Methods and material for containment and cleaning up

Suitable material for taking up: absorbing material, organic, sand

Wash with plenty of water.

## 7. HANDLING AND STORAGE

#### Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

Exercise the greatest care when handling or opening the container.

Use localized ventilation system.

Don't use empty container before they have been cleaned.

Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.

Contaminated clothing should be changed before entering eating areas.

Do not eat or drink while working.

See also section 8 for recommended protective equipment.

# Conditions for safe storage, including any incompatibilities

Storage temperature: N.A.

Incompatible materials:

None in particular.

Instructions as regards storage premises:

Adequately ventilated premises.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## **Control parameters**

#### List of components with OEL value

Component	OEL Type	Country	Ceiling	Long Term mg/m3	Long Term	Short Term mg/m3	Short Term ppm	Behaviour	Note
4,4'- Methylenediphenyl diisocyanate	ACGIH				0,005				respiratory sensitization (listed under Methylene bisphenyl isocyanate (MDI));
	OSHA		С			0,2	0,02		

Appropriate engineering controls: N.A.

#### **Individual protection measures**

Eye protection:

Use close fitting safety goggles, don't use eye lens.

Protection for skin:

Use clothing that provides comprehensive protection to the skin, e.g. cotton, rubber, PVC or viton.

Protection for hands:

Use protective gloves that provides comprehensive protection, e.g. P.V.C., neoprene or rubber.

Date 3/29/2019 Production Name ULTRABOND TURF PU 1K GREEN Page n. 3 of 8

Use adequate protective respiratory equipment.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

# Information on basic physical and chemical properties

Physical state: Liquid

Appearance and colour: paste green

Odour: odourless
Odour threshold: N.A.

pH: 7.00

Melting point / freezing point: N.A.
Initial boiling point and boiling range: N.A.

Flash point: >100 °C (212 °F) Evaporation rate: N.A.

Upper/lower flammability or explosive limits: N.A.

Vapour density: N.A.
Vapour pressure: N.A.
Relative density: 1.20 g/cm3
Solubility in water: N.A.
Solubility in oil: N.A.

Partition coefficient (n-octanol/water): N.A.

Auto-ignition temperature: N.A. Decomposition temperature: N.A.

Viscosity: N.A.

Explosive properties: N.A.
Oxidizing properties: N.A.
Solid/gas flammability: N.A.

#### Other information

Substance Groups relevant properties N.A.

Miscibility: N.A.
Fat Solubility: N.A.
Conductivity: N.A.

# 10. STABILITY AND REACTIVITY

## Reactivity

Stable under normal conditions

# **Chemical stability**

Data not available.

#### Possibility of hazardous reactions

None.

## **Conditions to avoid**

Stable under normal conditions.

#### **Incompatible materials**

None in particular.

# **Hazardous decomposition products**

None.

#### 11. TOXICOLOGICAL INFORMATION

# Information on toxicological effects

## Toxicological information of the mixture:

There is no toxicological data available on the mixture. Consider the individual concentration of each component to assess toxicological effects resulting from exposure to the mixture.

## Toxicological information on main components of the mixture:

4-Methylbenzenesulfonyl a) acute toxicity LC50 Inhalation Rat > 640 ppm 1h

isocyanate

4,4'-Methylenediphenyl a) acute toxicity LC50 Inhalation Rat = 369 mg/m3 4h

diisocyanate

Date 3/29/2019 Production Name ULTRABOND TURF PU 1K GREEN Page n. 4 of 8

# If not differently specified, the information required in the regulation and listed below must be considered as N.A.

- a) acute toxicity
- b) skin corrosion/irritation
- c) serious eye damage/irritation
- d) respiratory or skin sensitisation
- e) germ cell mutagenicity
- f) carcinogenicity
- g) reproductive toxicity
- h) STOT-single exposure
- i) STOT-repeated exposure
- j) aspiration hazard

# Substance(s) listed on the IARC Monographs:

4,4'-Methylenediphenyl

Group 3

diisocyanate

# Substance(s) listed as OSHA Carcinogen(s):

None

# Substance(s) listed as NIOSH Carcinogen(s):

None

## Substance(s) listed on the NTP report on Carcinogens:

None

#### 12. ECOLOGICAL INFORMATION

#### **Toxicity**

Adopt good working practices, so that the product is not released into the environment.

Eco-Toxicological Information:

## List of Eco-Toxicological properties of the product

No Data Available

#### Persistence and degradability

N.A.

# **Bioaccumulative potential**

N.A.

## Mobility in soil

N.A.

# Other adverse effects

N.A.

#### 13. DISPOSAL CONSIDERATIONS

#### **Waste treatment methods**

Waste must be handled in accordance with all federal, state, provincial, and local regulations. Consult authorities before disposal.

## 14. TRANSPORT INFORMATION

Not classified as dangerous in the meaning of transport regulations.

# **UN** number

ADR-UN number: N.A. DOT-UN Number: N.A. IATA-Un number: N.A. IMDG-Un number: N.A.

# **UN proper shipping name**

ADR-Shipping Name: N.A. DOT-Proper Shipping Name: N.A. IATA-Technical name: N.A. IMDG-Technical name: N.A.

# Transport hazard class(es)

Date 3/29/2019 Production Name ULTRABOND TURF PU 1K GREEN Page n. 5 of 8

ADR-Class: N.A.
DOT-Hazard Class: N.A.
IATA-Class: N.A.
IMDG-Class: N.A.

**Packing group** 

ADR-Packing Group: N.A. DOT-Packing group: N.A. IATA-Packing group: N.A. IMDG-Packing group: N.A.

**Environmental hazards** 

Marine pollutant: No

Environmental Pollutant: N.A.

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

N.A

**Special precautions** 

Department of Transportation (DOT):

N.A.

Road and Rail (ADR-RID):

N.A.

Air (IATA):

N.A.

Sea (IMDG):

N.A.

# 15. REGULATORY INFORMATION

# **USA - Federal regulations**

#### **TSCA - Toxic Substances Control Act**

#### **TSCA** inventory:

All the components are listed on the TSCA inventory

**TSCA listed substances:** 

DIPHENYLMETHANE-2,4-

is listed in TSCA Section 8b Section 8a - PAIR

DIISOCYANATE

2,2-Dimorpholinodiethylether is listed in TSCA Section 8b4-Methylbenzenesulfonyl is listed in TSCA Section 8b

isocyanate

4,4'-Methylenediphenyl is listed in TSCA Section 8b Section 8a - PAIR

diisocyanate

4,4'-(1,2-ethanediyl)bis- is listed in TSCA Section 8b

Morpholine

SARA - Superfund Amendments and Reauthorization Act

Section 302 - Extremely Hazardous Substances:

no substances listed

Section 304 - Hazardous substances:

4,4'-Methylenediphenyl diisocyanate

Section 313 - Toxic chemical list:

4,4'-Methylenediphenyl diisocyanate

CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act Substance(s) listed under CERCLA:

4,4'-Methylenediphenyl diisocyanate Reportable quantity: 5000

CAA - Clean Air Act

**CAA listed substances:** 

4,4'-Methylenediphenyl is listed in CAA Section 112(b) - HAP Section 112(b) - HON

diisocyanate

CWA - Clean Water Act

**CWA listed substances:** 

no substances listed

Date 3/29/2019 Production Name ULTRABOND TURF PU 1K GREEN Page n. 6 of 8

pounds

# **USA - State specific regulations**

## **California Proposition 65**

## Substance(s) listed under California Proposition 65:

no substances listed

#### Massachusetts Right to know

## Substance(s) listed under Massachusetts Right to know:

4,4'-Methylenediphenyl diisocyanate

## Pennsylvania Right to know

## Substance(s) listed under Pennsylvania Right to know:

4,4'-Methylenediphenyl diisocyanate

## New Jersey Right to know

## Substance(s) listed under New Jersey Right to know:

4,4'-Methylenediphenyl diisocyanate

## **Canada - Federal regulations**

## **DSL - Domestic Substances List**

**DSL Inventory:** 

All the substances are listed in the DSL.

#### **NDSL - Non Domestic Substances List**

**NDSL Inventory:** 

List of substances included in the NDSL:

4,4'-(1,2-ethanediyl)bis-Morpholine

cas: 1723-94

#### **NPRI - National Pollutant Release Inventory**

**Substances listed in NPRI:** 

no substances listed

## **16. OTHER INFORMATION**

Code	Description
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H320	Causes eye irritation.
H332	Harmful if inhaled.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H335	May cause respiratory irritation.
H351	Suspected of causing cancer .
H351	Suspected of causing cancer if inhaled, in contact with skin and if swallowed.
H373	May cause damage to organs through prolonged or repeated exposure .
H373	May cause damage to organs through prolonged or repeated exposure if inhaled and in contact with skin.

Safety Data Sheet dated: 3/28/2019 - version 3

Product code: 902335

# Additional classification information





HMIS Health: 1 = Slight

HMIS Health - Is health hazard chronic? Yes
HMIS Flammability: 1 = Combustible if heated

HMIS Reactivity: 0 = Minimal HMIS P.P.E.: Safety glasses, gloves

NFPA Health: 1 = Slight

NFPA Flammability: 1 = Combustible if heated

NFPA Reactivity: 0 = Minimal NFPA Special Risk: N.A.

Reasonable care has been taken in the preparation of this information, but the manufacturer makes no warranty of merchantability or any

Date 3/29/2019 Production Name ULTRABOND TURF PU 1K GREEN Page n. 7 of 8

other warranty, expressed or implied, with respect to this information. The manufacturer makes no representations and assumes no liability for any direct, incidental or consequential damages resulting from its use. The information herein is presented in good faith and believed to be accurate as of the effective date given. It is the buyer's responsibility to ensure that its activities comply with Federal, State or provincial, and local laws.

This document was prepared by a competent person who has received appropriate training.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This SDS cancels and replaces any preceding release.

## Legend to abbreviations and acronyms used in the safety data sheet:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.

RID: Regulation Concerning the International Transport of Dangerous Goods by Rail.

IMDG: International Maritime Code for Dangerous Goods.

IATA: International Air Transport Association.

IATA-DGR: Dangerous Goods Regulation by the "International Air Transport Association" (IATA).

ICAO: International Civil Aviation Organization.

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO).

GHS: Globally Harmonized System of Classification and Labeling of Chemicals.

CLP: Classification, Labeling, Packaging.

EINECS: European Inventory of Existing Commercial Chemical Substances.

INCI: International Nomenclature of Cosmetic Ingredients.

CAS: Chemical Abstracts Service (division of the American Chemical Society).

GefStoffVO: Ordinance on Hazardous Substances, Germany.

LC50: Lethal concentration, for 50 percent of test population.

LD50: Lethal dose, for 50 percent of test population.

DNEL: Derived No Effect Level.

PNEC: Predicted No Effect Concentration.

TLV: Threshold Limiting Value.

TWATLV: Threshold Limit Value for the Time Weighted Average 8 hour day. (ACGIH Standard).

STEL: Short Term Exposure limit.

STOT: Specific Target Organ Toxicity.

WGK: German Water Hazard Class.

KSt: Explosion coefficient.

#### Paragraphs modified from the previous revision:

- 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING
- 2. HAZARDS IDENTIFICATION
- 3. COMPOSITION/INFORMATION ON INGREDIENTS
- 4. FIRST AID MEASURES
- 6. ACCIDENTAL RELEASE MEASURES
- 7. HANDLING AND STORAGE
- 8. EXPOSURE CONTROLS/PERSONAL PROTECTION
- 11. TOXICOLOGICAL INFORMATION
- 15. REGULATORY INFORMATION
- 16. OTHER INFORMATION

Date 3/29/2019 Production Name ULTRABOND TURF PU 1K GREEN Page n. 8 of 8