

## 1. Identification of the Substance/Preparation and of the Company / Undertaking

MSDS compliant with regulations – (EC) No 1907/2006 (REACH), (EC) No 1272/2008 (CLP)

1.1: Identification of the substance/mixture and of the company/undertaking

Product Identifier..... preperation

Product name...... Haogenplast PVC seam sealer

 EC-No.
 N/A

 Formular......
 N/A

1.2: Relevant identified uses of the substance or mixture and uses advised against

Identified uses ...... industrial Main use category industrial

1.3: Company/undertaking identification

Company contact person...... Nir Bak

E-mail......nir@haogenplast.co.il

Emergency telephone number..... +972-50-6808066

## 2. Hazards Identification

### 2.1. Classification of the substance or mixture

This substance is classified as dangerous

Classification according to Regulation (EC) No 1272/2008 [EU-GHS/CLP]

Flam. Liq. 2 Eye Irrit. 2 STOT SE 3

Classification according to EU Directives 67/548/EEC or 1999/45/EC

## 2.2. Label elements

Labelling according Regulation (EC) No 1272/2008 [CLP]

Pictogram.....







Signal word...... Danger

Hazard statement(s)

H225 Highly flammable liquid and vapour H335 May cause respiratory irritation

MSDS ID NO.: 1716-4-19 Product Name: Haogenplast PVC seam sealer Page 1 of 9



H319 Causes serious eye irritation

H351 Suspected of causing cancer (state route of

exposure if it is conclusively proven that no

other routes of exposure cause the

hazard)

Precautionary statement(s)

P210 Keep away from heat/sparks/open

flames/hot surfaces - No smoking

P233 Keep container tightly closed.

P303 + P361 + P353 IF ON SKIN (or hair): Remove/Take off

immediately all contaminated clothing. Rinse skin with water/shower.

P403 + P235 Store in a well-ventilated

place. Keep cool.

P261 Avoid breathing dust/fume/gas/mist/

vapours/spray.

P271 Use only outdoors or in a well-ventilated

area.

P405 Store locked up.

P280 Wear protective gloves/protective

clothing/eye protection/face protection.

## 2.3. Other hazards - none

## 3. Composition/Information on Ingredients

#### 3.1 Mixtures

Synonyms flammabale liquid

Formula Mixture Molecular Weight N/A

Dangerous Comp	oonent	Classification	concentration
TETRAHYDROFUR	RAN		
CAS-No.	109-99-9	H225, H335, H319, H351	60-85%
EC-No.	203-726-8		
Annex I number	603-025-00-0		
4,5-Dichloro-2-octyl-2H-isothiazol-3-one			
CAS-No.	64359-81-5	H302, H330,H314,H317,	0.1-0.3%
EC-No.	264-843-8	H400	
Annex I number			

For the full text of the H-Statements mentioned in this Section, see Section 16

MSDS ID NO.: 1716-4-19	Product Name: Haogenplast PVC seam	Page 2 of 9
	sealer	



## 4. First-Aid Measures

#### 4.1 Description of first aid measures

#### General advice

Consult a physician. Show this safety data sheet to the doctor in attendance.

Eye Contact...... Immediately flush eyes for a minimum of 15

minutes, occasionally lifting the

lower and upper lids. Get medical attention

promptly.

Skin Contact...... After contact with skin, wash immediately

with plenty of water. Gently and thoroughly wash the contaminated skin with running

water and non-abrasive soap. Be

particularly careful to clean folds, crevices, creases and groin. Cold water may be used. Cover the irritated skin with an emollient. If irritation persists, seek medical attention.

Wash contaminated clothing before

reusing.

Inhalation...... Remove exposed person to fresh air using

protective equipment. If breathing has stopped, perform artificial respiration. Get

medical attention promptly

quantities of water. Never give anything by mouth to an unconscious person. Call

mouth to an unconscious person. Car

physician immediately.

### 4.2 Most important symptoms and effects, both acute and delayed

Very hazardous in case of eye contact (irritant). Hazardous in case of skin contact (irritant, permeator), of ingestion, of inhalation. Inflammation of the eye is characterized by redness, watering, and itching.

4.3 Indication of any immediate medical attention and special treatment needed no data available

## 5. Fire-Fighting Measures

#### 5.1 Extinguishing media

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

## 5.2 Special hazards arising from the substance or mixture

None known.

MSDS ID NO.: 1716-4-19	Product Name: Haogenplast PVC seam	Page 3 of 9
	sealer	



## 5.3 Advice for firefighters

Explosive in the form of vapor when exposed to heat or flame. Vapor may travel considerable distance to source of ignition and flash back. When heated to decomposition it emits acrid smoke and irritating fumes. CAUTION: MAY BURN WITH NEAR INVISIBLE FLAME

## 5.4 Further information

N/A

## 6. Accidental Release Measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

### 6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

### 6.3 Methods and materials for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13)

## 6.4 Reference to other sections

For disposal see section 13.

## 7. Handling And Storage

## 7.1. Handling Handling.....

Handle in fully grounded, properly designed and approved containers and equipment systems. Control temperature in shipping and handling to recommended levels. Keep away from welding operations, sparks, flames or other ignition sources. No smoking or open flame in storage, use or handling areas. Provide local and general exhaust ventilation to effectively remove and prevent build up of any heated vapours or mists generated from the handling of this product. Avoid skin and eye contact. Wear suitable protective equipment including impervious gloves and eye protection. After

MSDS ID NO.: 1716-4-19	Product Name: Haogenplast PVC seam	Page 4 of 9
	sealer	



handing, always wash hands thoroughly with soap and water.

Handling temperatures...... 5-30°C

## 7.2. Storage

Storage.....

Flammable materials should be stored in a separate safety storage cabinet or room. Keep away from heat. Keep away from sources of ignition. Store in cool place. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Empty containers may contain product residue, which could produce flammable or explosive vapours. Properly labelled containers. Storage temperature 5-30°C for 6 month

## 7.3. special use(s) and requirements

Product transfer/packing requirement......

While loading, unloading, tank gauging, etc., remain upwind. Request assistance of safety and industrial hygiene personnel to determine air concentrations. Know the location of eye wash stations and safety showers.

Recommended materials......Unsuitable materials.....

No information available No information available

## 8. Exposure Controls / Personal Protection

#### 8.1 Control parameters

Components with workplace control parameters

Exposure Limits:

Chemical name: tetrahydofuran

ACGIH: 50 ppm 8hrs/TWA, 100ppm 15 min/STEL

OSHA: 200 ppm 8hrs/TWA

8.2 Exposure controls

Personal Protective Equipment:

Hand, Skin and Eye protection...... Wear protective clothing for normal

operations like coveralls, flame retardant clothing (with legs over boots), gloves. Safety glasses, chemical goggles or face

shield as appropriate.

Respiratory Protection...... No information available

MSDS ID NO.: 1716-4-19 Product Name: Haogenplast PVC seam Page 5 of 9

sealer



Complete suit protecting against chemicals, Body Protection .....

Flame retardant antistatic protective clothing. The type of protective equipment must be selected according to the

concentration and amount of the dangerous substance at the specific workplace.

## 9. Physical And Chemical Properties

#### 9.1. General information

Appearance..... Form: liquid varied Colour.....

no data available Odour.....

## 9.2. Important health, safety and environmental information

Initial boiling point and boiling range...... no data available

-18°C - closed cup (tetrahydrofuran) Flash point..... 321°C (609.8°F) (for etrahydrofuran) Auto-ignition temperature......

Upper explosion limit: 11,8 %(V) (for Upper/lower flammability or explosive

etrahydrofuran)

Lower explosion limit: 2, %(V) (for

etrahydrofuran) no data available Explosion pressure..... Vapour pressure..... no data available Relative evaporation rat..... no data available

Density..... No information available

Solubility in water..... no data available n-octanol/water partition coefficient no data available

(log pow).....

limits

Dynamic viscosity..... 1000cp

no data available Surface tension..... no data available Volatile organic carbon content.....

No information available Molecular mass.....

no data available PH.....

## 10. Stability And Reactivity

### 10.1 Reactivity

no data available

## 10.2 Chemical stability

MSDS ID NO.: 1716-4-19	Product Name: Haogenplast PVC seam	Page 6 of 9
	sealer	



This material is stable when handled and stored at recommended temperatures.

### 10.3 Possibility of hazardous reactions

no data available

#### 10.4 Conditions to Avoid

Heat, flames and sparks. . Extremes of temperature and direct sunlight.

### 10.5 Incompatibilities with Other Materials

no data available

### 10.6 Hazardous Decomposition Products

no data available

### 10.7 Hazardous Polymerization

Under normal conditions of storage and use, hazardous polymerization will not occur.

## 11. Toxicological Information

Acute toxicity – oral	no data available
Acute toxicity – derma	no data available
Acute toxicity – inhalation	no data available

## 11.1. Effects and symptoms

Symptoms/injuries after skin contact....... Hazardous in case of skin contact (irritant)

Symptoms/injuries after inhalation..... irritar

Symptoms/injuries after eye contact....... Very hazardous in case of eye contact

(irritant).

Carcinogenicity no data available

11.2. Other information

Potential health effects no data available

## 12. Ecological Information

12.1. Ecotoxicity	Toxic to aquatic life with long lasting effects
TZ.I. LUULUKILILV	I ONIC TO AQUATIC THE WITH TOTAL IASTING CHECK

12.2. Environmental Fate...... no data available

12.3. Physical/Chemical.....no data available

**12.4. Bio accumulative potential......** no data available

## 13. Disposal Considerations

### 13.1. Ecological aspects

MSDS ID NO.: 1716-4-19	Product Name: Haogenplast PVC seam	Page 7 of 9	
	spalar		



No information available Ecological general..... 13.2. Disposal instructions The generation of waste should be avoided Waste disposal..... or minimized wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company. Disposal of this product, solutions and any Product disposal..... byproducts should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Containers or liners may retain some Container/package disposal..... product residues. These material containers must be disposed of in a safe way. Dispose

empty container via a licensed waste disposal contractor. Use Personal Protective Equipment as per Disposal precautions..... Para 8.

### 13.3. EU and local legislation

ISRAELI legislation - Licensing of Businesses Regulations (Disposal of Hazardous Wastes), 1990.

EU - Directive 91/689/EEC on hazardous waste

## 14. Transport Information

DOT Classification	UN1133, ADHESIVES, CLASS 3, PGII
ADR	UN1133, ADHESIVES, CLASS 3, PGII
IMDG Code	UN1133, ADHESIVES, CLASS 3, PGII
ICAO	UN1133, ADHESIVES, CLASS 3, PGII

MSDS ID NO.: 1716-4-19 Product Name: Haogenplast PVC seam Page 8 of 9

sealer



## 15. Regulatory Information

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006. 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### 15.2. Chemical Safety Assessment

no data available

#### 15.3. Compliancy additional legislation

ISRAELI legislation - Hazardous Substances Law, 1993, Licensing of Businesses Regulations (Disposal of Hazardous Wastes), 1990, Hazardous Substances Regulations (Import and Export of Hazardous Wastes), 1994, Licensing of Businesses Regulations (Hazardous Industrial Plants), 1993, transport services law, 1997, Licensing of Businesses Regulations (oil storage), 1976.

## 16. Other Information

Text of H-code(s) mentioned in Section 3

H225 - Highly flammable liquid and vapour

H335 - May cause respiratory irritation

H319 - Causes serious eye irritation

H351 - Suspected of causing cancer (state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard)

#### Disclaimer:

Chemic Engineering & Safety Ltd. provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgment in determining its appropriateness for a particular purpose. Chemic Engineering & Safety Ltd. makes no representations or warranties, either express or implied, including without limitation any warranties of merchantability, fitness for a particular purpose with respect to the information set forth herein or the product to which the information refers. Accordingly, Chemic Engineering & Safety Ltd will not be responsible for damages resulting from use of or reliance upon this information.

Prepared by: Chemic Engineering & Safety Ltd. Phone Number: (972)-3-9303814 (Israel)

MSDS ID NO.: 1716-4-19	Product Name: Haogenplast PVC seam	Page 9 of 9
	sealer	