

HASA ALUM

Safety Data Sheet

Emergency 24 Hour Telephone: CHEMTREC 800.424.9300

Corporate Headquarters: Hasa Inc.

P. O. Box 802736

Santa Clarita, California 91355 Telephone • 661.259.5848 Fax • 661.259.1538

	SECTION 1: CHEMICAL PRODUCT AND COMPANY IDENTIFICATION			
1.1				
	1.1.1	Product Name:	HASA ALUM	
	1.1.2	CAS #:	10043-01-3	
	1.1.3	RTECS:	BD1700000	
	1.1.4	EINECS:	233-135-0	
	1.1.5	Synonym:	Sulfuric acid, aluminum salt (3:2); Cake Alum.	
	1.1.6	Chemical Name:	Aluminum sulfate hydrated.	
	1.1.7	Chemical Formula:	Al ₂ (SO ₄) ₃ .14H ₂ O (approximate for commercial material)	
	1.1.8	Formula Weight:	594 g/mole (342 g/mole for aluminum sulfate anhydrous).	
1.2	2 Recommended Use:		Aluminum sulfate is mainly used as a flocculating agent in the purification of drinking water and waste water treatment plants.	
1.3	Comp	any Identification:	Hasa Inc.	
	-	-	P. O. Box 802736	
			Santa Clarita, CA 91355	
1.4	4 Emergency Telephone Number:		CHEMTREC (24 Hour):	
			1-800-424-9300	
1.5	Non-E	mergency Assistance:	661-259-5848	
			(8 AM – 5 PM PST / PDT)	

Revision Date: 01/01/2015 (Supersedes all previous revisions)

SECTION 2: HAZARD(S) IDENTIFICATION				
Hazard Category	Acute Toxicity (Oral):	Category 4		
	Acute Toxicity (Inhalation):	Category 4		
	Eye damage / irritation:	Category 2B		
	Skin corrosion / irritation:	Category 2		
Symbols		<u>(!</u>)		
Signal Word		WARNING		
Hazard Statement Harmful if swallowed. Harmful if inhaled. Causes eye irritation. Causes skin irritation.				
Precautionary	Prevention			
Statement	Wash hands thoroughly after handling.			
	Do not eat, drink or smoke when using this product. Wear protective gloves. Avoid breathing dust. Use only outdoors or in a well-ventilated area.			
	Response			
	IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell. Rinse mouth.			
	IF INHALED: Remove person breathing.	n to fresh air and keep comfortable for		
	Call a POISON CENTER or of	loctor if you feel unwell.		
		with water for several minutes. Remove		
	contact lenses, if present and			
	If eye irritation persists, get medical attention.			
	IF ON SKIN: Wash with plenty of water. If skin irritation occurs, get medical attention.			
Take off contaminated clothing and wash it before reuse.				
		ge and Disposal		
	s in accordance with local, regional, ions as specified.			

SECTION 3: COMPOSITION INFORMATION ON INGREDIENTS			
Ingredient	CAS No.	Weight %	
Aluminum Sulfate	10043-01-3	57.6% (anhydrous)	

	SECTION 4: FIRST AID MEASURES			
4.1	IF IN EYES	 Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. 		
4.2	IF ON SKIN OR CLOTHING	 Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. 		
4.3	IF INHALED	 Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice. 		
4.4	IF SWALLOWED	 Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. 		
	HOT LINE NUMBER			

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-424-9300 for emergency medical treatment information.

NOTE TO PHYSICIAN

Probable mucosal damage may contraindicate the use of gastric lavage.

	CECTION F.	FIRE FIGURING MEACURES
	SECTION 5:	FIRE FIGHTING MEASURES
5.1	Extinguishing Media:	Product is not flammable. Use any extinguishing agent
		suitable for surrounding fire.
	Fire Hazards:	Nonflammable and noncombustible
5.3	Fire Fighting Procedures:	Keep product and empty container away from heat and
		sources of ignition.
5.4	Flammable Limits:	Not applicable.
5.5	Hazardous Combustion	Irritating and hazardous gases may be generated during
	Products:	thermal decomposition.
5.6	Sensitivity to Impact:	Not sensitive.
5.7	Sensitivity to Static	Not sensitive.
	Discharge:	

SECTION 6: ACCIDENTAL RELEASE MEASURES

Shovel up dry chemical and place in empty container and cover. Spray residue with plenty of water. Neutralize residue with alkali such as soda ash, lime or limestone. Adequate ventilation is required for soda ash or limestone due to release of CO2 gas. Collect liquid and/or residue and dispose of in accordance with applicable regulations.

Revision Date: 01/01/2015 (Supersedes all previous revisions)

	SECTION 7: HANDLING AND STORAGE		
7.1	Handling:	Avoid contact with skin, eyes and clothing. Do not breathe product mists or dust. Wash hands thoroughly after handling. If applicable, remove and wash clothing before reuse. Discard contaminated shoes. Use adequate ventilation.	
7.2	Storage:	Store in a cool, dry place. Keep containers tightly closed. Keep away from strong bases.	

	SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION				
8.1	1 Engineering Controls:		Use local exhaust if dusty or misty conditions prevail.		
8.2	Personal Protection:		See 29 CFR section 1910.134 and ANSI Z88.2 or European Standard EN 149 for guidance.		
	8.2.1 Eyes and Face: 8.2.2 Respiratory:		Wear appropriate chemical safety goggles. Do not wear contact lenses.		
			A NIOSH approved dust or mist respirator should be worn in areas where product dusts or mists are present.		
	8.2.3	Skin:	Wear gloves and appropriate industrial work clothing including long sleeved shirts and trousers for routine product handling. If prolonged or repeated contact is anticipated, all clothing should be impervious to liquid.		
8.3	Expo	sure Limits:			
	8.3.1 ACGIH (American Conference of Governmental Industrial Hygienists) TLV (Threshold Limit Value)		2 mg/m ³ *		
	8.3.2	OSHA PEL (Permisible Exposure Limit):	2 mg/m ³ *		

^{*} Data from supplier.

	SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES			
9.1	Appearance:	Pale green to white granules or powder.		
9.2	Odor:	Odorless.		
9.3	Odor Threshold:	No information available.		
9.4	pH:	~3.5 (1% Dry Alum basis solution)		
9.5	Melting Point:	770 ℃ (decomposes, anhydrous)		
9.6	Freezing point:	No information available.		
9.7	Boiling Point & Boiling Range:	No information available.		
9.8	Flash Point:	No information available.		
9.9	Evaporation Rate:	No information available.		
9.10	Flammability (solid, gas):	Not flammable.		
9.11	Upper / Lower Flammability or Explosive Limits:	No information available.		
9.12		Not applicable.		
9.13	Vapor Density:	Not applicable.		
9.14	Relative Density (Specific Gravity):	1.61		
9.15	Solubility in Water:	50% at 0°C.		
9.16	Partition Coefficient: (n-octanol / water):	No information available.		
9.17	Auto-ignition Temperature:	No information available.		
9.18	Decomposition Temperature:	No information available.		
9.19	Molecular Weight:	342 g/mole for aluminum sulfate (anhydrous)		
		594 g/mole for Al ₂ (SO ₄) ₃ .14H ₂ O		
9.20	Viscosity:	No information available.		

	SECTION 10: STABILITY AND REACTIVITY			
10.1	Stability:	Stable under normal temperature and pressure		
10.2	Hazardous Polymerization:	Will not occur.		
10.3	Incompatible Materials:	Alkalis and water reactive materials such as oleum cause exothermic reactions.		
10.4	Hazardous Decomposition Products:	At elevated temperatures, sulfur oxides may be formed. These are toxic and corrosive and are oxidizers. Sulfur trioxide is also a fire hazard. The loss of these gases leaves a caustic residue.		

	SECTION 11: TOXICOLOGICAL INFORMATION				
11.1	Route	s of Entry:	Inhalation, ingestion.		
11.2	Anima	al Toxicity:			
	11.2.1	Oral (LD ₅₀):	6207 mg/kg [mouse]		
			1930 mg/kg [rat]		
		Dermal (LD ₅₀):	No data.		
		Inhalation (LD ₅₀):	No data.		
11.3	Acute	Human Health Effects from C	Overexposure:		
	11.3.1	Eyes:	May irritate or burn the solution.	eyes. Similarly for the aqueous	
	11.3.2	Inhalation:	Dust or mist inhalation cause irritation to the re	at levels above the TLV may espiratory tract.	
	11.3.3	Dermal:		on, especially under repeated or when moisture is present.	
	11.3.4	Ingestion:	May irritate the gastroi	ntestinal tract.	
11.4		nic Human Health Effects Overexposure:	None known.		
11.5		nogenic [Cancer Potential] Inf	formation:		
	11.5.1	.5.1 NTP (National Toxicological Program 6 th Annual Report on Carcinogens)		Not Listed.	
	11.5.2 IARC (International Agency for Research on Cancer Monographs, V. 1-100)		Not Listed.		
	11.5.3	OSHA (Occupational Safety & H	ealth Administration)	Not Listed.	
	11.5.4	11.5.4 ACGIH (American Conference of Governmental Industrial Hygienists) Not Listed.		Not Listed.	

	SECTION 12: ECOLOGICAL INFORMATION			
12.1	1 Ecotoxicity:			
	12.1.1 Fish:	LC ₅₀ = 100 mg/L Carassius auratus 96 h LC ₅₀ = 37 mg/L Gambusia affinis 96 h		
	12.1.2 Water Flea:	EC ₅₀ = 136 mg/L 15 min		
12.2	BOD and COD:	No information available.		
12.3	Products of Biodegradation:	Biodegradation does not pertain to inorganic substances.		
12.4	Toxicity of the Products of Biodegradation:	Not applicable.		
12.5	Mobility:	No information available.		

	SECTION 13: DISPOSAL CONSIDERATIONS			
13.1	13.1 Waste Disposal Methods: Dispose of waste in accordance with all federal, state, and local regulations.			
13.2	Contaminated Packaging:	Empty containers should be taken for local recycling, recovery or waste disposal.		

Revision Date: 01/01/2015 (Supersedes all previous revisions)

SECTION 14: TRANSPORT INFORMATION							
14.1	US D.O.T.		Package less than 5000 pounds.	Package over 5000 pounds.			
	14.1.1	Proper Shipping Name:	None required	Environmentally hazardous substances, solid, n.o.s. (contains aluminum sulfate)			
	14.1.2	Hazard Class:	None required	9			
	14.1.3	UN ID Number:	Not applicable	UN3077			
	14.1.4	Packing Group:	None required	PG III			
14.2	Canad	Canadian TDG (Transportation of Dangerous Goods)					
	14.2.1	Shipping Name:	Environmentally hazardous substances, solid, n.o.s. (contains aluminum sulfate) (only if greater than 5000 lbs. in one package) UN3077 9				
	14.2.2	UN ID Number:					
	14.2.3	Hazard Class:					
	14.2.4	Packing Group:	PG III				

SECTION 15: REGULATORY INFORMATION							
15.1	U.S. Regulations:						
	15.1.1	OSHA F	HAZCOM (Hazard Communication)	This product is considered hazardous under the HAZCOM Standard (29 CFR 1910.1200)			
	15.1.2 C		PSM (Process Safety Management)	Not regulated under PSM Standard (29 CFR 1910.119)			
	15.1.3	B EPA FIFRA (Federal Insecticide, Fungicide and Rodenticide Act)		Not regulated as a pesticide.			
	15.1.4	·		Acute Health Hazard.			
15.1.			Section 313 of Title III	This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.			
	15.1.6	15.1.6 EPA CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act)		RQ – 5,000 lbs.			
	15.1.7	EPA TS	CA (Toxic Substance Control Act)	Listed on the inventory.			
	15.1.8	Recovery		Not Hazardous waste.			
	15.1.9	EPA RM	IP (Risk Management Plan)	Not regulated. (40 CFR 68.130)			
15.2	State	of California Regulations:					
	15.2.1	CalARP (California Accidental Release Prevention):		Not regulated.			
	15.2.2	Regulation):		Not regulated.			
	15.2.3			Not listed.			
15.3	Canad	la Regulations:					
	15.3.1		(Workplace Hazardous Materials Infor				
			WHMIS Classification:	D2B - Poisonous and infectious material - Other effects – Toxic			
			WHMIS Health Effects Criteria Met by this Chemical:	D2B - Eye irritation - toxic – other.			
	15.3.2	,		The substance is specified on the DSL.			
15.4	Intern	ational Ir	nventory:				
	15.4.1	AICS (Australian Inventory of Chemical Substances):		On inventory or in compliance with inventory.			
	15.4.2	15.4.2 KECI (Korean Existing Chemicals Inventory):		On inventory or in compliance with inventory.			
	15.4.3	15.4.3 PICCS (Philippine Inventory of Chemicals and Chemical Substances):		On inventory or in compliance with inventory.			
	15.4.4			On inventory or in compliance with inventory.			
	15.4.5			On inventory or in compliance with inventory.			

SECTION 16: OTHER INFORMATION										
16.1	6.1 HMIS III (Hazardous Materials Identification System):									
	16.1.1	HEALTH	2							
	16.1.2	FLAMMABILITY	0							
	16.1.3	PHYSICAL HAZARD	0							
	16.1.4	PERSONAL PROTECTION	See Section 8.							
16.2	NFPA	NFPA 704 (National Fire Protection Association):								
	16.2.1	HEALTH	1							
	16.2.2	FLAMMABILITY	0							
	16.2.3	INSTABILITY	0							
	16.2.4	SPECIAL	None							
16.3		ational Fire Code / International ng Code:	No information.							
16.4	ANSI (ANSI (American National Standards Institute):								
	16.4.1 Hazardous Industrial Chemicals - SDS-Preparation:		Complies with ANSI Z400.1 – 2004.							
	16.4.2	Hazardous Industrial Chemicals - Precautionary Labeling:	Complies with ANSI Z129.1 – 2006.							

Note: The information contained herein, while not guaranteed, was prepared by competent technical personnel and is true and accurate to the best of our knowledge and belief. NO WARRANTY OR GUARANTEE, express or implied, is made regarding the product performance, product stability, or as to any other condition of use, handling, transportation, and storage. Customer use, handling, transportation, and storage may involve additional safety and/or performance considerations. Our technical personnel will be happy to respond to questions regarding safe handling, storage, transportation, and use procedures. The safe handling, storage, transportation, and use procedures remain the sole responsibility of the customer. No suggestions for handling, storage, transportation, or use are intended as or to be construed as recommendations which may infringe on any existing patents or violate any Federal, State, and/or local law and/or regulation, ordinance, standard, etc. This Safety Data Sheet has been prepared by HASA, Inc. staff from test reports and other information available in the public domain.