

# HCP 2000 Series

2" CLASS 3-PHASE PUMPS 0.5-5 HP



### EFFICIENT HYDRAULICS WITH OUTSTANDING VALUE.

HCP 2000 pumps outperform the competition in flow and efficiency while their lightweight design, union connections and tool-free lid opening make installation, service and maintenance easy. Available in 0.5 to 5 HP models, they are the ideal option to provide industry-leading value in any semi-commercial application.

| 15 | 5 | 7 |  |
|----|---|---|--|
|    |   |   |  |

#### POWERFUL PERFORMANCE

With the industry's most energy efficient hydraulics for 3 to 5 HP models and self-priming capability (suction lift up to 10' above water level), HCP 2000 pumps set semi-commercial pools up for success.




#### SUPERIOR STRAINER BASKET

HCP 2000 pumps feature a large, no-rib strainer basket for quick and easy cleaning. When cleaning is done, the Tri-Lock strainer cover design re-seals with less than a quarter turn.




#### EASY INSTALLATION AND SERVICING

With 2" x 21/2" union connections, installing and servicing HCP 2000 pumps is effortless. An elevated pump base allows for better ventilation while protecting the motor against flooding.




|          |               | RATED<br>H.P. VOLTAGE AMPS |               |       | CARTON               | PUMP OUTPUT (GPM) VS. TOTAL RESISTANCE TO FLOW<br>PER FT OF HEAD |     |     |     |     |     |     |     |     |     |
|----------|---------------|----------------------------|---------------|-------|----------------------|--|-----|-----|-----|-----|-----|-----|-----|-----|-----|
|          | RATED<br>H.P. |                            | AMPS HZ       | HZ    | UNION<br>CONNECTIONS | WEIGHT<br>(LBS.)   | 20  | 30  | 40  | 50  | 60  | 70  | 80  | 90  | 100 |
| HCP20053 | 0.5           | 208-230/460<br>3-Phase     | 3.8-3.6/1.8   | 50/60 | 2" x 2.5"            | 41.0   | 87  | 76  | 62  | 44  | 14  | -   | -   | _   | _   |
| HCP20073 | 0.75          | 208-230/460<br>3-Phase     | 5-4.6/2.3     | 50/60 | 2" x 2.5"            | 49.0   | 104 | 95  | 85  | 71  | 53  | 23  | _   | _   | _   |
| HCP20103 | 1             | 208-230/460<br>3-Phase     | 6.4-5.8/2.9   | 50/60 | 2" x 2.5"            | 49.0   | 131 | 122 | 110 | 97  | 82  | 60  | 16  | _   | _   |
| HCP20153 | 1.5           | 208-230/460<br>3-Phase     | 6.8-7/3.5     | 50/60 | 2" x 2.5"            | 49.0   | 150 | 148 | 140 | 126 | 112 | 94  | 70  | _   | _   |
| HCP20203 | 2             | 208-230/460<br>3-Phase     | 8-8.4/4.2     | 50/60 | 2" x 2.5"            | 49.0   | 170 | 170 | 162 | 148 | 130 | 110 | 80  | 26  | _   |
| HCP20303 | 3             | 208-230/460<br>3-Phase     | 10.8-11.4/5.7 | 50/60 | 2" x 2.5"            | 49.0   | 190 | 190 | 186 | 174 | 155 | 138 | 114 | 72  | _   |
| HCP20503 | 5             | 208-230/460<br>3-Phase     | 13.4/6.7      | 60    | 2" x 2.5"            | 65.0   | 200 | 200 | 200 | 193 | 182 | 167 | 150 | 126 | 75  |

## PERFORMANCE DATA



#### DIMENSIONS (INCHES)



» haywardcommercialpool.com » 1-800-657-2287

HCP 2000 Series Pumps are listed by: (VL) (NSF)



Hayward, Hayward & Design and the H logo are registered trademarks of Hayward Industries, Inc. All other trademarks not owned by Hayward are the property of their respective owners. Hayward is not in any way affiliated with or endorsed by those third parties. © 2018 Hayward Industries, Inc.