WILD RIDE™ SLIDE:



FEATURES:


- Durable & Long Lasting Acrylic With Fiberglass Reinforcements
- Available in White, Tan, Gray & Blue
- Available in Right or Left Turn
- 77.5" High at Seating Area
- Flume Width = 21.5" (centerline)
- Flume Depth = 10.5"
- Zoom-Flume™ Water Supply System
- 15-30 GPM (Actual GPM rating will vary depending on specific pool size and pool equipment used.)
- Stainless Steel Rails, Legs & Hardware
- Exclusive Stainless Steel Deck Flanges
- Optional Powder Coated or Thermo Plastic Coated Rails & Legs
- Fully Molded Steps Provide Safe Access to Slide Flume
- Weight Limit = 250 Lbs.

WILD RIDE™ - RIGHT

| DESCRIPTION | PART NUMBER | | | | | |
|---------------------------------|------------------|--|--|--|--|--|
| Wild Ride Slide - right - white | Part #WRS-CR-SS | | | | | |
| Wild Ride Slide - right - blue | Part #WRS-CRB-SS | | | | | |
| Wild Ride Slide - right - tan | Part #WRS-CRT-SS | | | | | |
| Wild Ride Slide - right - gray | Part #WRS-CRG-SS | | | | | |

comes w/ss hardware

Wild Ride™ Footprint for RIGHT Turn Slide



WILD RIDE™ SLIDE:



FEATURES:


- Durable & Long Lasting Acrylic With Fiberglass Reinforcements
- Available in White, Tan, Gray & Blue
- Available in Right or Left Turn
- 77.5" High at Seating Area
- Flume Width = 21.5" (centerline)
- Flume Depth = 10.5"
- Zoom-Flume™ Water Supply System
- 15-30 GPM (Actual GPM rating will vary depending on specific pool size and pool equipment used.)
- Stainless Steel Rails, Legs & Hardware
- Exclusive Stainless Steel Deck Flanges
- Optional Powder Coated or Thermo Plastic Coated Rails & Legs
- Fully Molded Steps Provide Safe Access to Slide Flume
- Weight Limit = 250 Lbs.

WILD RIDE™ - LEFT


| DESCRIPTION | PART NUMBER | | | | | |
|--------------------------------|------------------|--|--|--|--|--|
| Wild Ride Slide - left - white | Part #WRS-CL-SS | | | | | |
| Wild Ride Slide - left - blue | Part #WRS-CLB-SS | | | | | |
| Wild Ride Slide - left - tan | Part #WRS-CLT-SS | | | | | |
| Wild Ride Slide - left - gray | Part #WRS-CLG-SS | | | | | |

comes w/ss hardware

Wild Ride™ Footprint for LEFT Turn Slide



WILD RIDETM SLIDE (WRS-CR-SS):



TG - Rev. 7/15

ALL CHART INFORMATION BELOW CORRESPONDS WITH THE DRAWING ON THE PREVIOUS PAGE.

<---

SH-101: Handrails; Step to Step SH-102: Flume to Flume; Leg to Flume

SH-103: Step to Deck
SH-104: Protective Caps

SH-106: Deck Anchors to Legs; Deck Anchor to Deck

SH-107: Deck Anchor SH-108: Step to Flume

| DRAWING REPRESENTS THE FO | LLOWING PART NUMBERS: |
|---------------------------|-----------------------|
| WRS-CL-SS | WRS-CR-SS (shown) |

| | | | | HARDWARE KITS/PARTS KITS – QTY. COUNTS | | | | | | | | | |
|--------|---------------------|-------------------------------------|--------|--|--------|--------|--------|--------|--------|------|-----|--|--|
| ITEM # | COMPONENT | DESCRIPTION | SH-101 | SH-102 | SH-103 | SH-104 | SH-106 | SH-107 | SH-108 | HOSE | WRS | | |
| 1 | WRS-URUN-W-R | WILD RIDE UPPER RUNWAY | | | | | | | | | 1 | | |
| 2 | WRS-LRUN-W-R | WILD RIDE LOWER RUNWAY | | | | | | | | | 1 | | |
| 3 | WRS-LSTEP-W | WILD RIDE STEP LOWER SECTION | | | | | | | | | 1 | | |
| 4 | WRS-USTEP-W | WILD RIDE STEP UPPER SECTION | | | | | | | | | 1 | | |
| 5 | WRS-HD RAIL | WILD RIDE HANDRAIL | | | | | | | | | 2 | | |
| 6 | WW-24-1/2"-LEG | LEG, 24-1/2" | | | | | | | | | 1 | | |
| 7 | WW-22"-LEG | LEG, 22" | | | | | | | | | 1 | | |
| 8 | WW-54-1/2"-LEG | LEG, 54-1/2" | | | | | | | | | 2 | | |
| 9 | H-WRS/WW GASKET | GASKET, CLOSED CELL NEOPRENE SPONGE | | | | | | | | | 1 | | |
| 10 | DECK ANCHOR | 9" STAINLESS STEEL DECK ANCHOR | | | | | | 1** | | | | | |
| 11 | H463 X .310 CAP | .463 X .310 PROTECTIVE CAP | | | | 25 | 1 | | | | | | |
| 12 | H562 X .390 CAP | .562 X .390 PROTECTIVE CAP | | | | 16 | 3 | | | | | | |
| 13 | H-1 BALL VALVE | 1" BALL VALVE-SLIP WHITE | | | | | | | | 1* | | | |
| 14 | H-1 SPA HOSE | 10 FEET OF 1" PVC FLEX PIPE | | | | | | | | 1* | | | |
| 15 | H-1 WHT CAP | .750 X 1" GRAY NUT CAP | | | | 6 | | | | | | | |
| 16 | H-SS 1/2 F WAS | 1/2" FLAT WASHER S.S. | 8 | | | | | | | | | | |
| 17 | H-SS 1/2-13 BOL | 1/2" X 1-1/2" HEX HEAD BOLT S.S. | 8 | | | | | | | | | | |
| 18 | H-SS 1/4 FL HEAD | 1/4-20 X 3/4" SOC FLAT C/S SS | | | | | | | 2 | | | | |
| 19 | H-SS 1/4 FLAT W | 1/4" FLAT WASHER SS 18.8 | 17 | 8 | | | 2 | | | | | | |
| 20 | H-SS 1/4 H NUT | 1/4" HEX NUT SS | 11 | 4 | | | 1 | | | | | | |
| 21 | H-SS 1/4 X 1-1/4 F | 1/4-20 X 1-1/4" SOC FLAT C/S 1 | | | | | | | 3 | | | | |
| 22 | H-SS 1/4-20 X 1 | 1/4" X 1" HEX HEAD BOLT S.S. | 6 | | | | | | | | | | |
| 23 | H-SS 1/4X2-1/4H | 1/4" X 2-1/4" HEX HEAD BOLT S.S. | | 4 | | | 1 | | | | | | |
| 24 | H-SS 3/8 F NUT | 3/8" HEX NUT SS | | 6 | 2 | | 3 | | | | | | |
| 25 | H-SS 3/8 FLT WASHER | 3/8" X 1" FLAT WASHER S.S. | | 12 | 4 | | 3 | | | | | | |
| 26 | H-SS 3/8 WEDGE | 3/8 X 2-3/4 WEDGE ANCHOR ST.ST | | | 2 | | 3 | | | | | | |
| 27 | H-SS 3/8X1 H B | 3/8" X 1" HEX HEAD BOLT S.S. | | | 2 | | | | | | | | |
| 28 | H-SS 3/8X1-3/4 | 3/8" X 1-3/4" HEX HEAD BOLT S.S. | | 6 | | | | | | | | | |
| 29 | L-BRACKET | L-BRACKET, LADDER ANCHOR, WHITE | | | | | | | 2 | | | | |

^{*} not pictured

NOTES:

Wild Ride Slides available in both right and left turns.

Wild Ride slides available with optional custom powder coated or thermo plastic coated handrails and legs.

Check your local electrical code requirements for bonding requirements.

^{**} Comes with one (1) deck anchor and one (1) SH-106 kit. Must order one for each leg of the slide (4 total). 4 are included when ordering a complete slide.