


X-STREAM 2™ SLIDE:



FEATURES:

- Rotational Molded - Polyethylene Construction on Flume, Steps, Rails & Leg Supports (PVC Legs)
- Available in Summit Gray & Desert Tan
- 1 SKU Assembles in **Right OR Left Turn**
- 72.5" High at Seating Area
- Flume Width = 22.5" (centerline)
- Flume Depth = 12.5"
- Fantastic Water Supply System
- 15-35 GPM (Actual GPM rating will vary depending on specific pool size and pool equipment used.)
- Stainless Steel Hardware
- StableSafe™ Climbing System includes Heavy Fiberglass Stability Base, Deep Slip-Resistant Treads with Toe Stops, and Grip-Around™ Handrails
- Weight Limit = 250 Lbs.
- 3 Year Warranty


X-Stream 2 Footprint for RIGHT Turn Slide




X-STREAM 2™ SLIDE

| DESCRIPTION | PART NUMBER |
|------------------------------------|----------------|
| X-Stream Slide - right/left - gray | Part #XS-GR-SS |
| X-Stream Slide - right/left - tan | Part #XS-TA-SS |

comes w/ss hardware



X-STREAM 2™ SLIDE:



FEATURES:

- Rotational Molded - Polyethylene Construction on Flume, Steps, Rails & Leg Supports (PVC Legs)
- Available in Summit Gray & Desert Tan
- 1 SKU Assembles in **Right OR Left Turn**
- 72.5" High at Seating Area
- Flume Width = 22.5" (centerline)
- Flume Depth = 12.5"
- Fantastic Water Supply System
- 15-35 GPM (Actual GPM rating will vary depending on specific pool size and pool equipment used.)
- Stainless Steel Hardware
- StableSafe™ Climbing System includes Heavy Fiberglass Stability Base, Deep Slip-Resistant Treads with Toe Stops, and Grip-Around™ Handrails
- Weight Limit = 250 Lbs.
- 3 Year Warranty

RESIDENTIAL SLIDES


X-Stream 2 Footprint for LEFT Turn Slide




X-STREAM 2™ SLIDE

| DESCRIPTION | PART NUMBER |
|------------------------------------|----------------|
| X-Stream Slide - right/left - gray | Part #XS-GR-SS |
| X-Stream Slide - right/left - tan | Part #XS-TA-SS |

comes w/ss hardware



X-STREAM 2™ SLIDE (XS-GR-SS):



X-STREAM 2™ SLIDE (XS-GR-SS):

ALL CHART INFORMATION BELOW CORRESPONDS WITH THE DRAWING ON THE PREVIOUS PAGE.



DRAWING REPRESENTS THE FOLLOWING PART NUMBERS:
XS-GR-SS

XS-101-SS: PVC Leg to Foot Receiver
 XS-102-SS: Flume to Flume
 XS-103-SS: PVC Leg to Flume
 XS-104-SS: Foot Receiver to Deck
 XS-105-SS: Handrails

| ITEM # | COMPONENT | DESCRIPTION | HARDWARE KITS/PARTS KITS – QTY. COUNTS | | | | | | |
|--------|----------------------|---------------------------------------------------------|----------------------------------------|-----------|------------|-----------|-----------|------------|---------------|
| | | | XS-GR-SS | XS-101-SS | XS2-102-SS | XS-103-SS | XS-104-SS | XS2-105-SS | STEP ASSEMBLY |
| 1 | XS-RIGHT FLUME | A & B RIGHT HAND FLUME SECTION | 1 | | | | | | |
| 2 | XS-LEFT FLUME | C & D LEFT HAND FLUME SECTION | 1 | | | | | | |
| 3 | XS-EXIT | BOTTOM SECTION | 1 | | | | | | |
| 4 | XS-ENTRY | TOP SIDE SECTION WITH WATER OUTLET | 1 | | | | | | |
| 5 | XS-L HANDRAIL | LEFT HANDRAIL WITH X-STREAM LOGO | 1 | | | | | | |
| 6 | XS-R HANDRAIL | RIGHT HANDRAIL WITH X-STREAM LOGO | 1 | | | | | | |
| 7 | XS-FOOT PEDESTAL | STRAIGHT FOOT PEDESTAL | 2 | | | | | | |
| 8 | PEDESTAL | 16 DEGREE FOOT PEDESTAL | | | | | | | 1 |
| 9 | H-6 X 21.250 | 6" X 21.250" GRAY PVC PIPE SCHEDULE 40 | 1 | | | | | | |
| 10 | H-6 X 45.375 | 6" X 45.375" GRAY PVC PIPE SCHEDULE 40 | 1 | | | | | | |
| 11 | H-6 X 71.5 | 6" X 71.5" GRAY PVC PIPE SCHEDULE 40 | | | | | | | 1 |
| 12 | XS-STEP | X-STREAM BLOW MOLDED STEP | | | | | | | 5 |
| 13 | H-.463 X .310 CAP | GRAY PROTECTIVE CAP | | | | | | 4 | |
| 14 | H-.562 X .390 CAP | GRAY PROTECTIVE CAP | | 8 | 25 | 6 | 13 | | |
| 15 | H-SS 3/8 F NUT | 3/8" FINISH NUT S.S. | | | 15 | 6 | | | |
| 16 | H-SS 3/8 FLT WASHER | 3/8" X 1" FLAT WASHER S.S. | | 16 | 25 | 12 | 13 | | |
| 17 | H-SS 3/8 LOC WASHER | 3/8" LOCK WASHER S.S. | | | 15 | 6 | 13 | | |
| 18 | H-SS 3/8 NYLON | 3/8" NYLON INSERT NUT S.S. | | 8 | | | | | |
| 19 | H-SS 3/8 WEDGE | 3/8" X 2-3/4" WEDGE ANCHOR W/NUT & FLAT WASHER S.S. | | | | | 8 | | |
| 20 | H-SS 3/8 X 3 TAP | 3/8" X 3" HEX HEAD TAP BOLT S.S. | | | 10 | | | | |
| 21 | H-SS 3/8-16X2 | 3/8" X 2" HEX HEAD BOLT S.S. | | 8 | | 12 | | | |
| 22 | H-SS 3/8X2-1/2 | 3/8" X 2-1/2" ALL-THREAD STUD S.S. | | | 5 | | | | |
| 23 | H-SS 5/16 FLA WASHER | 5/16" FLAT WASHER S.S. | | | | | | 4 | |
| 24 | H-SS 5/16 HEX FLANGE | 5/16" HEX FLANGE NUT S.S. | | | | | | 14 | |
| 25 | H-SS 5/16 X 2 | 5/16" X 2" ALL-THREAD STUD S.S. | | | | | | 10 | |
| 26 | H-SS 5/16 X 2-1/2 | 5/16" X 2-1/2" ALL-THREAD STUD S.S. | | | | | | 4 | |
| 27 | H-G4C GASKET | U-SHAPED GASKET - 3 HOLES | 3 | | | | | | |
| 28 | H-1 BALL VALVE | 1" BALL VALVE-SLIP GRAY | | | | | | | 1* |
| 29 | H-NYLON ROD 101 | NAT NYLON ROL 101 .375 DIA. | | | | | | | 5* |
| 30 | H-1 SPA HOSE | GRAY SPA HOSE FOR STEP ASSEMBLY, 10 FT. LENGTH | | | | | | | 10 ft.* |
| 31 | XS2 WATER OUTLET | COMES AS PART OF ENTRY SECTION | 1* | | | | | | |
| 32 | XS-STEP COMP | COMPLETE ASSEMBLED STEP, INCLUDES ITEMS 8, 11, 12, & 29 | 1 | | | | | | |
| 33 | H-ANTI-SEIZE | ANTI-SEIZE PACKET (NOT SHOWN) | | | | | | | |
| 34 | H-SS 3/8 X 7-1/2 | 3/8" X 7-1/2" HEX HEAD BOLT | | | | 6 | | | |
| 35 | H-SS 3/8 X 3-1/2 W | 3/8" X 3-1/2" WEDGE ANCHOR W/NUT & FLAT WASHER S.S. | | | | | 5 | | |
| 36 | H-.531 X 1 GRAY | .531" X 1" GRAY PROTECTIVE CAP | | | | 6 | | | |

* not pictured

NOTES:

X-Stream 2 slide available in Summit Gray or Desert Tan
 X-Stream 2 can turn to the right or the left

Check your local electrical code requirements for bonding requirements.

RESIDENTIAL SLIDES