Printing date: February 27, 2019 Revision: February 27, 2019

#### 1 Identification

- · Product identifier
- · Trade name: Liquid SandBlast TRS Plus Sealer
- · Other means of identification: No other identifiers
- · Recommended use and restriction on use
- · Recommended use: Concrete, Tile, Masonry Sealer
- · Restrictions on use: No relevant information available.
- Details of the supplier of the Safety Data Sheet
- · Manufacturer/Supplier:

Innovative Aqua Systems Inc. 4836 South 40th St. Phoenix, AZ 85040 (602)503-2109

· Emergency telephone number:

ChemTel Inc.

(800)255-3924 (North America)

+1 (813)248-0585 (International)

## 2 Hazard(s) identification

· Classification of the substance or mixture

The product is not classified as hazardous according to the Globally Harmonized System (GHS).

Label elements

The product is not classified as hazardous according to OSHA GHS regulations within the United States.

- GHS label elements None.
- · Hazard pictograms: None.
- · Signal word: None
- · Hazard statements: None.
- · Precautionary statements: None.
- Other hazards There are no other hazards not otherwise classified that have been identified.

## 3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Components:

34590-94-8 Dipropylene glycol monomethyl ether

Flam. Lig. 4, H227 1-5%

Additional information:

For the listed ingredient(s), the identity and/or exact percentage(s) are being withheld as a trade secret. For the wording of the listed Hazard Statements, refer to section 16.

### 4 First-aid measures

- Description of first aid measures
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

(Cont'd. on page 2)

Printing date: February 27, 2019 Revision: February 27, 2019

Trade name: Liquid SandBlast TRS Plus Sealer

(Cont'd. of page 1)

Wash with soap and water.

If skin irritation is experienced, consult a doctor.

· After eye contact:

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; immediately call for medical help.

· Most important symptoms and effects, both acute and delayed:

Gastric or intestinal disorders when ingested.

Indication of any immediate medical attention and special treatment needed:

No relevant information available.

## 5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:

The product is not flammable.

Use fire fighting measures that suit the environment.

- · For safety reasons unsuitable extinguishing agents: No relevant information available.
- · Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

- Advice for firefighters
- Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

## 6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation.

Environmental precautions

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

· Methods and material for containment and cleaning up

Wipe up small spills with paper towel and discard.

For larger spills, add sawdust, chalk or other inert binding material, then sweep up and discard.

Dispose of the collected material according to regulations.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## 7 Handling and storage

- Handling
- · Precautions for safe handling: Use only in well ventilated areas.

(Cont'd. on page 3)

Page: 3/8

## Safety Data Sheet

Acc. to OSHA HCS (29 CFR 1910.1200)

Printing date: February 27, 2019 Revision: February 27, 2019

Trade name: Liquid SandBlast TRS Plus Sealer

(Cont'd. of page 2)

- Conditions for safe storage, including any incompatibilities
- Requirements to be met by storerooms and receptacles:

Store in cool, dry conditions in well sealed receptacles.

- Information about storage in one common storage facility:
- Do not store together with oxidizing and acidic materials.
- · Specific end use(s) No relevant information available.

## 8 Exposure controls/personal protection

#### · Control parameters

out of parameters		
· Components with limit values that require monitoring at the workplace:		
34590-94-8 Dip	34590-94-8 Dipropylene glycol monomethyl ether	
PEL (USA)	Long-term value: 600 mg/m³, 100 ppm Skin	
REL (USA)	Short-term value: 900 mg/m³, 150 ppm Long-term value: 600 mg/m³, 100 ppm Skin	
TLV (USA)	Short-term value: 909 mg/m³, 150 ppm Long-term value: 606 mg/m³, 100 ppm Skin	
EL (Canada)	Short-term value: 150 ppm Long-term value: 100 ppm Skin	
EV (Canada)	Short-term value: 910 mg/m³, 150 ppm Long-term value: 605 mg/m³, 100 ppm	
LMPE (Mexico)	Short-term value: 150 ppm Long-term value: 100 ppm PIEL	

### • Exposure controls

### General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Store protective clothing separately.

- · Engineering controls: No relevant information available.
- · Breathing equipment: Not required under normal conditions of use.
- Protection of hands: Rubber gloves
- Eye protection: Follow relevant national guidelines concerning the use of protective eyewear.
- · Body protection: Protective work clothing
- Limitation and supervision of exposure into the environment No special requirements.
- · Risk management measures No special requirements.

## 9 Physical and chemical properties

(Cont'd. on page 4)

## **Safety Data Sheet**

Acc. to OSHA HCS (29 CFR 1910.1200)

Printing date: February 27, 2019 Revision: February 27, 2019

Trade name: Liquid SandBlast TRS Plus Sealer

		(Cont'd. of page
· Information on basic physical and	d chemical properties	
· Appearance:	Limited	
Form: Color:	Liquid	
· Odor:	Opaque Characteristic	
· Odor threshold:	Not determined.	
· pH-value:	Not determined.	
Melting point/Melting range:	Not determined.	
· Boiling point/Boiling range:	>100 °C (>212 °F)	
· Flash point:	>94 °C (>201.2 °F)	
riasii poiiti.	The product is not flammable.	
· Flammability (solid, gaseous):	Not applicable.	
· Auto-ignition temperature:	Not determined.	
Decomposition temperature:	Not determined.	
Danger of explosion:	Product does not present an explosion hazard.	
· Explosion limits		
Lower:	Not determined.	
Upper:	Not determined.	
· Oxidizing properties:	Non-oxidizing.	
· Vapor pressure:	Not determined.	
· Density:		
Relative density:	1.02	
Vapor density:	Not determined.	
Evaporation rate:	Not determined.	
· Solubility in / Miscibility with		
Water:	Fully miscible.	
· Partition coefficient (n-octanol/water)	: Not determined.	
· Viscosity		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Other information	No relevant information available.	

## 10 Stability and reactivity

- · Reactivity: No relevant information available.
- Chemical stability: Stable under normal temperatures and pressures.
- Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

Possibility of hazardous reactions

Reacts with strong acids and alkali.

Reacts with strong oxidizing agents.

(Cont'd. on page 5)

Printing date: February 27, 2019 Revision: February 27, 2019

Trade name: Liquid SandBlast TRS Plus Sealer

(Cont'd. of page 4)

Toxic fumes may be released if heated above the decomposition point.

- Conditions to avoid No relevant information available.
- · Incompatible materials No relevant information available.
- · Hazardous decomposition products

Under fire conditions only:

Carbon monoxide and carbon dioxide

## 11 Toxicological information

- Information on toxicological effects
- · Acute toxicity: Based on available data, the classification criteria are not met.
- LD/LC50 values that are relevant for classification: None.
- · Primary irritant effect:
- On the skin: Based on available data, the classification criteria are not met.
- · On the eye: Based on available data, the classification criteria are not met.
- · Sensitization: Based on available data, the classification criteria are not met.
- Carcinogenic categories
- · IARC (International Agency for Research on Cancer):

Present in trace quantities.

64-17-5	Ethanol	1
100-41-4	100-41-4 ethylbenzene	
75-55-8 2-methylaziridine		2B

### NTP (National Toxicology Program):

Present in trace quantities.

75-55-8 2-methylaziridine	R	
---------------------------	---	--

#### OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed.

· Probable route(s) of exposure:

Ingestion.

Inhalation.

Eve contact.

Skin contact.

- Germ cell mutagenicity: Based on available data, the classification criteria are not met.
- · Carcinogenicity: Based on available data, the classification criteria are not met.
- · Reproductive toxicity: Based on available data, the classification criteria are not met.
- · STOT-single exposure: Based on available data, the classification criteria are not met.
- · STOT-repeated exposure: Based on available data, the classification criteria are not met.
- · Aspiration hazard: Based on available data, the classification criteria are not met.

## 12 Ecological information

- · Toxicity
- · Aquatic toxicity No relevant information available.
- · Persistence and degradability No relevant information available.
- · Bioaccumulative potential: No relevant information available.

(Cont'd. on page 6)

Printing date: February 27, 2019 Revision: February 27, 2019

Trade name: Liquid SandBlast TRS Plus Sealer

(Cont'd. of page 5)

- · **Mobility in soil:** No relevant information available.
- Other adverse effects No relevant information available.

## 13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Smaller quantities can be disposed of with household waste.

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

- **Uncleaned packagings**
- Recommendation: Disposal must be made according to official regulations.

14 Transport information		
· UN-Number · DOT, ADR/RID/ADN, IMDG, IATA	Not regulated	
	Not regulated.	
<ul><li>UN proper shipping name</li><li>DOT, ADR/RID/ADN, IMDG, IATA</li></ul>	Not regulated.	
Transport hazard class(es)		
· DOT, ADR/RID/ADN, IMDG, IATA · Class	Not regulated.	
	- Tot rogulatou.	
· Packing group · DOT, ADR/RID/ADN, IMDG, IATA	Not regulated.	
· Environmental hazards		
· Marine pollutant:	No	
Special precautions for user	Not applicable.	
Transport in bulk according to Annex	II of	
MARPOL73/78 and the IBC Code	Not applicable.	

## 15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- · United States (USA)
- ·SARA
- · Section 302 (extremely hazardous substances):

None of the ingredients are listed.

Section 355 (extremely hazardous substances):

(Cont'd. on page 7)

## **Safety Data Sheet**

Acc. to OSHA HCS (29 CFR 1910.1200)

Printing date: February 27, 2019 Revision: February 27, 2019

Trade name: Liquid SandBlast TRS Plus Sealer

(Cont'd. of page 6)
None of the ingredients are listed.
· Section 313 (Specific toxic chemical listings):
None of the ingredients are listed.
· TSCA (Toxic Substances Control Act)
All ingredients are listed.
Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130): Present in trace quantities.
75-55-8 2-methylaziridine 10000
Proposition 65 (California) Chemicals known to cause cancer: Present in trace quantities.
75-55-8 2-methylaziridine
64-17-5 Ethanol
100-41-4 ethylbenzene
· Chemicals known to cause developmental toxicity for females:
None of the ingredients are listed.
· Chemicals known to cause developmental toxicity for males:
None of the ingredients are listed.
Chemicals known to cause developmental toxicity: Present in trace quantities. Ethanol - listing refers specifically to alcoholic beverage consumption and is not applicable for product.
64-17-5 Ethanol
· EPA (Environmental Protection Agency):
103-23-1 Di-(2-ethylhexyl) adipate
IARC (International Agency for Research on Cancer): Present in trace quantities.
75-55-8 2-methylaziridine 2B
64-17-5 Ethanol 1
100-41-4 ethylbenzene 2B

## 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Date of preparation / last revision February 27, 2019 / -

### · Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

OSHA: Occupational Safety & Health Administration

(Cont'd. on page 8)

Page: 8/8

# Safety Data Sheet Acc. to OSHA HCS (29 CFR 1910.1200)

Printing date: February 27, 2019 Revision: February 27, 2019

Trade name: Liquid SandBlast TRS Plus Sealer

(Cont'd. of page 7)

TLV: Threshold Limit Value
PEL: Permissible Exposure Limit
REL: Recommended Exposure Limit
Flam. Liq. 4: Flammable liquids – Category 4

#### ·Sources

Website, European Chemicals Agency (echa.europa.eu)

Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/overview/home.do)

Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org)

Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6

Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5.

Safety Data Sheets, Individual Manufacturers

SDS Prepared by:

ChemTel Inc.

1305 North Florida Avenue

Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: www.chemtelinc.com