

Revision Date: 06/10/2025

Section 1. Identification

Product identifier

Product Identity PolyAspar VXC Part A

Other means of identification 180A-BI, 180A-BI, 180A-NI, 180A-SH

Relevant identified uses of the substance or mixture and uses advised against

See Technical Data Sheet.

Details of the supplier of the safety data sheet

Company Name Innovative Concrete Technology

> 2410 McJunkin Rd, Lakeland, FL 33803

Emergency

24 hour Emergency Telephone No. (800) 255-3924 **Customer Service:** (863) 665-8787

Section 2. Hazard(s) identification

Classification of the substance or mixture under OSHA's Hazard Communication Standard (1910.1200) revised 2024 (GHS revision 7).

Flammable Liquid, category 3;H226

Skin sensitizer category 1;H317 Specific target organ toxicity, repeated exposure

category 2;H373

Aquatic toxicity (acute), category 3;H402

Aquatic toxicity (chronic), category 3;H412

Flammable liquid and vapor.

May cause an allergic skin reaction.

May cause damage to organs through prolonged or repeated

exposure. Specific Target Organs: (hearing organs)

Harmful to aquatic life.

Harmful to aquatic life with long lasting effects.

Label elements







Warning

H226 Flammable liquid and vapor.

H317 May cause an allergic skin reaction.

H373 May cause damage to organs through prolonged or repeated exposure.

H412 Harmful to aquatic life with long lasting effects.

C

Safety Data Sheet PolyAspar VXC Part A

Revision Date: 06/10/2025

[Prevention]

P210 Keep away from heat, sparks, open flames, and other ignition sources - No smoking.

P233 Keep container tightly closed.

P240 Ground, bond container and receiving equipment.

P241 Use explosion-proof electrical, ventilating, light, equipment.

P242 Use only non-sparking tools.

P243 Take action to prevent static discharges.

P260 Do not breathe dust, fume, mist, vapors or spray.

P272 Contaminated work clothing should not be allowed out of the workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves, eye protection, and face protection.

[Response]

P302+352 IF ON SKIN: Wash with plenty of soap and water.

P303+361+353 IF ON SKIN (or hair): Remove, take off immediately all contaminated clothing. Rinse skin with water, shower.

P314 Get Medical advice or attention if you feel unwell.

P333+313 If skin irritation or a rash occurs: Get medical advice or attention.

P362+364 Take off contaminated clothing and wash it before reuse.

P370+378 In case of fire: Use extinguishing media listed in section 5 of SDS for extinction.

[Storage]

P403+235 Store in a well ventilated place. Keep cool.

[Disposal]

P501 Dispose of contents or container in accordance with local and national regulations.

Other hazards

This product contains no PBT/vPvB/vPvM chemicals.

This product contains no endocrine disrupting chemicals.

Does not contain component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS) per the Organisation for Economic Co-operation and Development (OECD) list of Per- and Polyfluoroalkyl Substances (PFASs).

Section 3. Composition/information on ingredients

This product contains the following substances that present a hazard within the meaning of the OSHA's Hazard Communication Standard (1910.1200) revised 2024 (GHS revision 7).

Ingredient/Chemical Designations	Weight %	GHS Classification	Notes
1,1'-Methylenebis[(3-methylcyclohexyl-4)-2-amino- butanedioic acid], tetraethyl ester CAS Number: 136210-32-7 Synonyms: DL-Aspartic acid, N,N'-[methylenebis(2- methyl-4,1-cyclohexanediyl)]bis-,tetraethyl ester		Skin sensitizer category 1;H317 Aquatic toxicity (chronic), category 3;H412	



Revision Date: 06/10/2025

Aspartic Ester CAS Number: 136210-30-5 Synonyms: No available information	10 - 30	Skin sensitizer category 1;H317 Aquatic toxicity (chronic), category 3;H412	
Nepheline syenite CAS Number: 37244-96-5 Synonyms: Sodium potassium aluminium silicate, Nefelinsyenit	10 - 30	Not Classified	
Titanium dioxide CAS Number: 13463-67-7 Synonyms: C475001, C47051	10 - 30	Not Classified	
m-xylene CAS Number: 108-38-3 Synonyms: XYLENE, Benzene, 1,3-dimethyl-	3 - 7	Flammable Liquid, category 3;H226 Acute toxicity(inhalation), category 4;H332 Acute toxicity(dermal), category 4;H312 Skin corrosion/irritation category 2;H315 Serious eye damage / eye irritation, category 2;H319 Specific target organ toxicity, Single exposure category 3;H335 Aquatic toxicity (chronic), category 3;H412	
2-Butenedioic acid (E)-, diethyl ester CAS Number: 623-91-6 Synonyms: Diethyl fumarate	1 - 5	Acute toxicity(oral), category 4;H302	
Ethylbenzene CAS Number: 100-41-4 Synonyms: Benzene, ethyl-, Ethyl Benzene, Etylbenzen	1 - 5	Flammable Liquid, category 2;H225 Acute toxicity(inhalation), category 4;H332 Specific target organ toxicity, repeated exposure category 2;H373 Aspiration hazard, category 1;H304 Aquatic toxicity (chronic), category 3;H412	
Aluminium hydroxide CAS Number: 21645-51-2 Synonyms: No available information	0.5 - 1.5	Not Classified	
Bis (1,2,2,6,6-pentamethyl-4-piperidinyl) sebacate CAS Number: 41556-26-7 Synonyms: Bis(pentamethyl-4-piperidyl)sebacate, Bis(pentametyl-4-piperidyl) sebacat	0.1 - 1	Skin sensitizer category 1;H317 Aquatic toxicity (chronic), category 1;H410 Aquatic toxicity (acute), category 1;H400	

The actual concentration or concentration range is withheld as a trade secret.

Section 4. First aid measures

Description of first aid measures

General In all cases of doubt, or when symptoms persist, seek medical attention.

Never give anything by mouth to an unconscious person.

Inhalation Remove to fresh air, keep patient warm and at rest. If breathing is irregular or stopped, give

artificial respiration. If unconscious, place in the recovery position and obtain immediate

medical attention. Give nothing by mouth.

Eyes Irrigate copiously with clean water for at least 15 minutes, holding the eyelids apart and

seek medical attention.

Skin Remove contaminated clothing. Wash skin thoroughly with soap and water or use a

recognized skin cleanser.

Ingestion If swallowed obtain immediate medical attention. Keep at rest. Do NOT induce vomiting.

^{*}PBT/vPvB - PBT, vPvM or vPvB-substance.

The full texts of the phrases are shown in Section 16.



Revision Date: 06/10/2025

Most important symptoms and effects, both acute and delayed

Overview No specific symptom data available.

No chronic toxicity or long term toxicity information available. Treat symptomatically. See

section 2 for further details.

Skin May cause an allergic skin reaction.

Section 5. Fire-fighting measures

Extinguishing media

Recommended extinguishing media; alcohol resistant foam, CO₂, powder, water spray.

Unsuitable extinguishing media: Do not use; water jet.

Special hazards arising from the substance or mixture

Hazardous decomposition: No hazardous decomposition data available.

Keep away from heat, sparks, open flames, and other ignition sources - No smoking.

Keep container tightly closed.

Ground, bond container and receiving equipment.

Use explosion-proof electrical, ventilating, light, equipment.

Use only non-sparking tools.

Take action to prevent static discharges.

Do not breathe dust, fume, mist, vapors or spray.

Advice for fire-fighters

As with all fires, wear positive pressure, self-contained breathing apparatus, (SCBA) with a full face piece and protective clothing. Persons without respiratory protection should leave area. Wear SCBA during clean-up immediately after fire. No smoking.

ERG Guide No. 128

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Put on appropriate personal protective equipment (see section 8).

Use good personal hygiene practices. Wash hands before eating, drinking, smoking, or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

Environmental precautions

Do not allow spills to enter drains or waterways.



Revision Date: 06/10/2025

Methods and material for containment and cleaning up

Ventilate the area and avoid breathing vapors. Take the personal protective measures listed in section 8. Contain and absorb spillage with non-combustible materials e.g. sand, earth, and vermiculite. Place in closed containers outside buildings and dispose of according to the Waste Regulations.

Section 7. Handling and storage

Precautions for safe handling

Handle containers carefully to prevent damage and spillage.

See section 2 for further details. - [Prevention]

Conditions for safe storage, including any incompatibilities

Incompatible materials: No data available.
See section 2 for further details. - [Storage]

Specific end use(s)

No data available.

Section 8. Exposure controls / personal protection

Control parameters

Exposure Limits

CAS No.	Ingredient	Source	Value
100-41-4	Ethylbenzene	OSHA	TWA 100 ppm (435 mg/m³) STEL 125 ppm
		ACGIH	20 ppm
		NIOSH	TWA 100 ppm (435 mg/m³) STEL: 125 ppm (545 mg/m³)
108-38-3	08-38-3 m-xylene		TWA 100 ppm (435 mg/m³)
		ACGIH	20 ppm
		NIOSH	TWA 100 ppm (435 mg/m³) STEL: 150 ppm (655 mg/m³)
623-91-6	2-Butenedioic acid (E)-, diethyl ester	OSHA	No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit
13463-67-7 Titanium dioxide		OSHA	15 mg/m³ (total dust), 5 mg/m³ (respirable fraction)
		ACGIH	Nanoscale 0.2 mg/m³ (R) Respirable fraction - finescale 2.5 mg/m³ ®
		NIOSH	See Appendix A: NIOSH Potential Occupational Carcinogens
21645-51-2	Aluminium hydroxide	OSHA	15 mg/m³ (total dust), 5 mg/m³ (respirable fraction) (as aluminum)
		ACGIH	TWA 1 mg/m³ (respirable particulate matter) (Aluminum and its insoluble compounds)
		NIOSH	10 mg/m³ (total dust), 5 mg/m³ (respirable fraction) (as Aluminum)
37244-96-5	Nepheline syenite	OSHA	No Established Limit



Revision Date: 06/10/2025

		ACGIH	No Established Limit
		NIOSH	No Established Limit
41556-26-7	Bis (1,2,2,6,6-pentamethyl-4-piperidinyl)	OSHA	No Established Limit
	sebacate	ACGIH	No Established Limit
		NIOSH	No Established Limit
136210-30-5	Aspartic Ester	OSHA	No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit
136210-32-7	1,1'-Methylenebis[(3-methylcyclohexyl-4)-	OSHA	No Established Limit
	2-amino-butanedioic acid], tetraethyl ester	ACGIH	No Established Limit
		NIOSH	No Established Limit

Exposure controls

Respiratory If workers are exposed to concentrations above the exposure limit, they must use the

appropriate, certified respirators.

Eyes Protective safety glasses recommended

Skin Wear PVC or rubber gloves to keep skin contact to a minimum. Refer to the manufacturer's

recommendations regarding the suitability of any gloves used.

Engineering Controls Provide adequate ventilation. Where reasonably practicable this should be achieved by the

use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and any vapor below occupational exposure limits

suitable respiratory protection must be worn.

using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

See section 2 for further details.

Section 9. Physical and chemical properties

Information on basic physical and chemical properties

Physical State Liquid

ColorTan, White, NickelOdorNot AvailableMelting point / freezing point-35 deg C

Initial boiling point and boiling range 139 to 141 deg C Flammability (solid, gas) Not Applicable

Upper/lower flammability or explosive limits Lower Explosive Limit: 1.9%

Upper Explosive Limit: 12.3%

Flash Point 59 deg C TCC Minimum **Auto-ignition temperature** 500 deg C Approximate

Decomposition temperatureNot Available

Page 6 of 13



Revision Date: 06/10/2025

pН

Viscosity (cSt)
Solubility in Water

Partition coefficient n-octanol/water (Log Kow)

Vapor pressure (Pa) Relative Density Vapor Density

Evaporation rate (Ether = 1)

VOC Content

Other information

No other relevant information.

Not Available

0.69 cST at 25 deg C Approximate

0.02% at 25 deg C in water

Not Available

1.893 kPa at 38 deg C Approximate

0.87 at 15.5 deg C

3.7 (Air = 1)

0.8 Approximate

Not Available

Section 10. Stability and reactivity

Reactivity

Hazardous Polymerization will not occur.

Chemical stability

Stable under normal circumstances.

Possibility of hazardous reactions

No data available.

Conditions to avoid

No data available.

Incompatible materials

No data available.

Hazardous decomposition products

No hazardous decomposition data available.

Section 11. Toxicological information

Acute toxicity

Note: When no route specific LD50 data is available for an acute toxin, the converted acute toxicity point estimate was used in the calculation of the product's ATE (Acute Toxicity Estimate).

Ingredient	Oral LD50, mg/kg	Skin LD50, mg/kg	Inhalation Vapor LC50, mg/L/4hr	Inhalation Dust/Mist LC50, mg/L/4hr	Inhalation Gas LC50, ppm
1,1'-Methylenebis[(3-methylcyclohexyl-4)-2-amino-butanedioic acid], tetraethyl ester - (136210-32-7)	No data available.	No data available.	No data available.	No data available.	No data available.
Aspartic Ester - (136210-30-5)	No data available.	No data available.	No data available.	No data available.	No data available.





Nepheline syenite - (37244-96-5)	No data available.	No data available.	No data available.	No data available.	No data available.
Titanium dioxide - (13463-67-7)	> 25,000.00, Rat - Category: NA	No data available.	No data available.	6.82, Rat - Category: NA	No data available.
m-xylene - (108-38-3)	3,523.00, Rat - Category: 5	1,100.00, Point Estimate - Category: 4	No data available.	No data available.	8,000.00, Rat - Category: NA
2-Butenedioic acid (E)-, diethyl ester - (623-91-6)	1,780.00, Rat - Category: 4	No data available.	No data available.	No data available.	No data available.
Ethylbenzene - (100-41-4)	3,500.00, Rat - Category: 5	15,433.00, Rabbit - Category: NA	17.20, Rat - Category: 4	No data available.	4,000.00, Rat - Category: NA
Aluminium hydroxide - (21645-51-2)	> 10,000, Rat - Category: NA	No data available.	No data available.	No data available.	No data available.
Bis (1,2,2,6,6-pentamethyl-4-piperidinyl) sebacate - (41556-26-7)	> 5,000.00, Rat - Category: NA	>2,000.00, Rat - Category: 5	No data available.	No data available.	No data available.

Carcinogen Data

CAS No.	Ingredient	Source	Value
100-41-4	Ethylbenzene	OSHA	Regulated Carcinogen: No;
		NTP	Known: No; Suspected: No;
		IARC	Group 1: No; Group 2a: No; Group 2b: Yes; Group 3: No;
		ACGIH	A3
108-38-3	m-xylene	OSHA	Regulated Carcinogen: No;
		NTP	Known: No; Suspected: No;
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: Yes;
		ACGIH	A4
623-91-6	2-Butenedioic acid (E)-, diethyl	OSHA	Regulated Carcinogen: No;
	ester	NTP	Known: No; Suspected: No;
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No;
		ACGIH	No Established Limit
13463-67-7	Titanium dioxide	OSHA	Regulated Carcinogen: No;
		NTP	Known: No; Suspected: No;
		IARC	Group 1: No; Group 2a: No; Group 2b: Yes; Group 3: No;
		ACGIH	A3
21645-51-2	Aluminium hydroxide	OSHA	Regulated Carcinogen: No;
		NTP	Known: No; Suspected: No;
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No;
		ACGIH	No Established Limit
37244-96-5	Nepheline syenite	OSHA	Regulated Carcinogen: No;
		NTP	Known: No; Suspected: No;
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No;
		ACGIH	No Established Limit



Revision Date: 06/10/2025

41556-26-7 Bis (1,2,2,6,6-pentamethyl-4-		OSHA	Regulated C	Carcinogen: No;				
	piperidinyl) sebacate	NTP	Known: No;	Suspected: No;				
		IARC	Group 1: No	Group 2a: No; Group 2b: No; Group 3: No;				
		ACGIH	No Establish	ed Limit				
136210-30-5	Aspartic Ester	OSHA	Regulated C	arcinogen: No;				
		NTP	Known: No; Suspected: No;					
			Group 1: No	Group 2a: No; Group 2b: No; Group 3: No;				
		ACGIH	No Establish	ed Limit				
136210-32-7			Regulated C	arcinogen: No;				
methylcyclohexyl-4)-2-amino- butanedioic acid], tetraethyl ester	NTP		Suspected: No;					
		IARC	Group 1: No	; Group 2a: No; Group 2b: No; Group 3: No;				
		ACGIH	No Establish	ned Limit				
Classification		Category		Hazard Description				
Acute toxicit	Acute toxicity (oral)			Not Applicable				
Acute toxicit	y (dermal)			Not Applicable				
Acute toxicit	ty (inhalation)			Not Applicable				
Skin corrosi	on/irritation			Not Applicable				
Serious eye	damage/irritation			Not Applicable				
Respiratory	sensitization			Not Applicable				
Skin sensitiz	zation	1		May cause an allergic skin reaction.				
Germ cell m	utagenicity			Not Applicable				
Carcinogenicity				Not Applicable				
Reproductive toxicity				Not Applicable				
STOT-single exposure				Not Applicable				
STOT-repeated exposure		2		May cause damage to organs through prolonged or repeated exposure.				

Possible routes of entry: No available information Symptoms and effects, both acute and delayed:

No specific symptom data available.

Aspiration hazard

No chronic toxicity or long term toxicity information available. Treat symptomatically.

Skin May cause an allergic skin reaction.

Not Applicable



Revision Date: 06/10/2025

Section 12. Ecological information

Toxicity

Harmful to aquatic life with long lasting effects.

Aquatic Ecotoxicity

Ingredient	96 hr LC50 fish, mg/L	48 hr EC50 crustacea, mg/L	ErC50 algae, mg/L
1,1'-Methylenebis[(3-methylcyclohexyl-4)-2-amino-butanedioic acid], tetraethyl ester - (136210-32-7)	No data available.	No data available.	No data available.
Aspartic Ester - (136210-30-5)	No data available.	No data available.	No data available.
Nepheline syenite - (37244-96-5)	No data available.	No data available.	No data available.
Titanium dioxide - (13463-67-7)	294.00, Oryzias latipes	501.00, Daphnia magna	101.00, Pseudokirchneriella subcapitata
m-xylene - (108-38-3)	8.40, Oncorhynchus mykiss	3.53, Daphnia magna	4.90, Pseudokirchneriella subcapitata
2-Butenedioic acid (E)-, diethyl ester - (623-91-6)	4.50, Pimephales promelas	No data available.	No data available.
Ethylbenzene - (100-41-4)	4.20, Oncorhynchus mykiss	2.93, Daphnia magna	3.60, Pseudokirchneriella subcapitata
Aluminium hydroxide - (21645-51-2)	219.00, Fish	0.07, Daphnia magna	0.02, Algae
Bis (1,2,2,6,6-pentamethyl-4-piperidinyl) sebacate - (41556-26-7)	1.00, Lepomis macrochirus	20.00, Daphnia magna	No data available.

Persistence and degradability

There is no data available on the preparation itself.

Bioaccumulative potential

Not Available

Mobility in soil

No data available.

Results of PBT and vPvB assessment

This product contains no PBT/vPvB/vPvM chemicals.

Other adverse effects

No data available.

Section 13. Disposal considerations

Waste treatment methods

Waste should not be released to sewers. Observe all federal, state, and local regulations when disposing of this substance.



Revision Date: 06/10/2025

Section 14. Transport information

Transportation)

DOT (Domestic Surface

Transportation)

UN number UN1993

UN proper shipping Flammable liquids, n.o.s.,

name

(Ethylbenzene)

Transport hazard Class: 3

class(es) Sub Class: Not Applicable

Packing group III

Environmental hazards

IMDG Marine Pollutant: No;

Special precautions for user

Not Applicable

IMO / IMDG (Ocean ICAO/IATA

UN1993 UN1993

Flammable liquids, n.o.s., Flammable liquids, n.o.s.,

(Ethylbenzene) (Ethylbenzene)

Class: 3 Class: 3

Sub Class: Not Applicable **Sub Class:** Not Applicable

Ш

Section 15. Regulatory information

Regulatory Overview The regulatory data in Section 15 is not intended to be all-inclusive, only selected regulations are represented.

Classification of the substance or mixture under OSHA's Hazard Communication Standard (1910.1200) revised 2024 (GHS revision 7).

Toxic Substance Control Act (TSCA)

CAS Number	Ingredient	Toxic Substance Control Act (TSCA)	Comments	Status
0136210-32-7	1,1'-Methylenebis[(3-methylcyclohexyl-4)-2-amino-butanedioic acid], tetraethyl ester	Yes	PMN	ACTIVE
0000623-91-6	2-Butenedioic acid (E)-, diethyl ester	Yes		ACTIVE
0021645-51-2	Aluminium hydroxide	Yes		ACTIVE
0136210-30-5	Aspartic Ester	Yes	PMN	ACTIVE
0041556-26-7	Bis (1,2,2,6,6-pentamethyl-4-piperidinyl) sebacate	Yes		ACTIVE
0000100-41-4	Ethylbenzene	Yes		ACTIVE
0000108-38-3	m-xylene	Yes		ACTIVE
0037244-96-5	Nepheline syenite	No		
0013463-67-7	Titanium dioxide	Yes		ACTIVE

EPCRA 302 Extremely Hazardous:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

CT

Safety Data Sheet PolyAspar VXC Part A

Revision Date: 06/10/2025

EPCRA 313 Toxic Chemicals:

Ethylbenzene

m-xylene

Proposition 65 - Carcinogens (>0.0%):

Ethylbenzene

Sulfuric acid

Proposition 65 - Developmental Toxins (>0.0%):

Toluene

Proposition 65 - Female Repro Toxins (>0.0%):

Toluene

Proposition 65 - Male Repro Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 Label Warning:



WARNING: This product can expose you to chemicals including [Ethylbenzene, Sulfuric acid], which are known to the State of California to cause cancer, and [Toluene], which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

Note: Strong inorganic acid mists containing sulfuric acid are listed on the California Proposition 65 Carcinogen List. [Sulfuric acid, in and of itself, is not listed under Proposition 65. However, if one has sulfuric acid, which through its intended use generates an acid mist that in turn contains sulfuric acid that would meet the listing. The term "strong" does not refer to the concentration of the acid, but rather the strength of the acid. The basis for the listing of strong inorganic acid mists containing sulfuric acid was the formal identification by the National Toxicology Program (NTP), in its Ninth Report on Carcinogens, that this chemical mixture is "known to be a human carcinogen." (Public notice available at http://www.oehha.ca.gov/prop65/CRNR notices/admin listing/intent to list/noil19b4.html.)

Section 16. Other information

Revision Date 06/10/2025

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders.

The full text of the phrases appearing in section 3 is:

H225 Highly flammable liquid and vapor.

H226 Flammable liquid and vapor.

H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.



Revision Date: 06/10/2025

- H312 Harmful in contact with skin.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H319 Causes serious eye irritation.
- H332 Harmful if inhaled.
- H335 May cause respiratory irritation.
- H373 May cause damage to organs through prolonged or repeated exposure.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.
- H412 Harmful to aquatic life with long lasting effects.

Disclaimer: The information presented herein is supplied as a guide to those who handles or use this product. Safe work practices must be employed when working with any materials. It is important that the end user makes a determination regarding the adequacy of the safety procedures employed during the use of this product.

Authored by Quantum SDS: www.sdsquantum.com

End of Document