


PRODUCT INFORMATION


The versatile and easy-to-use design of Diamond® retaining wall systems has made them the preferred choice of contractors for decades. The Diamond® 9D retaining wall blocks have the advantages of an easy-to-handle light weight and a beautifully distressed appearance.

- Gravity walls can be built up to 3 feet high, including buried course, but excluding the cap*
- Taller walls can be built using geosynthetic reinforcement or the Anchorplex™ retaining wall system when designed by a qualified engineer
- Minimum outside radius, measured on the top course to the front of the units: 3 feet
- Minimum inside radius, measured on the base course to the front of the units: 6 feet

**This height assumes cores are filled with drainage aggregate, level backfill and clean, compacted sand or gravel and no surcharge*

See anchorwall.com for installation instructions.

Units

Approximate Dimensions*

Approximate Weight*

Coverage

Setback/System Batter


Stretcher

6" x 17³/₄" x 9"

52 lbs.

0.74 sq. ft.

1¹/₈"/10.6°


Corner/Column

6" x 18" x 9"

75 lbs.


Cap

Front, 3" x 17¹/₄" x 10³/₈"

Back, 3" x 12" x 10³/₈"

34 lbs.

1.22 lin. ft.

No pins. No mortar. No misalignments.

Rear-lip block, invented by Anchor, makes installation fast and accurate.

Anchor – the original rear-lip product!



*Product dimensions are height by face length by depth. Actual dimensions and weights may vary from these approximate values due to variations in manufacturing processes. Specifications may change without notice. See your Anchor representative for additional information.

© 2015 Anchor Wall Systems, Inc. The logos, slogans, product names and other trademarks shown in this document are trademarks of Anchor Wall Systems, Inc. The wall system is made and sold under license from Anchor Wall Systems, Inc. (AWS). The wall system blocks are covered by the AWS Limited Warranty. For a complete copy, visit your local dealer or see anchorwall.com.

Anchor Wall Systems, Inc., 5959 Baker Road, Suite 390, Minnetonka, MN 55345.

72.3049.3 07/15 4015