

## SAFETY DATA SHEET

Date issued : 06/05/2024

SDS number : Life ELITE CHLOR TABS - Canada

## Life ELITE CHLOR TABS

## 1. Identification

**Product identifier:** Life ELITE CHLOR TABS**Product description:** Swimming Pool Sanitizer**Active ingredient(s):** Trichloro-s-triazinetriene**Relevant identified uses:** Spa and Swimming Pool Sanitizer**Distributor**

Alliance Trading, Inc.  
109 North Park Blvd., 4th Floor  
Covington, LA 70433

**Emergency telephone number (24 hour)**

24 Hour Emergency Phone Number: 1-888-670-7665

## 2. Hazard identification

**Classification of the substance or mixture****Health hazards:**

Acute Toxicity (Oral), Category 4

Acute Toxicity (Inhalation), Category 2 \* (See note below **Hazard Statements**)

Skin Corrosion/Skin Irritation, Category 1C

Serious Eye Damage, Category 1

Target Organ Toxicity (Single exposure), Category 3

**Environmental hazards:**

Acute Hazards to the Aquatic Environment, Category 1

Chronic Hazards to the Aquatic Environment, Category 1

**Physical hazards:**

Oxidizing Solids, Category 2

**Label elements**

Flame over circle



Skull and crossbones



Corrosion



Exclamation mark



Environment

**Signal word:** DANGER**Hazard statement(s)**

H272: May intensify fire; oxidizer.

H302: Harmful if swallowed.

H314: Causes severe skin burns and eye damage.

H318: Causes serious eye damage.

H335: May cause respiratory irritation.

76078CJQ: H330: Fatal if inhaled. \* (See note below)

\* **NOTE:** This material in the form as sold is not expected to produce respiratory effects. Particles of respirable size are generally not encountered. The respirable fraction is typically less than 0.1% by weight for the granular and extra granular grades. *If ground or otherwise in a powdered form*, effects similar to a corrosive substance may occur. Exposure to the solid product or to free chlorine evolving from the product may cause irritation, redness of upper and lower airways, coughing, laryngeospasm and edema, shortness of breath, bronchoconstriction, and possible pulmonary edema. The pulmonary edema may develop several hours after a severe acute exposure.

**Precautionary statement(s)****Prevention:**

P260: Do not breathe dust/fume/gas/mist/vapours/spray.

P285: In case of inadequate ventilation wear respiratory protection.

4304ZF6P: Wash exposed skin thoroughly after handling.

## SAFETY DATA SHEET

Date issued : 06/05/2024

SDS number : Life ELITE CHLOR TABS - Canada

## Life ELITE CHLOR TABS

P270: Do not eat, drink or smoke when using this product.  
 P280: Wear protective gloves/protective clothing/eye protection/face protection.  
 P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
 P220: Keep away from clothing and other combustible materials.  
 P271: Use only outdoors or in a well-ventilated area.

**Response:**

P330: Rinse mouth.  
 P391: Collect spillage.  
 P370+P378: In case of fire: Use ... to extinguish.  
 P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
 P301+P310: IF SWALLOWED: Immediately call a POISON CENTER/doctor/...  
 P301+P330+P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.  
 P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].  
 P363: Wash contaminated clothing before reuse.  
 P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
 P310: Immediately call a POISON CENTER/doctor/...

**Storage:**

P403+P233: Store in a well-ventilated place. Keep container tightly closed.  
 P405: Store locked up.

**Disposal:**

P501: Dispose of contents/container to ...

**Emergency overview**

**Physical appearance:** White tablet

**3. Composition/information on ingredients**

Chemical name	% w/w	CAS No.
Trichloro-s-triazinetriene	99	87-90-1

**Comments:** Synonyms: 1,3,5-Trichloro-1,3,5-triazine-2,4,6(1H,3H,5H-trione; Trichloroisocyanuric Acid

**4. First-aid measures**

**Eye:** Hold eyes open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. See a doctor immediately.

**Skin:** Remove contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes.

**Ingestion:** Drink plenty of water in small gulps. Do not induce vomiting unless told to do so by the poison control center or doctor. Never give anything by mouth to an unconscious person.

**Inhalation:** Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

**Indication of immediate medical attention and special treatment needed, if necessary:** Probable mucosal damage may contraindicate the use of gastric lavage.

**5. Fire-fighting measures**

**Fire fighting procedures:** Extinguish with large amounts of water. Do not use dry chemicals, carbon dioxide or halogenated agents.

**Fire fighting equipment:** Wear self-contained breathing apparatus in pressure-demand mode and full protective gear.

**Hazardous decomposition products:** Chlorine, nitrogen trichloride, hydrogen trichloride, nitrogen oxide, and carbon monoxide.

**6. Accidental release measures**

**Small spill:** Sweep up spill with a dry broom into suitable container for disposal.

**Environmental precautions**

# SAFETY DATA SHEET

Date issued : 06/05/2024

SDS number : Life ELITE CHLOR TABS - Canada

## Life ELITE CHLOR TABS

**Water spill:** Do not discharge into drains or waterways.

**Release notes:** Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, or oceans Do not flush into surface water or sanitary sewer systems.

**Comments:** Avoid inhalation and contact with eyes and skin. Use personal protective equipment.

### 7. Handling and storage

**Precautions for safe handling:** Wear proper protective equipment in order to avoid contact with eyes or skin. Remove and wash contaminated clothing before re-use. Do not breathe vapors/dust. Do not eat, drink or smoke when using this product. Use only in area with appropriate exhaust ventilation.

**Conditions for safe storage:** Keep product in tightly closed container when not in use. Store in a cool, dry, well-ventilated area away from heat or open flame. Do not store with water, oxidizing agents, alkalies, grease, reducing agents and acids. Keep out of reach of children.

**Storage temperature:** Do not store at temperatures above 140°F.

**Comments:** Incompatible Products: Strong oxidizing agents. Strong bases.

### 8. Exposure controls/personal protection

#### Exposure controls

Control parameters				
Chemical name	Occupational exposure limit values			
	Type		ppm	mg/m <sup>3</sup>
Trichloro-s-triazinetriene	OSHA PEL	TWA	Not Established	Not Established
		STEL	Not Established	Not Established
	ACGIH TLV	TWA	Not Established	Not Established
		STEL	Not Established	Not Established
	Supplier OEL	TWA	[1]	[1]
<b>Footnotes:</b> 1. The TLV for Chlorine is 0.5 ppm (1.5 mg/m <sup>3</sup> ) TWA and 1ppm STEL.				

**Appropriate engineering controls:** Ventilation systems, eyewash stations, showers.

#### Individual protection measures, such as personal protective equipment

**Eye / face protection:** Wear chemical safety goggles.

**Skin protection - hand protection:** Chemical-resistant gloves.

**Respiratory protection:** A NIOSH approved respirator with N95 (dust, fume, mist) cartridges may be permissible under certain circumstances where airborne concentrations are expected to exceed exposure limits, or when symptoms have been observed that are indicative of overexposure. The added protection of a full face-piece respirator is required when visible dusty conditions are encountered and eye irritation may occur. Acid gas cartridges with N95 filters are required when fumes or vapor may be generated. A respiratory protection program that meets 29 CFR 1910.134 must be followed whenever workplace conditions warrant use of a respirator.

**Skin protection - other:** Wear impervious long-sleeved clothing to minimize skin contact.

**Occupational hygiene practices:** When using, do not eat, drink or smoke. Remove and wash contaminated clothing before reuse. Provide regular cleaning of equipment, work area and clothing.

**Other use precautions:** Protective material: Butyl rubber, natural rubber, neoprene, nitrile, polyvinyl chloride (PVC), Tyvek.

#### Comments: Exposure limits for Air Contaminants (OSHA)

Particulates not otherwise regulated: Total dust; TWA 15 mg/m<sup>3</sup>; Respirable fraction: TWA 5 mg/m<sup>3</sup>

#### Exposure Limits for Air Contaminants (ACGIH)

Particulates (insoluble or poorly soluble) - Respirable Particles: TWA 3 mg/m<sup>3</sup>; Inhalable Particles: TWA 10 mg/m<sup>3</sup>

## SAFETY DATA SHEET

Date issued : 06/05/2024

SDS number : Life ELITE CHLOR TABS - Canada

## Life ELITE CHLOR TABS

## 9. Physical and chemical properties

Chemical name	Solubility in Water	Specific Gravity
Trichloro-s-triazinetriene	1.28 g/100 mg @ 25 deg C	2.07

**Physical state:** Solid**Appearance:** White to off-white tablet**Odor:** Chlorine-like.**pH:** 2.8**Melting point:** 225°C (437°F) to 230°C (455°F)**Freezing point:** Not Applicable.**Initial boiling point and boiling range:** Not Applicable.**Flash point:** Not Flammable**Lower explosion limit / flammability limit:** 0**Upper explosion limit / flammability limit:** 0**Vapor pressure:** N/A**Relative vapor density:** N/A**Density:** 17.52 at (68°F)**Relative density:** 2.1**Solubility:** 1.2 g/100 mL at 25°C (77°F)**Decomposition temperature:** 250°C

## 10. Stability and reactivity

**Dangerous polymerization:** Product will not undergo hazardous polymerization.**Chemical stability:** Stable under recommended storage conditions.**Conditions to avoid:** Protect from moisture. Avoid incompatible products.**Possibility of hazardous reactions:** None under normal processing.**Hazardous decomposition products:** Chlorine, nitrogen trichloride, hydrogen chloride, nitrogen oxide, carbon monoxide, carbon dioxide, and nitrogen.**Incompatible materials:** Acid, alkali, other chlorine agents, oils/fats, and flammable materials.

## 11. Toxicological information

## Acute toxicity

Chemical name	LD <sub>50</sub> (oral) mg/kg(rat)
Trichloro-s-triazinetriene	1060 to 1010 Rat 490 mg/kg.

**Acute dermal toxicity LD<sub>50</sub>:** > 2000 mg/kg - Rabbit**Acute oral toxicity LD<sub>50</sub>:** 809 mg/kg - Rat**Acute inhalation toxicity LC<sub>50</sub>:** > 0.09 to 1.17 mg/L (4hr)

**Notes:** This material in the form as sold is not expected to produce respiratory effects. Particles of respirable size are generally not encountered. The respirable fraction is typically less than 0.1% by weight for the granular and extra granular grades. If ground or otherwise in a powdered form, effects similar to a corrosive substance may occur. Exposure to the solid product or to free chlorine evolving from the product may cause irritation, redness of upper and lower airways, coughing, laryngeospasm and edema, shortness of breath, bronchoconstriction, and possible pulmonary edema. The pulmonary edema may develop several hours after a severe acute exposure.

**Germ cell mutagenicity:** AMES Test: Negative (*Test substance: monosodium cyanurate*)

## SAFETY DATA SHEET

Date issued : 06/05/2024

SDS number : Life ELITE CHLOR TABS - Canada

## Life ELITE CHLOR TABS

Mouse Lymphoma Assay: Negative (*Test substance monosodium cyanurate*)

**Carcinogenicity**

**Notes:** Not classified as a carcinogen by NTP, IARC or OSHA.

**Reproductive toxicity:** Not Available

**Specific Target Organ Toxicity - single exposure:** Breathing dust or fumes is expected to be a primary route of exposure. May produce throat and respiratory tract irritation.

**12. Ecological information****Aquatic toxicity, both acute and chronic**

**96-hour LC<sub>50</sub>:** 0.22 mg/L (*Oryzias latipes*)

**Notes:** Very toxic to aquatic organisms. May cause long-term adverse effects in the aquatic environment. Do not discharge product into aquatic environment, drains, or sewage treatment plants.

**Persistence and degradability:** Decomposable in nature.

0% by BOD after 14 days. 7.8% by TOC after 14 days. 5.3% by HPLC after 14 days.

100% in aerobic activated sludge after 8 hours. 100% in anaerobic sludge after 72 hours. 52% - 100% in aerobic activated sludge after 9-23 days.

**Bioaccumulative potential:** This product is not expected to bioaccumulate.

**Comments:** Do not dispose of wastes into garbage can or garbage dump. This may cause a fire.

**13. Disposal considerations**

**Disposal methods:** Dispose in accordance with all applicable regulations.

**RCRA/EPA waste information:** If this product becomes a waste, it DOES meet the criteria of a hazardous waste as defined under 40 CFR 261 with the following EPA hazardous waste number: D001

**14. Transport information****USA Department of Transport Regulations (DOT)**

**UN proper shipping name:** Trichloroisocyanuric Acid Dry

**UN number:** UN 2468

**Transport hazard class(es):** 5.1

**Packing group, if applicable:** II

**NAERG:** 140

**Hazard label:** 5.1 Oxidizer

**DOT other shipping information:** Ground Shipping DOT exception 173.154 - this product qualifies as a Limited Quantity when inner packaging does not exceed 2.2 lbs and outer packaging does not exceed 66 lbs.

**15. Regulatory information****UNITED STATES****SARA Section 311/312 Hazard Categories**

**313 reportable ingredients:** No reportable chemicals.

**CERCLA Hazardous Substances and Reportable Quantities (RQ)**

**CERCLA regulatory:** Not listed

**CERCLA rq:** Not listed

**Reportable spill quantity:** N/A (for chlorine RQ=10)

**TSCA (The Toxic Substances Control Act)**

## SAFETY DATA SHEET

Date issued : 06/05/2024

SDS number : Life ELITE CHLOR TABS - Canada

## Life ELITE CHLOR TABS

**TSCA Status:** All ingredients in this mixture are in compliance with TSCA.

**Occupational safety and health administration (osha)**

**29 cfr1910.119---process safety management of highly hazardous chemicals:** CAS No. 87-90-1

**Regulations**

**State regulations:** The ingredient for CAS #87-90-1 is listed on the following state lists:

Massachusetts Right To Know Hazardous Substances List

New Jersey Worker and Community Right to Know Act

Pennsylvania Hazardous Substance List

**California Proposition 65:** Not Applicable

**Carcinogen:** Not Applicable

**FIFRA (federal insecticide, fungicide, and rodenticide act):** This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Below you will find the hazard information that is required on the EPA pesticide label.

**General comments: HAZARD INFO FOUND ON TRICHLOROISOCYANURIC ACID LABEL:**

**DANGER.** Hazards to humans and domestic animals.

Corrosive.

Causes irreversible eye damage or skin burns.

May be fatal if absorbed through skin.

May be fatal if inhaled.

Irritating to nose and throat.

Harmful if swallowed.

Toxic to fish and aquatic organisms.


## 16. Other information

Date Prepared: 06/05/2024

### HMIS rating

Health		3
Flammability		1
Physical hazard		1
Personal protection	F	

### NFPA codes



**Manufacturer disclaimer:** Although reasonable care has been taken in the preparation of this document, we extend no warranties and make no representations as to the accuracy or completeness of the information contained therein, and assume no responsibility regarding the suitability of this information for the user's intended purposes or for the consequences of its use. Each individual should make a determination as to the suitability of the information for their particular purpose(s).