

SAFETY DATA SHEET

1. Identification

Product identifier	LATICRETE PERMACOLOR SELECT NS
Other means of identification	None.
Recommended use	Grout.
Recommended restrictions	None known.
Manufacturer/Importer/Supplier/	/Distributor information
Company Name	LATICRETE International
Address	1 Laticrete Park, N
	Bethany, CT 06524
Telephone	(203)-393-0010
Contact person	Steve Fine
Website	www.laticrete.com
Emergency phone number	Call CHEMTREC day or night
	USA/Canada - 1.800.424.9300
	Mexico - 1.800.681.9531
	Outside USA/Canada

2. Hazard(s) identification

Physical hazards	Not classified.	
Health hazards	Skin corrosion/irritation	Category 2
	Serious eye damage/eye irritation	Category 1
	Sensitization, skin	Category 1
	Reproductive toxicity	Category 1B
OSHA defined hazards	Not classified.	

1.703.527.3887

Label elements



Signal word	Danger
Hazard statement	Causes skin irritation. Causes serious eye damage. May cause an allergic skin reaction. May damage the unborn child. Causes damage to organs () through prolonged or repeated exposure.
Precautionary statement	
Prevention	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid breathing dust/fume. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Wear protective gloves/protective clothing/eye protection/face protection. Contaminated work clothing must not be allowed out of the workplace.
Response	If exposed or concerned: Get medical advice/attention. If on skin: Wash with plenty of water. If skin irritation or rash occurs: Get medical advice/attention. Take off contaminated clothing and wash before reuse. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor.
Storage	Store locked up.
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.
Hazard(s) not otherwise classified (HNOC)	Not classified.
Supplemental information	None.

3. Composition/information on ingredients

N.A.1...4

Mixtures			
Chemical name		CAS number	%
Calcium carbonate		1317-65-3	60 - 65
Calcium aluminate cement		65997-16-2	20 - 25
Calcium sulfate hemihydrate		26499-65-0	4 - 7
Portland Cement		65997-15-1	2 - 4
Lithium Carbonate		554-13-2	0 - 1
Composition comments	All concentrations are in percent by weight unless percent by volume.	s ingredient is a gas. Ga	s concentrations are in
4. First-aid measures			
Inhalation	Remove victim to fresh air and keep at rest in a p if symptoms develop or persist.	osition comfortable for b	reathing. Call a physicia
Skin contact	Wash off with soap and plenty of water. If skin irri advice/attention. Take off contaminated clothing a		et medical
Eye contact	Do not rub eyes. Immediately flush eyes with pler contact lenses, if present and easy to do. Continu center immediately.		
Ingestion	Rinse mouth. Get medical attention if symptoms of		
Most important symptoms/effects, acute and delayed	Rash. Coughing. Irritant effects. Permanent eye damage including blindness could result. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Prolonged exposure may cause chronic effects.		
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat sy	ymptomatically. Symptor	ns may be delayed.
General information	Ensure that medical personnel are aware of the n protect themselves. IF exposed or concerned: Ge		
5. Fire-fighting measures			
Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon of	dioxide (CO2).	
Unsuitable extinguishing media	None known.		
Specific hazards arising from the chemical	During fire, gases hazardous to health may be for	rmed.	
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full prote	ctive clothing must be w	orn in case of fire.
Fire fighting equipment/instructions	In case of fire and/or explosion do not breathe fumes.		
General fire hazards	No unusual fire or explosion hazards noted.		
6. Accidental release meas	sures		
Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep upwind protective equipment and clothing during clean-up material unless wearing appropriate protective clo	o. Do not touch damage	d containers or spilled
Methods and materials for containment and cleaning up	Stop the flow of material, if this is without risk. Sweep or shovel up material and place in a clearly labeled container for waste. Collect dust using a vacuum cleaner. Following product recovery, flush area with water.		
Environmental precautions	Avoid discharge into drains, water courses or onto	o the ground.	
7. Handling and storage			
Precautions for safe handling	Do not handle until all safety precautions have be generation and accumulation. Wear appropriate p dust. Avoid contact with eyes, skin, and clothing. industrial hygiene practices.	personal protective equip	ment. Do not breathe

8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Туре	Value	Form
Calcium carbonate (CAS 1317-65-3)	PEL	5 mg/m3	Respirable fraction.
		15 mg/m3	Total dust.
Calcium sulfate hemihydrate (CAS 26499-65-0)	PEL	5 mg/m3	Respirable fraction.
		15 mg/m3	Total dust.
Portland Cement (CAS 65997-15-1)	PEL	5 mg/m3	Respirable fraction.
US. OSHA Table Z-3 (29 Cl	FR 1910.1000)	15 mg/m3	Total dust.
Components	Туре	Value	
Portland Cement (CAS 65997-15-1)	TWA	50 mppcf	
US. ACGIH Threshold Lim	it Values		
Components	Туре	Value	Form
Portland Cement (CAS 65997-15-1)	TWA	1 mg/m3	Respirable fraction.
US. NIOSH: Pocket Guide	to Chemical Hazards		
Components	Туре	Value	Form
Calcium carbonate (CAS 1317-65-3)	TWA	5 mg/m3	Respirable.
		10 mg/m3	Total
Calcium sulfate hemihydrate (CAS 26499-65-0)	TWA	5 mg/m3	Respirable.
		10 mg/m3	Total
Portland Cement (CAS 65997-15-1)	TWA	5 mg/m3	Respirable.
		10 mg/m3	Total
logical limit values	No biological exposure limits noted t	0 ()	
propriate engineering trols	Good general ventilation (typically 1 should be matched to conditions. If a or other engineering controls to main exposure limits have not been estab eyewash station.	applicable, use process enclosu ntain airborne levels below reco	res, local exhaust ventilation, mmended exposure limits. If
vidual protection measures Eye/face protection	s, such as personal protective equipr Wear safety glasses with side shield		
Skin protection			
Hand protection	Wear chemical-resistant, impervious	s gloves.	
Other	Wear appropriate chemical resistant	-	
Respiratory protection	Wear a dust mask if dust is generate	-	
Thermal hazards	Wear appropriate thermal protective		
neral hygiene		0,	after handling the material
siderations	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.		

9. Physical and chemical properties

Appearance

Physical state	Solid.
Form	Powder.
Color	Off-white
Odor	Odorless.
Odor threshold	Not available.
рН	Not applicable.
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not available.
Flash point	Not flammable or combustible.
Evaporation rate	Not available.
Flammability (solid, gas)	Non flammable.
Upper/lower flammability or exp	losive limits
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Vapor pressure	Not applicable.
Vapor density	Not applicable.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Insoluble in water.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not applicable.
Other information	
Bulk density	1.1

10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Inhalation	Dust irritates the respiratory system, and may cause coughing and difficulties in breathing.
Skin contact	Causes skin irritation. May cause an allergic skin reaction. Prolonged contact with wet cement/mixture may cause burns.
Eye contact	Causes serious eye damage. Prolonged contact with wet cement/mixture may cause burns.
Ingestion	Swallowing may cause gastrointestinal irritation.
Symptoms related to the physical, chemical and toxicological characteristics	Rash. Coughing. Irritant effects. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. Prolonged exposure may cause chronic effects.
Information on toxicological eff	ects

Acute toxicity

May cause respiratory irritation.

Components	Species	Test Results	
Calcium carbonate (CAS 1317-65	-3)		
Acute			
Oral			
LD50	6450 mg/kg		
ithium Carbonate (CAS 554-13-2	2)		
Acute			
Inhalation			
LC50	Rat	> 2.17 mg/l, 4 Hours	
Oral			
LD50	Rat	525 mg/kg	
Skin corrosion/irritation	Causes skin irritation.		
erious eye damage/eye rritation	Causes serious eye damage.		
Respiratory or skin sensitizatio	n		
Respiratory sensitization	No data available.		
Skin sensitization	May cause an allergic skin reaction.		
Serm cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.		
Carcinogenicity	Not classifiable as to carcinogenicity to humans.		
IARC Monographs. Overall	Evaluation of Carcinogenicity		
Not listed.			
NTP Report on Carcinogen	5		
Not listed.			
OSHA Specifically Regulate	ed Substances (29 CFR 1910.1001-1050)		
Not regulated.			
Reproductive toxicity	May damage the unborn child.		
Specific target organ toxicity - single exposure	Not classified.		
Specific target organ toxicity - epeated exposure	Causes damage to organs () through prolonged or repeated exposure.		
Aspiration hazard	Due to the physical form of the product it is not an aspiration hazard.		
Chronic effects	Frequent inhalation of dust over a long period of time increases the risk of developing lung diseases.		
Further information	No other specific acute or chronic health impact noted.		
12. Ecological information	ı		
Ecotoxicity	Not expected to be harmful to aquatic or	ganisms.	
Components	Species	Test Results	

LCOIOXICITY	Not expected	to be namini to aquatic organisms.			
Components		Species	Test Results		
Calcium carbonate (CAS 13	17-65-3)				
Aquatic					
Acute					
Fish	LC50	Mosquitofish (Gambusia affinis affinis)	> 56000 mg/l		
Lithium Carbonate (CAS 554	-13-2)				
Aquatic					
Fish	LC50	Mummichog (Fundulus heteroclitus)	8.1 mg/l, 96 hours		
Persistence and degradability	No data is ava	ailable on the degradability of this product.			
Bioaccumulative potential	No data availa	No data available for this product.			
Mobility in soil	The product is not mobile in soil.				
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.				

13. Disposal considerations

Disposal instructions	Dispose of contents/container in accordance with local/regional/national/international regulations. Do not contaminate ponds, waterways or ditches with chemical or used container.
Local disposal regulations	Dispose in accordance with all applicable regulations.
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.

14. Transport information

DOT

Not regulated as dangerous goods.

IATA Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Not established. Annex II of MARPOL 73/78 and the IBC Code

15. Regulatory information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

Hazard categories

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Immediate Hazard - Yes Delayed Hazard - Yes Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous Yes

chemical

SARA 313 (TRI reporting) Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act Not regulated.

(SDWA)

US state regulations

WARNING: This product contains a chemical known to the State of California to cause cancer and birth defects or other reproductive harm.

US. Massachusetts RTK - Substance List

Calcium carbonate (CAS 1317-65-3) Calcium sulfate hemihydrate (CAS 26499-65-0) Lithium Carbonate (CAS 554-13-2) Portland Cement (CAS 65997-15-1)

US. New Jersey Worker and Community Right-to-Know Act

Calcium carbonate (CAS 1317-65-3) Calcium sulfate hemihydrate (CAS 26499-65-0) Lithium Carbonate (CAS 554-13-2) Portland Cement (CAS 65997-15-1)

US. Pennsylvania Worker and Community Right-to-Know Law

Calcium carbonate (CAS 1317-65-3) Calcium sulfate hemihydrate (CAS 26499-65-0) Portland Cement (CAS 65997-15-1)

US. Rhode Island RTK

Lithium Carbonate (CAS 554-13-2)

US. California Proposition 65

US - California Proposition 65 - Carcinogens & Reproductive Toxicity (CRT): Listed substance

Lithium Carbonate (CAS 554-13-2)

International Inventories


Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	No
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date Revision date Version # NFPA ratings



List of abbreviations References

Disclaimer

HSDB® - Hazardous Substances Data Bank Registry of Toxic Effects of Chemical Substances (RTECS)

The information in this (M)SDS was obtained from sources which we believe are reliable but cannot guarantee. Additionally, your use of this information is beyond our control and may be beyond our knowledge. Therefore, the information is provided without any representation or warranty express or implied.