

Version 1.1

Revision Date: 04/22/2015

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name

: Methyl ethyl ketone

Product Use Descrip-

: SOLVENT

tion

Manufacturer or supplier's details

Company Address : Nexeo Solutions LLC - STARTEX™

3 Waterway Square Place Suite 1000

Woodlands, Tx. 77380 United States of America

Emergency telephone number:

Health North America: 1-855-NEXEO4U (1-855-639-3648) Health International: 1-855-NEXEO4U (1-855-639-3648) Transport North America: CHEMTREC 800.424.9300

Additional Infor-

mation:

5554

: Responsible Party: Product Safety Group

E-Mail: msds@nexeosolutions.com SDS Requests: 1-855-429-2661 SDS Requests Fax: 1-281-500-2370 Website: www.nexeosolutions.com

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Flammable liquids

: Category 2

Eye irritation

: Category 2A

Specific target organ tox-

icity - single exposure

: Category 3 (Central nervous system)

GHS Label element

Hazard pictograms

Signal word

: Danger

Hazard statements

: H225 Highly flammable liquid and vapour. H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

Precautionary statements

: Prevention:

P210 Keep away from heat, hot surfaces, sparks, open

MSDS Number: 100000008225

1 / 17

Methyl ethyl ketone



Version 1.1

Revision Date: 04/22/2015

flames and other ignition sources. No smoking.

P233 Keep container tightly closed.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof electrical/ ventilating/

lighting/ equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static

discharge.

P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/

spray.

P264 Wash skin thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area. P280 Wear protective gloves/ eye protection/ face protection.

Response:

P303 + P361 + P353 IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower.

P304 + P340 + P312 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/ physician if you feel unwell.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337 + P313 If eye irritation persists: Get medical advice/ attention.

P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction.

Storage:

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

P403 + P235 Store in a well-ventilated place. Keep cool. P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Potential Health Effects

Carcinogenicity:

IARC

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible

or confirmed human carcinogen by IARC.

ACGIH

No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or

potential carcinogen by ACGIH.

OSHA

No component of this product present at levels greater

MSDS Number: 100000008225 2 / 17 Methyl ethyl ketone



Version 1.1

Revision Date: 04/22/2015

than or equal to 0.1% is identified as a carcinogen or

potential carcinogen by OSHA.

NTP

No component of this product present at levels greater than or equal to 0.1% is identified as a known or antici-

pated carcinogen by NTP.

Emergency Overview

Appearance	liquid	
Colour	colourless	
Odour	characteristic, pleasant, acetone-like	
Hazard Summary	No information available.	

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture

: Substance

Hazardous components

CAS-No.	Chemical Name	Concentration (%)
78-93-3	Methyl ethyl ketone	90 - 100

SECTION 4. FIRST AID MEASURES

General advice

: Move out of dangerous area.

Show this safety data sheet to the doctor in attend-

ance.

Do not leave the victim unattended.

If inhaled

: Consult a physician after significant exposure.

If unconscious place in recovery position and seek

medical advice.

In case of skin contact

: If on skin, rinse well with water.

If on clothes, remove clothes.

In case of eye contact

: Immediately flush eye(s) with plenty of water.

Remove contact lenses. Protect unharmed eye.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

If swallowed

: Keep respiratory tract clear.

MSDS Number: 100000008225 3 / 17 Methyl ethyl ketone



Version 1.1

Revision Date: 04/22/2015

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious per-

If symptoms persist, call a physician.

Do not induce vomiting without medical advice.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing

media

: Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

: High volume water jet

Specific hazards during

firefighting

: Do not allow run-off from fire fighting to enter drains

or water courses.

Hazardous combustion

products

: Carbon oxides

Specific extinguishing

methods

: Use a water spray to cool fully closed containers.

Further information

: Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regu-

lations.

For safety reasons in case of fire, cans should be

stored separately in closed containments.

Special protective equip-

ment for firefighters

: Wear self-contained breathing apparatus for fire-

fighting if necessary.

NFPA Flammable and Combustible Liquids Classification:

Flammable Liquid Class IB

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

: Use personal protective equipment. Ensure adequate ventilation.

Remove all sources of ignition. Evacuate personnel to safe areas.

Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

MSDS Number: 100000008225

4 / 17

Methyl ethyl ketone



Version 1.1

Revision Date: 04/22/2015

Environmental precau-

tions

: Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains

inform respective authorities.

Methods and materials for containment and cleaning up : Contain spillage, and then collect with noncombustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

SECTION 7. HANDLING AND STORAGE

Advice on safe handling

: Avoid formation of aerosol.

Do not breathe vapours/dust.

Avoid exposure - obtain special instructions before

use.

Avoid contact with skin and eyes. For personal protection see section 8.

Smoking, eating and drinking should be prohibited in

the application area.

Take precautionary measures against static discharg-

es.

Provide sufficient air exchange and/or exhaust in work

rooms.

Container may be opened only under exhaust ventilation hood.

Open drum carefully as content may be under pres-

sure.

Dispose of rinse water in accordance with local and

national regulations.

Conditions for safe stor-

age

: No smoking.

Keep container tightly closed in a dry and well-

ventilated place.

Containers which are opened must be carefully re-

sealed and kept upright to prevent leakage.

Observe label precautions.

Electrical installations / working materials must com-

ply with the technological safety standards.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

CAS-No.	Components	Value type	Control parame-	Basis
---------	------------	------------	-----------------	-------

MSDS Number: 100000008225 5 / 17 Methyl ethyl ketone



Version 1.1

Revision Date: 04/22/2015

1		(Form of exposure)	ters / Permissi- ble concentra- tion	
78-93-3	Methyl ethyl ketone	TWA	200 ppm	ACGIH
		STEL	300 ppm	ACGIH
		TWA	200 ppm 590 mg/m3	NIOSH REL
		ST	300 ppm 885 mg/m3	NIOSH REL
		TWA	200 ppm 590 mg/m3	OSHA Z-1
		TWA	200 ppm 590 mg/m3	OSHA PO
		STEL	300 ppm 885 mg/m3	OSHA PO

Biological occupational exposure limits

Components	CAS-No.	Control parame- ters	Biological specimen	Sam- pling time	Permissi- ble con- centration	Basis
Methyl ethyl ketone	78-93-3	MEK	In urine	End of shift (As soon as possible after expo- sure ceases)	2 mg/l	ACGIH BEI

Personal protective equipment

Respiratory protection

: No personal respiratory protective equipment normally

required.

In the case of vapour formation use a respirator with

an approved filter.

Hand protection

Remarks

: The suitability for a specific workplace should be dis-

cussed with the producers of the protective gloves.

Eye protection

: Eye wash bottle with pure water

Tightly fitting safety goggles

Wear face-shield and protective suit for abnormal pro-

cessing problems.

Skin and body protection

: impervious clothing

Choose body protection according to the amount and

concentration of the dangerous substance at the work

place.



Version 1.1

Revision Date: 04/22/2015

Hygiene measures

: When using do not eat or drink.

When using do not smoke.

Wash hands before breaks and at the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

: liquid

Colour

: colourless

Odour

: characteristic, pleasant, acetone-like

Odour Threshold

: No data available

рΗ

: No data available

Freezing Point (Freezing

Point)

: -87 °C (-125 °F)

.....

Boiling Point (Boiling

point/boiling range)

: 79.59 °C (175.26 °F)

Flash point

: -7 °C (19 °F)

Evaporation rate

: 3.6

n-Butyl Acetate

2.7

Ethyl Ether

Flammability (solid, gas)

: No data available

Burning rate

: No data available

Upper explosion limit

: 11.5 %(V)

Lower explosion limit

: 1.4 %(V)

Vapour pressure

: 70 mmHg @ 20 °C (68 °F)

Relative vapour density

: 2.41 @ 20 °C (68 °F)

(Air = 1.0)

Relative density

: 0.806 @ 20 °C (68 °F)

Density

: 0.806 g/cm3 @ 20 °C (68 °F)

6.72 lb/gal @ 20 °C (68 °F)



Version 1.1

Revision Date: 04/22/2015

Bulk density

: No data available

Solubility(ies)

Water solubility

: partly miscible

Solubility in other sol-

vents

: Solvent: Acetone Description: soluble

> Solvent: Alcohol Description: soluble

Solvent: Benzene Description: soluble

Solvent: Ether Description: soluble

Partition coefficient: n-

octanol/water

: log Pow: 0.29

Auto-ignition temperature

: 404 °C

Thermal decomposition

: No data available

Viscosity

Viscosity, dynamic

: 0.41 mPa.s

Viscosity, kinematic

: 0.51 mm2/s

SECTION 10. STABILITY AND REACTIVITY

Reactivity

: No dangerous reaction known under conditions of

normal use.

Chemical stability

: Stable under normal conditions.

Possibility of hazardous

reactions

: No hazards to be specially mentioned.

Conditions to avoid

: Heat, flames and sparks.

Incompatible materials

: Amines Ammonia Chloroform Copper Copper alloys



Version 1.1

Revision Date: 04/22/2015

Halogenated compounds

Nitric acid

Strong oxidizing agents hydrogen peroxide

isocyanates strong alkalis strong bases

strong mineral acids strong reducing agents

Hazardous decomposition

products

: carbon dioxide and carbon monoxide

toxic fumes

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Components:

78-93-3:

Acute oral toxicity

: LD50 (rat): 2,737 mg/kg

Acute inhalation toxicity

: LC50 (mouse): 320 mg/l

Exposure time: 4 h

Acute dermal toxicity

: LD50 (rabbit): 6,480 mg/kg

Skin corrosion/irritation

Components:

78-93-3:

Species: rabbit Exposure time: 24 h

Result: No skin irritation

Serious eye damage/eye irritation

Product:

Remarks: Irritating to eyes.

Components:

78-93-3:

Species: rabbit

Result: Irritating to eyes. Exposure time: 24 h



Version 1.1

Revision Date: 04/22/2015

Respiratory or skin sensitisation

Components:

78-93-3:

Test Type: Buehler Test Species: guinea pig

Method: OECD Test Guideline 406

Result: Did not cause sensitisation on laboratory animals.

Germ cell mutagenicity

Components:

78-93-3:

Genotoxicity in vitro

: Test Type: Ames test

Metabolic activation: with and without metabolic acti-

vation

Method: OECD Test Guideline 471

Result: negative

: Test Type: Mammalian cell gene mutation assay Metabolic activation: with and without metabolic acti-

vation

Method: OECD Test Guideline 476

Result: negative

: Test Type: Chromosome aberration test in vitro

Method: OECD Test Guideline 473

Result: negative

Genotoxicity in vivo .

: Test Type: In vivo micronucleus test

Test species: mouse (male and female)

Dose: 1.96 mL/kg

Method: OECD Test Guideline 474

Result: negative

Germ cell mutagenicity-

Assessment

: Tests on bacterial or mammalian cell cultures did not

show mutagenic effects.

Carcinogenicity

Components:

78-93-3:

Remarks: This information is not available.

Carcinogenicity - As-

: Not classifiable as a human carcinogen.

sessment



Version 1.1

Reproductive toxicity

Components:

78-93-3:

Effects on foetal devel-

opment

: Species: rat, female

Application Route: Inhalation Dose: 400, 1000, 3000 ppm

Duration of Single Treatment: 18 d Frequency of Treatment: 7 days/week

General Toxicity Maternal: NOAEC: 1,002 ppm

Teratogenicity: NOAEC: 1,002 ppm Method: OECD Test Guideline 414

GLP: no

Reproductive toxicity -

Assessment

: Fertility classification not possible from current data.

Revision Date: 04/22/2015

Did not show teratogenic effects in animal experi-

ments.

STOT - single exposure

Product: No data available

Components:

78-93-3:

Exposure routes:	Target Organs:	Assessment:	Remarks:
Inhalation	Central nervous system	May cause drowsiness or dizziness., The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with narcotic effects.	

STOT - repeated exposure

Product: No data available

Components:

78-93-3:No data available

Aspiration toxicity

Product:

No aspiration toxicity classification

Further information

Product:



Version 1.1

Revision Date: 04/22/2015

Remarks: Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting., Concentrations substantially above the TLV value may cause narcotic effects., Solvents may degrease the skin.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

78-93-3:

Toxicity to fish

: LC50 (Pimephales promelas (fathead minnow)): >

100 mg/l

Exposure time: 96 h

Toxicity to daphnia and

other aquatic inverte-

brates

: EC50 (Daphnia magna (Water flea)): > 100 mg/l

Exposure time: 48 h

Test Type: Immobilization

Toxicity to algae

: EC50 (Pseudokirchneriella subcapitata (green algae)):

> 100 mg/l

Exposure time: 72 h

Persistence and degradability

Components:

78-93-3:

Biodegradability

: Concentration: 2 mg/l

Result: Readily biodegradable.

Biodegradation: 98 % Exposure time: 28 d

Test substance: Methylethyl Ketone

GLP: yes

Remarks: Readily biodegradable

Bioaccumulative potential

No data available

Mobility in soil

No data available

Other adverse effects

No data available

Product:

Regulation 40 CFR Protection of Environment; Part 82 Protection

of Stratospheric Ozone - CAA Section 602 Class I Sub-

MSDS Number: 100000008225 12 / 17 Methyl ethyl ketone



Version 1.1

Revision Date: 04/22/2015

Remarks

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A

+ B).

stances

Additional ecological in-

formation

: No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues

: Dispose of in accordance with all applicable local,

state and federal regulations.

For assistance with your waste management needs including disposal, recycling and waste stream reduction, contact NEXEO's Environmental Services Group

at 800-637-7922.

Contaminated packaging

: Empty remaining contents. Dispose of as unused product. Do not re-use empty containers.

Do not burn, or use a cutting torch on, the empty

drum.

SECTION 14. TRANSPORT INFORMATION

IATA (International Air Transport Association): UN1193, Methyl ethyl ketone, 3, II, Flash Point: -7 °C(19 °F)

IMDG (International Maritime Dangerous Goods): UN1193, METHYL ETHYL KETONE,

DOT (Department of Transportation): UN1193, Methyl ethyl ketone, 3, II

SECTION 15. REGULATORY INFORMATION

OSHA Hazards

: Flammable liquid, Moderate eye irritant

WHMIS Classification

MSDS Number: 100000008225

: B2: Flammable liquid

13 / 17

D2B: Toxic Material Causing Other Toxic Effects

Methyl ethyl ketone

EPCRA - Emergency Planning and Community Right-to-Know Act



Version 1.1

Revision Date: 04/22/2015

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
Methyl ethyl ketone	78-93-3	5000	5000

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312

: Fire Hazard

Hazards

Acute Health Hazard

SARA 302

: SARA 302: No chemicals in this material are subject

to the reporting requirements of SARA Title III, Section 302.

SARA 313

: SARA 313: This material does not contain any chemical components with known CAS numbers that exceed

the threshold (De Minimis) reporting levels estab-

lished by SARA Title III, Section 313.

Clean Air Act

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 12 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F). The following chemical(s) are listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489):

78-93-3

Methyl ethyl ketone

100 %

Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. Clean-Water Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

US State Regulations

Massachusetts Right To Know

78-93-3 Methyl ethyl ketone

90 - 100 %

Pennsylvania Right To Know

78-93-3 Methyl ethyl ketone

90 - 100 %

New Jersey Right To Know

78-93-3

Methyl ethyl ketone

90 - 100 %

California Prop 65

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or

MSDS Number: 100000008225 14 / 17 Methyl ethyl ketone



Version 1.1

Revision Date: 04/22/2015

any other reproductive harm.

The components of this product are reported in the following inventories:

Switzerland. New notified substances and declared preparations	i	y (positive listing) (The formulation contains substances listed on the Swiss Inventory)
United States TSCA Inventory	:	y (positive listing) (On TSCA Invento- ry)
Canadian Domestic Substances List (DSL)	:	y (positive listing) (All components of this product are on the Canadian DSL.)
Australia Inventory of Chemical Substances (AICS)		y (positive listing) (On the inventory, or in compliance with the inventory)
New Zealand. Inventory of Chemical Substances		y (positive listing) (On the inventory, or in compliance with the inventory)
Japan. ENCS - Existing and New Chemical Substances Inventory	•	y (positive listing) (On the inventory, or in compliance with the inventory)
Japan. ISHL - Inventory of Chemical Substances (METI)	•	y (positive listing) (On the inventory, or in compliance with the inventory)
Korea. Korean Existing Chemicals Inventory (KECI)	:	y (positive listing) (On the inventory, or in compliance with the inventory)
Philippines Inventory of Chemicals and Chemical Substances (PICCS)	:	y (positive listing) (On the inventory, or in compliance with the inventory)




Version 1.1 Revision Date: 04/22/2015

	China (IECSC)	(On the inventory, or in compliance with the inventory)
--	---------------	---

SECTION 16. OTHER INFORMATION

Further information

NFPA:



Special hazard.

HMIS III:

HEALTH FLAMMABILITY	3
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight,

2 = Moderate, 3 = High 4 =Extreme, * = Chronic

The information accumulated is based on the data of which we are aware and is believed to be correct as of the date hereof. Since this information may be applied under conditions beyond our control and with which we may be unfamiliar and since data made become available subsequently to the date hereof, we do not assume any responsibility for the results of its use. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances. This MSDS has been prepared by NEXEO™ Solutions EHS Product Safety Department (1-855-429-2661) MSDS@nexeosolutions.com.

Material number:

16056353, 16056352, 16056351, 16056350, 16056349

Key or le	egend to abbreviations and ac	ronyms us	sed in the safety data sheet
ACGIH	American Conference of Gov- ernment Industrial Hygienists	LD50	Lethal Dose 50%
AICS	Australia, Inventory of Chemical Substances	LOAEL	Lowest Observed Adverse Effect Level
DSL	Canada, Domestic Substances List	NFPA	National Fire Protection Agency

MSDS Number: 100000008225 16 / 17 Methyl ethyl ketone



Version 1.1

Re	vision	Date:	04/22/2015	
ional	Inctitu	ita for	Occupational	

NDSL	Canada, Non-Domestic Sub- stances List	NIOSH	National Institute for Occupational Safety & Health
CNS	Central Nervous System	NTP	National Toxicology Program
CAS	Chemical Abstract Service	NZIoC	New Zealand Inventory of Chemicals
EC50	Effective Concentration	NOAEL	No Observable Adverse Effect Level
EC50	Effective Concentration 50%	NOEC	No Observed Effect Concentration
EGEST	EOSCA Generic Exposure Scenario Tool	OSHA	Occupational Safety & Health Administration
EOSCA	European Oilfield Specialty Chemicals Association	PEL	Permissible Exposure Limit
EINECS	European Inventory of Exist- ing Chemical Substances	PICCS	Philipines Inventory of Commercial Chemical Substances
MAK	Germany Maximum Concen- tration Values	PRNT	Presumed Not Toxic
GHS	Globally Harmonized System	RCRA	Resource Conservation Recovery Act
>=	Greater Than or Equal To	STEL	Short-term Exposure Limit
IC50	Inhibition Concentration 50%	SARA	Superfund Amendments and Reauthorization Act.
IARC	International Agency for Research on Cancer	TLV	Threshold Limit Value
IECSC	Inventory of Existing Chemi- cal Substances in China	TWA	Time Weighted Average
ENCS	Japan, Inventory of Existing and New Chemical Substances	TSCA	Toxic Substance Control Act
KECI	Korea, Existing Chemical Inventory	UVCB	Unknown or Variable Compositon, Complex Reaction Products, and Biological Materials
<=	Less Than or Equal To	WHMIS	Workplace Hazardous Materials In- formation System
LC50		Lethal Concentration 50%	