

SAFETY DATA SHEET

Issue Date 14-Jun-2012 Revision Date 10-Feb-2020 Version 2

TR Brickform Traction Grip

1. IDENTIFICATION

Product identifier

Product Name Brickform Traction Grip

Other means of identification

Product Code TR

Recommended use of the chemical and restrictions on use

Recommended Use Restricted to professional users.

Uses advised against Consumer use

Details of the supplier of the safety data sheet

Supplier Address Solomon Colors, Inc. 4050 Color Plant Road Springfield, IL 62702

Company Phone Number 217-522-311

217-522-3112 (Outside North America) 800-624-0261 (US & Canada);

24 Hour Emergency Phone Number 1-800-373-7542

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Combustible dust

Label elements

Emergency Overview

Warning

May form combustible dust concentrations in air

Appearance White Powder Physical state Solid Odor Wax-Like

Hazards not otherwise classified (HNOC)

Other Information

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical nature Substance.

Chemical Name	CAS No.	Weight-%	Trade Secret
Polypropylene	9003-07-0	100	*

The components listed above are listed as an OSHA 29 CFR 1910.1000 Air Contaminants. Occupational exposure limits are subsequently provided in section 8 of this SDS.

4. FIRST AID MEASURES

Description of first aid measures

General adviceNo hazards which require special first aid measures. If symptoms persist, call a physician.

Eye contact Rinse thoroughly with plenty of water, also under the eyelids. If eye irritation persists: Get

medical advice/attention.

Skin Contact Wash off immediately with soap and plenty of water.

Inhalation Remove to fresh air.

Ingestion Not an expected route of exposure. Clean mouth with water and drink afterwards plenty of

water.

Self-protection of the first aider Use personal protection recommended in Section 8.

Most important symptoms and effects, both acute and delayed

Symptoms Dust may cause irritation of respiratory tract. See section 8 of this sheet for exposure limits

pertaining to nuisance dust or "particulates not otherwise regulated".

Indication of any immediate medical attention and special treatment needed

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Water. Carbon dioxide (CO2). Foam. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media Avoid water stream on molten burning material as it may scatter and spread fire.

Specific hazards arising from the chemical

Flash point >530 F/ 277 C. Melts in proximity to fires, causing slippery floors and stairs. Fine dust dispersed in air, in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Risk of ignition should be prevented by avoiding accumulation of dust, e.g. on floors and ledges. Also refer to NFPA Bulletin 654, "Prevention of Fire and Dust Explosions in the Chemical, Dye, Pharmaceutical, and Plastics Industries", for safe handling procedures.

Hazardous combustion productsThermal decomposition can lead to the release of irritating gases and vapors. Carbon monoxide. Carbon dioxide (CO2). Nitrogen oxides (NOx).

Explosion data

Sensitivity to Mechanical Impact No information available.

Sensitivity to Static Discharge Yes. (as dust).

TR 2 / 9 Brickform Traction Grip

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Avoid creating dust.

Environmental precautions

Environmental precautions Do not flush into surface water or sanitary sewer system. See Section 12 for additional

ecological information.

Methods and material for containment and cleaning up

Methods for containment Vacuum or sweep up material and place in a designated labeled waste container. Prevent

further leakage or spillage if safe to do so.

Methods for cleaning up With clean shovel place material into clean, dry container and cover loosely; move

containers from spill area.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Keep away from

heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). As a non-conductive micronized polymer and wax, very high levels of static electricity develop during manufacture, transportation and handling. These products, being poor conductors of electricity, can and will hold a static charge for long periods of time. With this in mind, a great deal of care should be exercised when handling this type of product in or around flammable liquids, particularly if the liquid is at or near its flashpoint. The generation of static electricity cannot be prevented because its intrinsic origins. Please use the caution when adding this product to a flammable liquid. - Never pour micronized polymers or waxes from a drum or large container directly into hot flammable solvents. - Add micronized polymers or waxes slowly and in small quantities to hot flammable solvents. All equipment used when handling the product must be grounded. Avoid generation of dust.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place.

Incompatible materials Incompatible with oxidizing agents. Amines.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Polypropylene	10mg/m ³	5mg/m ³	-
9003-07-0			

Appropriate engineering controls

Engineering Controls Showers. Eyewash stations. Ventilation systems. Apply technical measures to comply with

occupational exposure limits. However, it is the duty of the user to verify this and follow

given exposure limits at the workplace.

Individual protection measures, such as personal protective equipment

Eyelface protection Wear safety glasses with side shields (or goggles).

Skin and body protection Wear protective gloves and protective clothing.

Respiratory protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

Not applicable

provided in accordance with current local regulations.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Solid

Appearance White Powder Odor Wax-Like

Color White Odor threshold No information available

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

pH No information available Melting point/freezing point 166 °C / 330 °F

Boiling point / boiling range No information available Not applicable

Flash point > 277 °C / > 530 °F

Evaporation rate
No information available
No information available

Flammability Limit in Air
Upper flammability limit:
No information available

Lower flammability limit:
Vapor pressure

No information available
No information available

Vapor density Heavier than Air Specific Gravity No information available

Water solubility insoluble

Solubility in other solvents
Partition coefficient
Autoignition temperature
Decomposition temperature
Kinematic viscosity
No information available
No information available
No information available
No information available

Kinematic viscosity

Dynamic viscosity

Explosive properties

No information available

Other Information

Softening pointNo information availableMolecular weightNo information available

VOC Content (%) None

TR 4 / 9 Brickform Traction Grip

Density 900 g/l

No information available **Bulk density**

10. STABILITY AND REACTIVITY

Reactivity
No data available

Chemical stability

Stable under normal conditions.

Possibility of Hazardous Reactions

None under normal processing.

Hazardous polymerization None under normal processing.

Conditions to avoid

Heat, flames and sparks.

Incompatible materials

Incompatible with oxidizing agents. Amines.

Hazardous Decomposition Products

Thermal decomposition can lead to release of toxic/corrosive gases and vapors. Carbon monoxide. Carbon dioxide (CO2). Nitrogen oxides (NOx).

TR 5/9 **Brickform Traction Grip**

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information No acute toxicity information is available for this product

Inhalation Dust may cause irritation of respiratory tract. See section 8 of this sheet for exposure limits.

Eye contact May cause mechanical irritation (abrasion).

Skin Contact May cause mechanical irritation (abrasion).

Ingestion Ingestion may cause irritation to mucous membranes.

Information on toxicological effects

Symptoms High dust concentration may cause mechanical irritation to eyes and skin.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritationBased on available data, the classification criteria are not met. **Serious eye damage/eye irritation**Based on available data, the classification criteria are not met.

Sensitization Not Classified. This product does not contain known sensitizers at levels > or equal to

0.1%.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

CarcinogenicityThe table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
Polypropylene	-	Group 3	-	-
9003-07-0				

IARC (International Agency for Research on Cancer) Group 3 - Not Classifiable as to Carcinogenicity in Humans

Reproductive toxicity

Not Classified. This product does not contain any known or suspected reproductive

hazards.

STOT - single exposure
STOT - repeated exposure
Aspiration hazard

Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.

Numerical measures of toxicity - Product Information

12. ECOLOGICAL INFORMATION

Ecotoxicity

This product has not been fully evaluated on the product level.

Persistence and degradability

NOT READILY BIODEGRADABLE.

Bioaccumulation

No information available.

Other adverse effects No known significant effects or critical hazards.

TR 6 / 9 Brickform Traction Grip

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated packaging Do not reuse container.

14. TRANSPORT INFORMATION

DOT Not regulated

TDG Not regulated

MEX Not regulated

ICAO (air) Not regulated

IATA Not regulated

IMDG Not regulated

RID Not regulated

ADR Not regulated

ADN Not regulated

15. REGULATORY INFORMATION

International Inventories

TSCA Complies **DSL/NDSL** Complies **EINECS/ELINCS** Does not comply **ENCS** Complies Complies **IECSC KECL** Complies **PICCS** Complies **AICS** Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

See section 2 for more information

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals

U.S. State Right-to-Know Regulations

This product does not contain any substances regulated by state right-to-know regulations

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

NFPA Health hazards 0 Flammability 1 Reactivity 0 Physical and Chemical

Properties -

HMIS Health hazards 0 Flammability 1 Physical hazards 0 Personal protection X

Prepared By Solomon Colors - Lab Technical Services

Issue Date 14-Jun-2012 Revision Date 10-Feb-2020

Revision Note Periodic Review

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet