

FOR ANY EMERGENCY, 24 HOURS / 7 DAYS, CALL:	1-800-654-6911 (OUTSIDE USA: 1-423-780-2970)
FOR ALL TRANSPORTATION ACCIDENTS, CALL CHEMTREC®:	1-800-424-9300 (OUTSIDE USA: 1-703-527-3887)
FOR ALL MSDS QUESTIONS & REQUESTS, CALL:	1-800-511-MSDS (OUTSIDE USA: 1-423-780-2347)

**PRODUCT NAME: LEISURE TIME SPA DOWN**

## 1. PRODUCT AND COMPANY IDENTIFICATION

<b>Supplier</b> Leisure Time 1400 Bluegrass Lakes Parkway , Alpharetta, GA, 30004 United States	REVISION DATE: 04/07/2011 SUPERCEDES: 05/28/2009
Telephone: +17705215999 Telefax: +17705215959 Web: www.poospacare.com	MSDS Number: 000000012585 SYNONYMS: CHEMICAL FAMILY: None DESCRIPTION / USE: None established FORMULA: None established

**Manufacturer**  
Advantis Technologies  
1400 Bluegrass Lakes Parkway  
Alpharetta, GA 30004  
United States of America

## 2. HAZARDS IDENTIFICATION

OSHA Hazard  
Classification:

**Corrosive to skin, Corrosive to eyes, Corrosive to mucous membranes**

Routes of Entry:	Eyes Skin Ingestion Inhalation
Chemical Interactions:	None known.
Medical Conditions Aggravated:	Asthma, Respiratory disorders, Heart disease, Skin disorders

Human Threshold Response Data

Odor Threshold                      Not established for product.

Irritation Threshold                Not established for product.

**Hazardous Materials Identification System / National Fire Protection Association Classifications**

<u>Hazard Ratings :</u>	<u>Health</u>	<u>Flammability</u>	<u>Physical / Instability</u>	<u>PPI / Special hazard.</u>
HMIS	3	0	0	
NFPA	3	0	0	

Immediate (Acute) Health Effects

Inhalation Toxicity:                      Inhalation of dust may cause irritation and/or burns to the mucous membranes of the respiratory tract.

Skin Toxicity:                                DRY MATERIAL CAUSES MODERATE SKIN IRRITATION. WET MATERIAL CAUSES SKIN BURNS. Dermal exposure to dry material causes moderate skin irritation characterized by redness and swelling. Dermal exposure to wet material can cause severe irritation and/or burns characterized by redness, swelling and scab formation. Prolonged skin exposure may cause permanent damage.

Eye Toxicity:                                Causes eye burns.

Ingestion Toxicity:                        Causes digestive tract burns.

Acute Target Organ Toxicity:            This product is corrosive to all tissues contacted and upon inhalation, may cause irritation to mucous membranes and respiratory tract., The dry material is irritating to the skin. However when wet, it will produce burns to the skin.

Prolonged (Chronic) Health Effects

Carcinogenicity:                        This product is not known or reported to be carcinogenic by any reference source including IARC, OSHA, NTP or EPA.

Reproductive and Developmental Toxicity:            Not known or reported to cause reproductive or developmental toxicity.

Inhalation:                                There are no known or reported effects from chronic exposure except for effects similar to those experienced from acute exposure.

Skin Contact:                              There are no known or reported effects from chronic exposure except for effects (if any) similar to those experienced from acute exposure.

Skin Absorption:                        There are no known or reported effects from chronic exposure.

Ingestion:                                There are no known or reported effects from chronic ingestion except for effects similar to those experienced from single exposure. The acute corrosivity of this product, makes chronic ingestion of significant amounts unlikely.

Sensitization:                            This material is not known or reported to be a skin or respiratory sensitizer.

Chronic Target Organ Toxicity: There are no known or reported target organ effects from chronic exposure.  
Supplemental Health Hazard Information : No additional health information available.

### 3. COMPOSITION / INFORMATION ON INGREDIENTS

---

<u>CAS OR CHEMICAL NAME</u>	<u>CAS #</u>	<u>% RANGE</u>
SULFURIC ACID, MONOSODIUM SALT	7681-38-1	
SULFURIC ACID DISODIUM SALT	7757-82-6	

### 4. FIRST AID MEASURES

---

Inhalation: IF INHALED: Remove individual to fresh air. Seek medical attention if breathing becomes difficult or if respiratory irritation develops. If not breathing, give artificial respiration. Call for medical assistance.

Skin Contact: IF ON SKIN: Immediately flush skin with plenty of water for 15 minutes. If clothing comes in contact with the product, the clothing should be removed immediately and laundered before re-use. Seek medical attention if irritation develops.

Eye Contact: IF IN EYES: Immediately flush eyes with plenty of water for at least 15 minutes. Seek medical attention immediately.

Ingestion: IF SWALLOWED: Call a physician immediately. DO NOT induce vomiting unless directed to do so by a physician. Never give anything by mouth to an unconscious person.

### 5. FIRE FIGHTING MEASURES

---

Flammability Summary (OSHA): The product is not flammable., Not combustible., The substance or mixture is not classified as pyrophoric., Not explosive

Flammable Properties

Fire / Explosion Hazards: Will not burn  
Extinguishing Media: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Fire Fighting Instructions: Use water spray to cool unopened containers. In case of fire, use normal fire-fighting equipment and the personal protective equipment recommended in Section 8 to include a NIOSH approved self-contained breathing apparatus.

Hazardous Combustion Products: During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion.

## 6. ACCIDENTAL RELEASE MEASURES

---

Personal Protection for Emergency Situations: Additional protective clothing must be worn to prevent personal contact with this material. Those items include but are not limited to boots, impervious gloves, hard hat, splash-proof goggles, impervious clothing, i.e., chemically impermeable suit, self-contained breathing apparatus.

### Spill Mitigation Procedures

Air Release: Keep people away from and upwind of spill/leak.

Water Release: Notify all downstream users of possible contamination. Divert water flow around spill if possible and safe to do so.

Land Release: Sweep up and shovel into suitable containers for disposal. Avoid creating dust. Do not place spill materials back in their original containers.

Additional Spill Information : Prevent further leakage or spillage if safe to do so. Use personal protective equipment as required. Evacuate personnel to safe areas.

## 7. HANDLING AND STORAGE

---

Handling: Do not take internally. Avoid contact with skin, eyes and clothing. If in eyes or on skin, rinse well with water. Avoid breathing dust. Avoid contact with water, or moist air.

Storage: Store in a cool, dry and well ventilated place. Isolate from incompatible materials.

Incompatible Materials for Storage: Refer to Section 10, "Incompatible Materials."

Do Not Store At temperatures Above: 175 °C

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

---

Ventilation: Local exhaust ventilation is recommended if significant dusting occurs. Otherwise use general exhaust ventilation.

### Protective Equipment for Routine Use of Product

Respiratory Protection : If dusting occurs, wear a NIOSH approved respirator., NIOSH approved full-face air purifying respirator with an N95 filter. Air purifying respirators should not be used in oxygen deficient or IDLH atmospheres or if exposure concentrations exceed ten (10) times the published limit.

Skin Protection : Avoid contact with skin. Impervious gloves

Eye Protection: Chemical resistant goggles must be worn.

Protective Clothing Type: Butyl rubber, Neoprene

General Protective Measures: Ensure that eyewash stations and safety showers are close to the workstation location.

### Exposure Limit Data

<u>CHEMICAL NAME</u>	<u>CAS #</u>	<u>Name of Limit</u>	<u>Exposure</u>
No Data Found			

## 9. PHYSICAL AND CHEMICAL PROPERTIES

---

Physical State:	solid
Form	No data.
Color:	No data.
Odor:	No data.
Molecular Weight:	120 Gm
Specific Gravity :	not applicable
pH :	0.0 - 1.0
	50 g/l
Boiling Point:	
	not applicable
Freezing Point:	176.7 °C
	350 °F
Melting Point:	176.7 °C
	350 °F
Density:	no data available
Bulk Density:	155 kg/m3
Vapor Pressure:	no data available
Vapor Density:	not applicable
Viscosity:	no data available
Solubility in Water:	soluble

Partition coefficient n-octanol/water:	Not applicable
Evaporation Rate:	not applicable
Oxidizing:	None established
Volatiles, % by vol.:	not applicable
VOC Content	no data available
HAP Content	Not applicable

## 10. STABILITY AND REACTIVITY

---

Stability and Reactivity Summary:	Stable under normal conditions.
Conditions to Avoid:	Heat., Exposure to moisture.
Chemical Incompatibility:	Bases, Acids, Oxidizing agents
Hazardous Decomposition Products:	Sulphur oxides
Decomposition Temperature:	315 °C

## 11. TOXICOLOGICAL INFORMATION

---

### Component Animal Toxicology

#### Oral LD50 value:

SULFURIC ACID, MONOSODIUM SALT	LD50	Believed to be	2,800 mg/kg	Rat
SULFURIC ACID DISODIUM SALT	LD50	=	5,989 mg/kg	mouse
SULFURIC ACID DISODIUM SALT	LD50	Believed to be >	10,000 mg/kg	rat

### Component Animal Toxicology

#### Dermal LD50 value:

SULFURIC ACID, MONOSODIUM SALT	No data
SULFURIC ACID DISODIUM SALT	no data available

### Component Animal Toxicology

#### Inhalation LC50 value:

SULFURIC ACID, MONOSODIUM SALT	No data
SULFURIC ACID DISODIUM SALT	no data available

Product Animal Toxicity

Oral LD50 value: LD50 Believed to be > 3,000 mg/kg rat  
Dermal LD50 value: LD50 Believed to be > 2,000 mg/kg rabbit  
Inhalation LC50 value: no data available

Skin Irritation: DRY MATERIAL CAUSES MODERATE SKIN IRRITATION., WET MATERIAL CAUSES SKIN BURNS.

Eye Irritation: Corrosive to eyes

Skin Sensitization: This material is not known or reported to be a skin or respiratory sensitizer.

Acute Toxicity: This product is corrosive to all tissues contacted and upon inhalation, may cause irritation to mucous membranes and respiratory tract. The dry material is irritating to the skin. However when wet, it will produce burns to the skin.

Subchronic / Chronic Toxicity: Not known or reported to cause subchronic or chronic toxicity.

Reproductive and Developmental Toxicity: Not known or reported to cause reproductive or developmental toxicity.

Mutagenicity: Not known or reported to be mutagenic.  
**SULFURIC ACID DISODIUM SALT** This product was determined to be non-mutagenic in the Ames assay., This product has been shown to be negative for cell transformation in the Syrian hamster embryo (SA7/SHE) cell assay.

Carcinogenicity: This product is not known or reported to be carcinogenic by any reference source including IARC, OSHA, NTP or EPA.

## **12. ECOLOGICAL INFORMATION**

---

Overview: Slightly toxic to fish and other aquatic organisms.

Ecological Toxicity Values for: **SULFURIC ACID, MONOSODIUM SALT**

Daphnia magna, - 100 h LC50 > 106 mg/l

Ecological Toxicity Values for: **SULFURIC ACID DISODIUM SALT**

Lepomis macrochirus (Bluegill sunfish) - 96 h LC50 = 12,750 mg/l  
Pimephales promelas (fathead minnow) - 96 h LC50 = 7,960 mg/l  
Gambusia affinis (Mosquito fish) - 96 h LC50 = 3,710 mg/l  
Daphnia magna (Water flea) - 48 h LC50 = 2,564 mg/l  
Ceriodaphnia dubia - 48 h LC50 = 3,080 mg/l

### 13. DISPOSAL CONSIDERATIONS

---

**CARE MUST BE TAKEN TO PREVENT ENVIRONMENTAL CONTAMINATION FROM THE USE OF THE MATERIAL. THE USER OF THE MATERIAL HAS THE RESPONSIBILITY TO DISPOSE OF UNUSED MATERIAL, RESIDUES AND CONTAINERS IN COMPLIANCE WITH ALL RELEVANT LOCAL, STATE AND FEDERAL LAWS AND REGULATIONS REGARDING TREATMENT, STORAGE AND DISPOSAL FOR HAZARDOUS AND NONHAZARDOUS WASTES.**

Waste Disposal Summary :                      If this product becomes a waste, it DOES NOT meet the criteria of a hazardous waste as defined under 40 CFR 261, in that it does not exhibit the characteristics of hazardous waste of Subpart C, nor is it listed as a hazardous waste under Subpart D. As a nonhazardous solid waste it should be disposed of in accordance with local, state and federal regulations.

Potential US EPA Waste Codes :              not applicable

### 14. TRANSPORT INFORMATION

Land (US DOT):                      Not Regulated    NOT REGULATED AS A DOT HAZARDOUS MATERIAL  
Water (IMDG):                      NOT REGULATED AS A HAZARDOUS MATERIAL,              Marine Pollutant:  
No

Air (IATA):                                      NOT REGULATED AS A HAZARDOUS MATERIAL,  
Emergency Response Guide Number:              Not applicable

### 15. REGULATORY INFORMATION

---

**UNITED STATES:**

Toxic Substances Control Act (TSCA):              The components of this product are listed on the TSCA Inventory of Existing Chemical Substances.

EPA Pesticide Registration Number:              None established

FIFRA Listing of Pesticide Chemicals (40 CFR 180):              Not registered in the US under FIFRA.

**Superfund Amendments and Reauthorization Act (SARA) Title III:**

Hazard Categories Sections 311 / 312 (40 CFR 370.2):

Health	Immediate (Acute) Health Hazard
Physical	None

**Emergency Planning & Community Right to Know (40 CFR 355, App. A):**
**Extremely Hazardous Substance Section 302 - Threshold Planning Quantity:**

ZUS_SAR302	TPQ (threshold planning quantity)	None established
------------	-----------------------------------	------------------

**Reportable Quantity (49 CFR 172.101, Appendix):**

ZUS_CERCLA	Reportable quantity	None established
ZUS_SAR302	Reportable quantity	None established

**Supplier Notification Requirements (40 CFR 372.45), 313 Reportable Components**

ZUS_SAR313	De minimis concentration	None established
------------	--------------------------	------------------

**Clean Air Act Toxic ARP Section 112r:**

CAA 112R	None established
----------	------------------

**Clean Air Act Socmi:**

HON SOC	None established
---------	------------------

**Clean Air Act VOC Section 111:**

CAA 111	None established
---------	------------------

**Clean Air Act Haz. Air Pollutants Section 112:**

ZUS_CAAHAP	None established
------------	------------------

ZUS_CAAHRP	None established
------------	------------------

CAA AP	None established
--------	------------------

**State Right-to-Know Regulations Status of Ingredients**
**Pennsylvania:**

CAS #	COMPONENT NAME
7757-82-6	SULFURIC ACID DISODIUM SALT
ZUSPA_RTK	

Pennsylvania: Hazardous substance list  
1990-01-01

SODIUM SULFATE (SOLUTION)  
Environmental hazard, hazardous substance

**New Jersey:**

CAS #	COMPONENT NAME
7681-38-1	SULFURIC ACID, MONOSODIUM SALT

ZUSNJ\_RTK

New Jersey Right to Know Hazardous Substance List (RTK-HSL)  
1989-12-01  
SODIUM HYDROGEN SULFATE  
special health hazard substance, Special Health Hazard - Corrosive

**Massachusetts:**

CAS #	COMPONENT NAME
7757-82-6	SULFURIC ACID DISODIUM SALT

ZUSMA\_RTK

Massachusetts Right to Know List of Chemicals and Hazard Classifications  
1991-07-01  
SODIUM SULFATE (SOLUTION)  
massachusetts hazardous substance

**California Proposition 65:**

CAS #	COMPONENT NAME
ZUSCA_P65	None established

**WHMIS Hazard Classification:**

Ingredient Disclosure List (WHMIS)  
2007-08-24  
Threshold limits: 1 Weight percent  
305  
Sodium bisulfate

**16. OTHER INFORMATION**

MSDS REVISION STATUS :



SECTIONS REVISED: First formulated version in SAP.  
Major References : Available upon request.

THIS MATERIAL SAFETY DATA SHEET (MSDS) HAS BEEN PREPARED IN COMPLIANCE WITH THE FEDERAL OSHA HAZARD COMMUNICATION STANDARD, 29 CFR 1910.1200. THE INFORMATION IN THIS MSDS SHOULD BE PROVIDED TO ALL WHO WILL USE, HANDLE, STORE, TRANSPORT, OR OTHERWISE BE EXPOSED TO THIS PRODUCT. THIS INFORMATION HAS BEEN PREPARED FOR THE GUIDANCE OF PLANT ENGINEERING, OPERATIONS AND MANAGEMENT AND FOR PERSONS WORKING WITH OR HANDLING THIS PRODUCT. ARCH CHEMICALS BELIEVES THIS INFORMATION TO BE RELIABLE AND UP TO DATE AS OF THE DATE OF PUBLICATION BUT, MAKES NO WARRANTY THAT IT IS. ADDITIONALLY, IF THIS MSDS IS MORE THAN THREE YEARS OLD, YOU SHOULD CONTACT ARCH CHEMICALS MSDS CONTROL AT THE PHONE NUMBER ON THE FRONT PAGE TO MAKE CERTAIN THAT THIS DOCUMENT IS CURRENT. .