

SAFETY DATA SHEET

according to US Regulation 29 CFR 1910.1200 and the Canadian HPA

LEISURE TIME LEAK SEAL

Version 2.0

Revision Date 2020.03.12

Print Date 2020.11.10

SECTION 1. IDENTIFICATION

Product name : LEISURE TIME LEAK SEAL

Manufacturer or supplier's details

Company : Innovative Water Care, LLC
1400 Bluegrass Lakes Parkway
Alpharetta, GA
30004

Telephone : 1-800-511-6737 (Outside the USA: 1-423-780-2347)
E-mail address : sds@sigurawater.com
Emergency telephone number : 1-800-654-6911 (Outside the USA: 1-423-780-2970)

Recommended use of the chemical and restrictions on use

Recommended use : Sealant

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Acute toxicity (Oral) : Category 4
Skin irritation : Category 2
Serious eye damage : Category 1
Specific target organ toxicity - single exposure : Category 3 (Respiratory system)

GHS label elements

Hazard pictograms :



Signal word : Danger

Hazard statements : H302 Harmful if swallowed.
H315 Causes skin irritation.
H318 Causes serious eye damage.
H335 May cause respiratory irritation.

LEISURE TIME LEAK SEAL

Precautionary statements

: **Prevention:**

P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P271 Use only outdoors or in a well-ventilated area.

P280 Wear eye protection/ face protection.

P280 Wear protective gloves.

Response:

P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth.

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.

P332 + P313 If skin irritation occurs: Get medical advice/ attention.

P362 Take off contaminated clothing and wash before reuse.

Storage:

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical nature

: Mixture

Hazardous components

Chemical name / Synonyms	CAS-No.	Concentration (% w/w)
Silicic acid, sodium salt	1344-09-8	30 - 40

SECTION 4. FIRST AID MEASURES

If inhaled

: IF INHALED: Remove individual to fresh air. Seek medical attention if breathing becomes difficult or if respiratory irritation develops. If not breathing, give artificial respiration. Call for medical assistance.

In case of skin contact

: IF ON SKIN: Immediately flush skin with plenty of water for 15

LEISURE TIME LEAK SEAL

- minutes. If clothing comes in contact with the product, the clothing should be removed immediately and laundered before re-use. Seek medical attention if irritation develops.
- In case of eye contact : IF IN EYES: Immediately flush eyes with plenty of water for at least 15 minutes. Seek medical attention immediately.
- If swallowed : IF SWALLOWED: Call a physician immediately. DO NOT induce vomiting unless directed to do so by a physician. Never give anything by mouth to an unconscious person.
- Most important symptoms and effects, both acute and delayed : None known.
-

SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Specific hazards during firefighting : Reacts with most metals to form flammable hydrogen gas.
- Further information : Use water spray to cool unopened containers. In case of fire, use normal fire-fighting equipment and the personal protective equipment recommended in Section 8 to include a NIOSH approved self-contained breathing apparatus.
-

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use the personal protective equipment recommended in Section 8 and a NIOSH approved self-contained breathing apparatus. Prevent further leakage or spillage if safe to do so. Use personal protective equipment as required. Evacuate personnel to safe areas.
-

SECTION 7. HANDLING AND STORAGE

- Advice on safe handling : Do not take internally. Avoid contact with skin, eyes and clothing. If in eyes or on skin, rinse well with water. Avoid breathing vapours, mist or gas.
- Conditions for safe storage : Store in a cool, dry and well ventilated place. Isolate from incompatible materials. Do not freeze.

LEISURE TIME LEAK SEAL

Materials to avoid : Refer to Section 10, "Incompatible Materials."

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Contains no substances with occupational exposure limit values.

Engineering measures : Ventilation beyond that of general exhaust is not normally required. No exposure limits exist for the constituents of this product.

Personal protective equipment

Respiratory protection : Respiratory protection not normally needed. If vapors, mists or aerosols are generated, wear a NIOSH approved respirator. NIOSH approved half-face air purifying respirator with an N95 filter. Air purifying respirators should not be used in oxygen deficient or IDLH atmospheres or if exposure concentrations exceed ten (10) times the published limit.

Hand protection

Remarks : Avoid contact with skin. Impervious gloves

Eye protection : Chemical resistant goggles must be worn.

Skin and body protection : Impervious clothing

Protective measures : Ensure that eyewash stations and safety showers are close to the workstation location.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Colour : no data available

Odour : no data available

Odour Threshold : no data available

pH : 10.0 - 12.0

Melting point/freezing point : 32 - 50 °F / 0 - 10 °C

Boiling point/boiling range : 212 °F / 100 °C

LEISURE TIME LEAK SEAL

Flash point	:	Not applicable
Evaporation rate	:	no data available
Flammability (solid, gas)	:	The product is not flammable.
Flammability (liquids)	:	no data available
Upper explosion limit	:	no data available
Lower explosion limit	:	no data available
Vapour pressure	:	32 hPa
Relative vapour density	:	no data available
Relative density	:	1.30 - 1.50 (68 °F / 20 °C)
Density	:	Not applicable
Bulk density	:	no data available
Water solubility	:	completely miscible
Partition coefficient: n-octanol/water	:	Not applicable
Auto-ignition temperature	:	no data available
Decomposition temperature	:	no data available
Viscosity, dynamic	:	no data available
Viscosity, kinematic	:	no data available

SECTION 10. STABILITY AND REACTIVITY

Possibility of hazardous reactions	:	Stable under normal conditions.
Conditions to avoid	:	Heat Avoid freezing.
Incompatible materials	:	Acids Metals Alcohols
Hazardous decomposition products	:	Hydrogen, by reaction with metals

LEISURE TIME LEAK SEAL

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure :

Eyes
Skin
Inhalation
Ingestion

Acute toxicity

Acute oral toxicity : LD50 (Rat): = 1,960 mg/kg

Acute inhalation toxicity : Remarks: no data available

Acute dermal toxicity : LD50 (Rabbit): > 4,640 mg/kg

Acute toxicity (other routes of administration) :

Remarks: This product is severely irritating to skin, eyes and mucous membranes. Prolonged contact with the eyes may result in a possible corrosive effect.

Skin corrosion/irritation

Result: Severe skin irritation

Serious eye damage/eye irritation

Result: Severe eye irritation

Respiratory or skin sensitisation

Remarks: This material is not known or reported to be a skin or respiratory sensitizer.

Carcinogenicity

IARC

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA

No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

LEISURE TIME LEAK SEAL

ACGIH

No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

Repeated dose toxicity

Remarks: Not known or reported to cause subchronic or chronic toxicity.

Further information

Remarks: no data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

no data available

Persistence and degradability

no data available

Bioaccumulative potential

no data available

Mobility in soil

no data available

Other adverse effects

Ozone-Depletion Potential : Regulation: US. EPA Clean Air Act (CAA) Section 602 Ozone-Depleting Substances (40 CFR 82, Subpt. A, App A & B)
Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

Additional ecological information : Slightly toxic to fish and other aquatic organisms.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : If this product becomes a waste, it will be a nonhazardous waste.
As a nonhazardous liquid waste, it should be disposed of in accordance with local, state and federal regulations.

SECTION 14. TRANSPORT INFORMATION

LEISURE TIME LEAK SEAL

DOT

UN number : 3266
Proper shipping name : Corrosive liquid, basic, inorganic, n.o.s.
(Silicic acid, sodium salt)
Transport hazard class : 8
Packing group : III
Labels : 8
Emergency Response Guidebook : 154
Number
Environmental hazards : no

TDG

UN number : 3266
Proper shipping name : CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S.
(Silicic acid, sodium salt)
Transport hazard class : 8
Packing group : III
Labels : 8
Environmental hazards : no

IATA

UN number : 3266
Proper shipping name : Corrosive liquid, basic, inorganic, n.o.s.
(Silicic acid, sodium salt)
Transport hazard class : 8
Packing group : III
Labels : 8
Environmental hazards : no

IMDG

UN number : 3266
Proper shipping name : Corrosive liquid, basic, inorganic, n.o.s.
(Silicic acid, sodium salt)
Transport hazard class : 8
Packing group : III
Labels : 8
EmS Number 1 : F-A
EmS Number 2 : S-B
Environmental hazards : Marine pollutant: no

LEISURE TIME LEAK SEAL

ADR

UN number	: 3266
Proper shipping name	: CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (Silicic acid, sodium salt)
Transport hazard class	: 8
Packing group	: III
Classification Code	: C5
Hazard Identification Number	: 80
Labels	: 8
Environmental hazards	: no

RID

UN number	: 3266
Proper shipping name	: CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (Silicic acid, sodium salt)
Transport hazard class	: 8
Packing group	: III
Classification Code	: C5
Hazard Identification Number	: 80
Labels	: 8
Environmental hazards	: no

Special precautions for user :
Product not regulated for ground transport in the USA per exception permitted in 49 CFR 173.154(d).

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code : Not applicable

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards

See above: SECTION 2. Hazard Identification-GHS Classification

SARA 313

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.



LEISURE TIME LEAK SEAL

Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCOMI Intermediate or Final VOC's (40 CFR 60.489).

This product does not contain any VOC exemptions listed under the U.S. Clean Air Act Section 450.

Clean Water Act

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

US State Regulations

Massachusetts Right To Know

No components are subject to the Massachusetts Right to Know Act.

Pennsylvania Right To Know

Components	CAS-No.
Silicic acid, sodium salt	1344-09-8

New Jersey Right To Know

Components	CAS-No.
Silicic acid, sodium salt	1344-09-8

California Prop. 65

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

LEISURE TIME LEAK SEAL

Canadian lists

NPRI

Canadian National Pollutant Release Inventory (NPRI): No component is listed on NPRI.

The components of this product are reported in the following inventories:

TSCA : The components of this product are listed on the TSCA Inventory of Existing Chemical Substances.

SECTION 16. OTHER INFORMATION

Full text of other abbreviations

AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); EC_x - Concentration associated with x% response; EHS - Extremely Hazardous Substance; EL_x - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErC_x - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC₅₀ - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC₅₀ - Lethal Concentration to 50 % of a test population; LD₅₀ - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date : 2020.03.12



LEISURE TIME LEAK SEAL

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Date format : yyyy/mm/dd

US / EN