





REV	ECO	REV BY	DATE	APPD	DATE
C	0025530	J.M.RAMIREZ	04-25-2012	R.RASCON	04-25-2012



NAMEPLATE DATA	EXTERNAL CONNECTION DIAGRAM	NOTES
MODEL: 164297 CUST PN: B120 HP: 1/2 SF: 1.60 ROT: CCWPE RPM: 3450 TYPE: CX CODE: J FORM: - FRAME: L 56 C VOLTS: 230/115 AMPS: SF 4.4/8.8 MAX AMPS: - SF AMPS: - PH: 1 HZ: 60 INS: B AMB: 50°C DUTY: CONT ENCLOSURE: ODP THERMALLY PROTECTED	<p>LOW VOLTAGE BROWN — B WHITE — L1 LINE WHITE — L2 LINE A NON-REVERSIBLE</p> <p>HIGH VOLTAGE WHITE — B L1 LINE L2 LINE BROWN — A</p>	<p>1. PILOT DIAMETER IS CONCENTRIC WITH SHAFT CENTERLINE WITHIN .006[.15] T.I.R.</p> <p>2. FACE OF MOUNTING FLANGE IS PERPENDICULAR TO SHAFT CENTERLINE WITHIN .004[.10] T.I.R.</p> <p>3. SHAFT RUNOUT NOT TO EXCEED .002[.05] T.I.R.</p> <p>4. END PLAY NOT TO EXCEED .010[.25] MEASURED WITH NO THRUST.</p> <p>5. FINISH PAINT TO BE BLACK.</p>

PERFORMANCE CURVE		APPROVED SAMPLE		<div>GEOMETRIC CHARACTERISTICS & SYMBOLS</div> <div>⊥ FLATNESS</div> <div>— STRAIGHTNESS</div> <div>∠ ANGULARITY</div> <div>⊥ PERPENDICULARITY (SQUARENESS)</div> <div>// PARALLELISM</div> <div>○ ROUNDNESS (CIRCULARITY)</div> <div>⌀ CYLINDRICITY</div> <div>△ PROFILE OF ANY SURFACE</div> <div>▽ PROFILE OF ANY LINE</div> <div>↑ RUNOUT</div> <div>⊕ TRUE POSITION</div> <div>◎ CONCENTRICITY</div> <div>≡ SYMMETRY</div> <div>ASME Y14.5M 1994</div>		<div>UNLESS OTHERWISE SPECIFIED</div> <div>DIM. TOLERANCES ARE AS FOLLOWS:</div> <div>INCH X XX XXX XXXX</div> <div>mm ±.1 ±.02 ±.005 ±.0005</div> <div>mm ±0.5 ±0.13 ±0.013</div> <div>ANG. ±50 DEG</div> <div>REMOVE BURRS & BREAK SHARP EDGES:</div> <div>INCH .003-.015 mm 0.1-0.4</div> <div>CORNER FILLETS TO:</div> <div>INCH .020 mm 0.5</div> <div>MACHINE SURFACES:</div> <div>INCH 125 mm 3.2</div> <div>METRIC DIMS. SHOWN IN [BRACKETS]</div>		DR BY:		KHR		08-30-2005		<div> REGAL-BELOIT CORPORATION</div> <div>DESCRIPTION</div> <div>MODEL-CFHP-56FR</div> <div>OUTLINE</div> <div>SIZE C DWG NO B120</div> <div>SCALE NONE SHEET 1</div>	
16345012		—						APPD:		JMW		02-28-2006			
UL COMPONENT		CSA						THIRD ANGLE PROJECTION				EDS DATE 11-11-2011			
FILE#		CCN#						FILE#		GUIDE#		FORMAT REV G			
E14663		XZWR2		LR4642		4211-01		CONFIDENTIAL: THIS DRAWING AND ITS INFORMATION ARE THE EXCLUSIVE AND CONFIDENTIAL PROPERTY OF REGAL-BELOIT CORPORATION AND ARE NOT TO BE DISCLOSED, DUPLICATED, DISTRIBUTED OR OTHERWISE USED WITHOUT THE WRITTEN CONSENT OF REGAL-BELOIT CORPORATION. -ALL RIGHTS RESERVED.							
CUSTOMER		DISTRIBUTION													

BA



LOW VOLTAGE HIGH VOLTAGE

BROWN — B WHITE — B

WHITE — L1 LINE L1 LINE

WHITE — L2 LINE L2 LINE

A A

NON-REVERSIBLE

REGAL-BELOIT CORPORATION

MODEL-CFHP-56FR OUTLINE

图幅	C	图号	B120
----	---	----	------

比例	NONE	页号	1
----	------	----	---