

4

3

2

1

REV	ECO	REV BY	DATE	APPD	DATE
F	ECO-0037323	A.BAUGHMAN	08-22-2013	A.BAUGHMAN	08-22-2013

D

D

C


C

B

B

A

A



NAMEPLATE DATA	EXTERNAL CONNECTION DIAGRAM	NOTES
MODEL: 186128 CUST PN: BV91 HP: 1.0 ROT: CWPE RPM: 3450 TYPE: SP FORM: PJM VOLTS: 115 AMPS: 9.0 MAX AMPS: - SF AMPS: - PH: 1 INS: B DUTY: CONT ENCLOSURE: ODP THERMALLY PROTECTED	SF: 1.00 CODE: G FRAME: V48Y HZ: 60 AMB: 40°C	NOTES: 1. STAINLESS EXTENSION & THREADS TO BE OIL-FREE. 2. ALL DIMENSIONS SHOWN IN PARENTHESIS ARE REFERENCE DIMENSIONS.

PERFORMANCE CURVE	APPROVED SAMPLE	GEOMETRIC CHARACTERISTICS & SYMBOLS	UNLESS OTHERWISE SPECIFIED DIM. TOLERANCES ARE AS FOLLOWS:	DR BY:	10-15-2010	<b>REGAL</b> <b>REGAL-BELOIT CORPORATION</b>
18012411	-	□ FLATNESS - STRAIGHTNESS ∠ ANGULARITY ⊥ PERPENDICULARITY (SQUARENESS) // PARALLELISM ○ ROUNDNESS (CIRCULARITY) ⌀ CYLINDRICITY △ PROFILE OF ANY SURFACE ⌒ PROFILE OF ANY LINE ⌀ RUNOUT ⊕ TRUE POSITION ◎ CONCENTRICITY ≡ SYMMETRY	INCH $\pm .1$ $\pm .02$ $\pm .005$ $\pm .0005$ mm $\pm 0.5$ $\pm 0.13$ $\pm 0.013$ ANG. $\pm 50$ DEG REMOVE BURRS & BREAK SHARP EDGES: INCH .003-.015 mm 0.1-0.4 CORNER FILLETS TO: INCH .020 mm 0.5 MACHINE SURFACES: INCH $\sqrt{125}$ mm $\sqrt{3.2}$	TZ	10-15-2010	
UL COMPONENT	CSA	ASME Y14.5M 1994	METRIC DIMS. SHOWN IN [BRACKETS]	BS	10-15-2010	
FILE#	CCN#	FILE#	GUIDE#	THIRD ANGLE PROJECTION	EDS DATE 11-11-2011 FORMAT REV H	
PENDING	PENDING	PENDING	PENDING	CONFIDENTIAL: THIS DRAWING AND ITS INFORMATION ARE THE EXCLUSIVE AND CONFIDENTIAL PROPERTY OF REGAL-BELOIT CORPORATION AND ARE NOT TO BE DISCLOSED, DUPLICATED, DISTRIBUTED OR OTHERWISE USED WITHOUT THE WRITTEN CONSENT OF REGAL-BELOIT CORPORATION. -ALL RIGHTS RESERVED.		DESCRIPTION
CUSTOMER	DISTRIBUTION			SIZE C	DWG NO BV91	MODEL-CFHP-48FR OUTLINE
				SCALE NONE	SHEET 1	

4

3

2

1

BA