

Material Safety Data Sheet

Mountain View Seeds
8955 Sunnyview Road NE
Salem, Oregon 97305
503-588-7333
mtveiwseeds.com

Product Identity:

WaterGard Seed Coating

Hazardous Ingredients:

<u>Ingredient:</u>	<u>Description</u>
Coating Carrier;	May contain up to 1% crystalline silica
Hydrating Polymer:	Crosslinked Polyacrylamide
Fungicide	May contain Mefenoxam or Metalaxyl. Refer to Addendum if Applicable.
Particulates	10 MG/M TWA for total dust AGGIH TLV 15 MG/M TWA for total dust OSHA PEL 5 MJT/M TWA FOR RESPIRABLE DUST, OSHA PEL 0.1 MG/M

Physical Characteristics:

Appearance:	Encapsulated seed, granular in appearance. Color varies
Specific Gravity:	(H ₂ O = 1) 0.85 Gm/cc

Fire and Explosion Hazard

Flash Point, Degrees C (F):	Not Determined
Flammable Limits in Air (% by Volume):	Not Determined
Auto Ignition Temperature Degrees C (F)	Not Determined
Extinguish Media:	For small fires, use carbon dioxide or dry chemical. Use water spray or foam for large fires.
Special Fire Fighting Procedures;	Wear protective clothing and use self contained breathing apparatus. Dike area to prevent runoff and contamination of water sources.

Accidental Release

Sweep up spill and dispose. Material is slippery when wet

Health Hazards:

Routs of Entry:	
Ingestion:	Minimum hazard under normal conditions and use.
Skin Absorption	May cause slight irritation to the eyes and skin.
Inhalation:	Dusts may be irritating to respiratory tract. Repeated exposure to crystalline silica may cause pulmonary fibrosis (silicosis)
Eye Contact:	May cause particulate eye irritation

Exposure:

Breathing dust may aggravate acute or chronic asthma and other chronic pulmonary diseases. Existing skin irritations may be aggravated by exposure.

Emergency and First Aid Procedures:

Skin:

Wash with plenty of soap and water. Seek medical attention if condition persists.

Inhalation:

Remove victim to fresh air. If breathing is difficult, get medical attention.

Eyes:

Flush thoroughly with water for at least 15 minutes. If irritation develops, consult a physician.

Ingestion:

Do not induce vomiting if victim is conscious. Dilute stomach contents with 2-3 glasses of water. Consult a physician