

According to OSHA Hazard Communication Standard 29CFR 1910.1200 (HCS 2012)

1429003 SS Black DRY Pak 1.1 LB

 Product specification
 RS\_FP\_606019
 Revision Date
 06/17/2019

 Version
 1.0
 Print Date
 06/19/2019

 Material number
 1429003
 Page
 Page 1 of 9

## **SECTION 1. IDENTIFICATION**

Product name : 1429003

SS Black DRY Pak 1.1 LB

Material number : 1429003

Manufacturer or supplier's details

Company name of supplier : Ferro Corporation

Address : 6060 Parkland Blvd. Suite 250

Mayfield Heights OH 44124-4185

Telephone : (216) 875-5600

**Emergency telephone number** 

In-Country Number : (800)424-9300

CHEMTREC Global Number : +(1)-703-527-3887 (Call Collect)

Recommended use of the chemical and restrictions on use

Recommended use : Consult the technical guidelines for the use of this

substance/mixture.

#### **SECTION 2. HAZARDS IDENTIFICATION**

**GHS Classification** 

Carcinogenicity : Category 2

**GHS Label element** 

Hazard pictograms



Signal word : Warning

Hazard statements : H351 Suspected of causing cancer.

Precautionary statements : **Prevention:** 

P201 Obtain special instructions before

use.

P202 Do not handle until all safety

precautions have been read and

understood.

P280 Wear protective gloves/ protective

clothing/ eye protection/ face



According to OSHA Hazard Communication Standard 29CFR 1910.1200 (HCS 2012)

1429003 SS Black DRY Pak 1.1 LB

Product specificationRS\_FP\_606019Revision Date06/17/2019Version1.0Print Date06/19/2019Material number1429003PagePage 2 of 9

protection.

Response:

P308 + P313 IF exposed or concerned: Get

medical advice/ attention.

Disposal:

P501 Dispose of contents/ container to an

approved waste disposal plant.

Other hazards

None known.

#### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

Chemical nature : metal oxide/hydroxide, inorganic pigment

**Hazardous components** 

Chemical Name	CAS-No.	Concentration (%)
carbon black	1333-86-4	>= 50 - < 70

# **SECTION 4. FIRST AID MEASURES**

General advice : Consult a physician.

If inhaled : Remove to fresh air.

If symptoms persist, call a physician.

In case of skin contact : If skin irritation persists, call a physician.

In case of eye contact : Rinse immediately with plenty of water and seek medical

advice.

If swallowed : If accidentally swallowed obtain immediate medical attention.

Most important symptoms and effects, both acute and

delayed

: Suspected of causing cancer.

### **SECTION 5. FIREFIGHTING MEASURES**

Suitable extinguishing media : Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Specific hazards during

firefighting

: Do not allow run-off from fire fighting to enter drains or water

courses.

Special protective equipment : In the event of fire, wear self-contained breathing apparatus.



According to OSHA Hazard Communication Standard 29CFR 1910.1200 (HCS 2012)

1429003 SS Black DRY Pak 1.1 LB

Product specification RS FP 606019 **Revision Date** 06/17/2019 Version 1.0 Print Date 06/19/2019 Material number 1429003 Page Page 3 of 9

for firefighters

### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions. protective equipment and emergency procedures

: Follow safe handling advice and personal protective

equipment recommendations.

**Environmental precautions** : Do not allow uncontrolled discharge of product into the

environment.

Methods and materials for

: Sweep up and shovel into suitable containers for disposal. containment and cleaning up Clean contaminated floors and objects thoroughly while

observing environmental regulations.

#### **SECTION 7. HANDLING AND STORAGE**

Advice on safe handling : Avoid inhalation, ingestion and contact with skin and eyes.

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated

place.

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
carbon black	1333-86-4	TWA	3.5 mg/m3	NIOSH REL
		TWA	3.5 mg/m3	OSHA Z-1
		TWA	3.5 mg/m3	OSHA P0
		TWA	0.1 mg/m3 (PAHs)	NIOSH REL
		TWA (Inhalable fraction)	3 mg/m3	ACGIH

**Engineering measures** : Apply technical measures to comply with the occupational

exposure limits.

Provide adequate ventilation.

## Personal protective equipment

Respiratory protection : When workers are facing concentrations above the exposure

limit they must use appropriate certified respirators.



According to OSHA Hazard Communication Standard 29CFR 1910.1200 (HCS 2012)

1429003 SS Black DRY Pak 1.1 LB

Product specificationRS\_FP\_606019Revision Date06/17/2019Version1.0Print Date06/19/2019Material number1429003PagePage 4 of 9

Hand protection : For prolonged or repeated contact use protective gloves.

Eye protection : Safety glasses

Protective measures : Wear suitable protective equipment.

When using do not eat, drink or smoke.

Hygiene measures : Wash hands before breaks and immediately after handling

the product.

## **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : powder

Colour : black

Odour : odourless

Odour Threshold : No data available

Melting point/freezing point : No data available

Boiling point/boiling range : No data available

Flash point : Not applicable

Upper explosion limit : No data available

Lower explosion limit : No data available

Relative vapour density : No data available

Solubility(ies)

Water solubility : insoluble

Auto-ignition temperature : Not determined

Oxidizing properties : No data available

Refractive index : Not applicable

Volatile organic compounds

(VOC) content

: 0 %

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final

VOC's (40 CFR 60.489).

This product does not contain any VOC exemptions listed

under the U.S. Clean Air Act Section 450.



According to OSHA Hazard Communication Standard 29CFR 1910.1200 (HCS 2012)

1429003 SS Black DRY Pak 1.1 LB

 Product specification
 RS\_FP\_606019
 Revision Date
 06/17/2019

 Version
 1.0
 Print Date
 06/19/2019

 Material number
 1429003
 Page
 Page 5 of 9

#### **SECTION 10. STABILITY AND REACTIVITY**

Reactivity : No dangerous reaction known under conditions of normal use.

Chemical stability : The product is chemically stable.

## **SECTION 11. TOXICOLOGICAL INFORMATION**

### Information on likely routes of exposure

inhalation (dust/mist/fume)

Skin

Eye contact

## **Acute toxicity**

Not classified based on available information.

# Components:

carbon black:

Acute oral toxicity : LD50 Oral (Rat): > 15,400 mg/kg

#### Skin corrosion/irritation

Not classified based on available information.

#### Serious eye damage/eye irritation

Not classified based on available information.

### Respiratory or skin sensitisation

Skin sensitisation: Not classified based on available information.

Respiratory sensitisation: Not classified based on available information.

#### Germ cell mutagenicity

Not classified based on available information.

## Carcinogenicity

Suspected of causing cancer.

IARC Group 2B: Possibly carcinogenic to humans

carbon black 1333-86-4

OSHA No component of this product present at levels greater than or

equal to 0.1% is identified as a carcinogen or potential

carcinogen by OSHA.

NTP No component of this product present at levels greater than or

equal to 0.1% is identified as a known or anticipated carcinogen

by NTP.

#### Reproductive toxicity

Not classified based on available information.



According to OSHA Hazard Communication Standard 29CFR 1910.1200 (HCS 2012)

1429003 SS Black DRY Pak 1.1 LB

Product specificationRS\_FP\_606019Revision Date06/17/2019Version1.0Print Date06/19/2019Material number1429003PagePage 6 of 9

# STOT Specific Target Organ Toxicity - single exposure

Not classified based on available information.

### STOT Specific Target Organ Toxicity - repeated exposure

Not classified based on available information.

### **Aspiration toxicity**

Not classified based on available information.

#### **SECTION 12. ECOLOGICAL INFORMATION**

## **Ecotoxicity**

No data available

#### Persistence and degradability

### **Components:**

carbon black:

Biodegradability : Remarks: No data available

## Bioaccumulative potential

# Components:

carbon black:

Bioaccumulation : Remarks: No data available

## Mobility in soil

### **Components:**

carbon black:

Distribution among

environmental compartments

: Remarks: No data available

#### Other adverse effects

## **Product:**

Ozone-Depletion Potential : Regulation: 40 CFR Protection of Environment; Part 82

Protection of Stratospheric Ozone - CAA Section 602 Class I

Substances

Remarks: This product neither contains, nor was

manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A +

B).

### **SECTION 13. DISPOSAL CONSIDERATIONS**

# **Disposal methods**

Waste from residues : Dispose of wastes in an approved waste disposal facility.



According to OSHA Hazard Communication Standard 29CFR 1910.1200 (HCS 2012)

1429003 SS Black DRY Pak 1.1 LB

 Product specification
 RS\_FP\_606019
 Revision Date
 06/17/2019

 Version
 1.0
 Print Date
 06/19/2019

 Material number
 1429003
 Page
 Page 7 of 9

### **SECTION 14. TRANSPORT INFORMATION**

#### IATA-DGR

Not regulated as a dangerous good

#### **IMDG-Code**

Not regulated as a dangerous good

# Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

# **National Regulations**

#### **49 CFR**

Not regulated as a dangerous good

#### **SECTION 15. REGULATORY INFORMATION**

TSCA list : TSCA\_12b - Not relevant

TSCA list : TSCA 5a - Not relevant

## **EPCRA - Emergency Planning and Community Right-to-Know Act**

#### **CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

## SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards : Chronic Health Hazard

SARA 302 : No chemicals in this material are subject to the reporting

requirements of SARA Title III, Section 302.

SARA 313 : This material does not contain any chemical components with

known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

### Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 12 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).



According to OSHA Hazard Communication Standard 29CFR 1910.1200 (HCS 2012)

 Product specification
 RS\_FP\_606019
 Revision Date
 06/17/2019

 Version
 1.0
 Print Date
 06/19/2019

 Material number
 1429003
 Page
 Page 8 of 9

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489).

#### **Clean Water Act**

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

## Massachusetts Right To Know

This product contains components that are reportable under the regulation.

Pennsylvania Right To Know

This product contains components that are reportable under

the regulation.

**New Jersey Right To Know** 

This product contains components that are reportable under

the regulation.

California Prop 65 WARNING! This product contains a chemical known to the

State of California to cause cancer.

#### The components of this product are reported in the following inventories:

EINECS (European Union) : On the inventory, or in compliance with the inventory

SWISS (Switzerland) : On the inventory, or in compliance with the inventory

TSCA (United States) : On TSCA Inventory

DSL/NDSL (Canada) : All components of this product are on the Canadian DSL.

AICS (Australia) : On the inventory, or in compliance with the inventory

NZioC (New Zealand) : On the inventory, or in compliance with the inventory

ENCS (Japan) : On the inventory, or in compliance with the inventory

ISHL (Japan) : On the inventory, or in compliance with the inventory

KECI (Korea) : On the inventory, or in compliance with the inventory

PICCS (Philippines) : On the inventory, or in compliance with the inventory

IECSC (China) : On the inventory, or in compliance with the inventory

TCSI (Taiwan) : On the inventory, or in compliance with the inventory

CICR (Turkey) : On the inventory, or in compliance with the inventory



According to OSHA Hazard Communication Standard 29CFR 1910.1200 (HCS 2012)

1429003 SS Black DRY Pak 1.1 LB

 Product specification
 RS\_FP\_606019
 Revision Date
 06/17/2019

 Version
 1.0
 Print Date
 06/19/2019

 Material number
 1429003
 Page
 Page 9 of 9

INSQ (Mexico) : On the inventory, or in compliance with the inventory

## **SECTION 16. OTHER INFORMATION**

Revision Date : 06/17/2019

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN