

According to OSHA Hazard Communication Standard 29CFR 1910.1200 (HCS 2012)

40-31011 QS Sea Breeze LIQ Bottle 1435837 Product specification **Revision Date** 02/28/2020 RS\_FP\_606376 Version 1.0 Print Date 02/28/2020 1435837 Material number Page Page 1 of 11

# **SECTION 1. IDENTIFICATION**

Product name : 1435837

40-31011 QS Sea Breeze LIQ Bottle

Material number : 1435837

Manufacturer or supplier's details

Company name of supplier Ferro Corporation

Address 6060 Parkland Blvd. Suite 250

Mayfield Heights OH 44124-4185

Telephone (216) 875-5600

**Emergency telephone number** 

In-Country Number (800)424-9300

CHEMTREC Global Number : +(1)-703-527-3887 (Call Collect)

Recommended use of the chemical and restrictions on use

Consult the technical guidelines for the use of this Recommended use

substance/mixture.

### **SECTION 2. HAZARDS IDENTIFICATION**

**GHS Classification** 

Eye irritation : Category 2A

**GHS Label element** 

Hazard pictograms



Signal word Warning

Hazard statements H319 Causes serious eye irritation.

Precautionary statements Prevention:

> P264 Wash skin thoroughly after handling.

P280 Wear eye protection/ face

protection.

Response:

P305 + P351 +

IF IN EYES: Rinse cautiously with P338 water for several minutes. Remove

contact lenses, if present and easy

to do. Continue rinsing.

P337 + P313 If eye irritation persists: Get medical

advice/ attention.

# Other hazards

None known.



According to OSHA Hazard Communication Standard 29CFR 1910.1200 (HCS 2012)

 1435837
 40-31011 QS Sea Breeze LIQ Bottle

 Product specification
 RS\_FP\_606376
 Revision Date
 02/28/2020

 Version
 1.0
 Print Date
 02/28/2020

 Material number
 1435837
 Page
 Page 2 of 11

#### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

Chemical nature : organic dye, metal oxide/hydroxide, inorganic salt, water, salt

of organic acids/bases

### **Hazardous components**

Chemical Name	CAS-No.	Concentration (%)
C.I. Pigment Green 7	1328-53-6	>= 20 - < 30
barium sulphate	7727-43-7	>= 10 - < 20
C.I. Pigment Blue 15	147-14-8	>= 5 - < 10
titanium dioxide	13463-67-7	>= 1 - < 5
docusate sodium	577-11-7	>= 1 - < 5

#### **SECTION 4. FIRST AID MEASURES**

General advice : Consult a physician. If inhaled : Remove to fresh air.

If symptoms persist, call a physician.

In case of skin contact : If skin irritation persists, call a physician.

In case of eye contact : Rinse immediately with plenty of water and seek medical

advice.

If swallowed : If accidentally swallowed obtain immediate medical attention.

Most important symptoms and effects, both acute and

delayed

: Causes serious eye irritation.

# **SECTION 5. FIREFIGHTING MEASURES**

Suitable extinguishing media : Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Specific hazards during

firefighting

: Do not allow run-off from fire fighting to enter drains or water

courses.

Special protective equipment

for firefighters

: In the event of fire, wear self-contained breathing apparatus.

# **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures

: Follow safe handling advice and personal protective

equipment recommendations.

Environmental precautions : Do not allow uncontrolled discharge of product into the

environment.

Methods and materials for containment and cleaning up

: Sweep up and shovel into suitable containers for disposal. Clean contaminated floors and objects thoroughly while



According to OSHA Hazard Communication Standard 29CFR 1910.1200 (HCS 2012)

1435837		40-31011 QS Sea Br	40-31011 QS Sea Breeze LIQ Bottle		
Product specification	RS_FP_606376	Revision Date	02/28/2020		
Version	1.0	Print Date	02/28/2020		
Material number	1435837	Page	Page 3 of 11		

observing environmental regulations.

# **SECTION 7. HANDLING AND STORAGE**

Advice on safe handling : Avoid inhalation, ingestion and contact with skin and eyes. Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated

place.

# **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

# Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
C.I. Pigment Green 7	1328-53-6	TWA	1 mg/m3 (Copper)	NIOSH REL
barium sulphate	7727-43-7	TWA (Respirable)	5 mg/m3	NIOSH REL
		TWA (total)	10 mg/m3	NIOSH REL
		TWA (total dust)	15 mg/m3	OSHA Z-1
		TWA (respirable fraction)	5 mg/m3	OSHA Z-1
		TWA (Total dust)	10 mg/m3	OSHA P0
		TWA (respirable dust fraction)	5 mg/m3	OSHA P0
		TWA (Inhalable fraction)	5 mg/m3	ACGIH
C.I. Pigment Blue 15	147-14-8	TWA	1 mg/m3 (Copper)	NIOSH REL
titanium dioxide	13463-67-7	TWA (total dust)	15 mg/m3	OSHA Z-1
		TWÁ (Total dust)	10 mg/m3	OSHA P0
		TWA	10 mg/m3 (Titanium dioxide)	ACGIH

# Hazardous components without workplace control parameters

Components	CAS-No.
docusate sodium	577-11-7

**Engineering measures** : Apply technical measures to comply with the occupational

exposure limits.



According to OSHA Hazard Communication Standard 29CFR 1910.1200 (HCS 2012)

 1435837
 40-31011 QS Sea Breeze LIQ Bottle

 Product specification Version
 RS\_FP\_606376
 Revision Date
 02/28/2020

 Version
 1.0
 Print Date
 02/28/2020

 Material number
 1435837
 Page
 Page 4 of 11

Provide adequate ventilation.

Personal protective equipment

Respiratory protection : When workers are facing concentrations above the exposure

limit they must use appropriate certified respirators.

Hand protection : For prolonged or repeated contact use protective gloves.

Eye protection : Safety glasses

Protective measures : Wear suitable protective equipment.

When using do not eat, drink or smoke.

Hygiene measures : Wash hands before breaks and immediately after handling

the product.

#### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : paste Colour : green

Odour : characteristic
Odour Threshold : No data available

Melting point/freezing point : No data available Boiling point/boiling range : No data available

Flash point : No data available Upper explosion limit : No data available

Lower explosion limit : No data available

Relative vapour density

Solubility(ies)

Water solubility : soluble

Auto-ignition temperature : Not determined
Oxidizing properties : No data available
Refractive index : No data available

Volatile organic compounds

(VOC) content

: This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final

VOC's (40 CFR 60.489).

: No data available

This product does not contain any VOC exemptions listed

under the U.S. Clean Air Act Section 450.

#### **SECTION 10. STABILITY AND REACTIVITY**

Reactivity : No dangerous reaction known under conditions of normal use.

Chemical stability : The product is chemically stable.

# **SECTION 11. TOXICOLOGICAL INFORMATION**

Information on likely routes of exposure



According to OSHA Hazard Communication Standard 29CFR 1910.1200 (HCS 2012)

 1435837
 40-31011 QS Sea Breeze LIQ Bottle

 Product specification
 RS\_FP\_606376
 Revision Date
 02/28/2020

 Version
 1.0
 Print Date
 02/28/2020

 Material number
 1435837
 Page
 Page 5 of 11

inhalation (dust/mist/fume)

Skin

Eye contact

## **Acute toxicity**

Not classified based on available information.

**Product:** 

Acute oral toxicity : Acute toxicity estimate: > 5,000 mg/kg

Method: Calculation method

Components:

C.I. Pigment Green 7:

Acute oral toxicity : LD50 Oral (Rat): > 5,000 mg/kg

Acute dermal toxicity : LD50 (Rat, male): > 5,000 mg/kg

C.I. Pigment Blue 15:

Acute oral toxicity : LD50 Oral (Rat): > 10,000 mg/kg

titanium dioxide:

Acute oral toxicity : LD50 (Rat): 10,000 mg/kg

docusate sodium:

Acute oral toxicity : LD50 Oral (Rat): > 3,000 mg/kg

Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 Dermal (Rabbit): > 10,000 mg/kg

Method: OECD Test Guideline 402

## Skin corrosion/irritation

Not classified based on available information.

### Components:

# titanium dioxide:

Species: Rabbit Exposure time: 4 h

Method: OECD Test Guideline 404

Result: No skin irritation

GLP: yes

docusate sodium:

Species: Rabbit

Method: OECD Test Guideline 404

Result: Irritating to skin.

# Serious eye damage/eye irritation

Causes serious eye irritation.

Components:

titanium dioxide:



According to OSHA Hazard Communication Standard 29CFR 1910.1200 (HCS 2012)

 1435837
 40-31011 QS Sea Breeze LIQ Bottle

 Product specification
 RS\_FP\_606376
 Revision Date
 02/28/2020

 Version
 1.0
 Print Date
 02/28/2020

 Material number
 1435837
 Page
 Page 6 of 11

Species: Rabbit

Result: No eye irritation Exposure time: 4 h

Method: OECD Test Guideline 405

GLP: yes

## docusate sodium:

Species: Rabbit

Result: Risk of serious damage to eyes.

Exposure time: 72 h

Method: OECD Test Guideline 405

### Respiratory or skin sensitisation

Skin sensitisation: Not classified based on available information.

Respiratory sensitisation: Not classified based on available information.

### Germ cell mutagenicity

Not classified based on available information.

## Carcinogenicity

Not classified based on available information.

IARC No component of this product present at levels greater than or

equal to 0.1% is identified as probable, possible or confirmed

human carcinogen by IARC.

**OSHA**No component of this product present at levels greater than or

equal to 0.1% is identified as a carcinogen or potential

carcinogen by OSHA.

NTP No component of this product present at levels greater than or

equal to 0.1% is identified as a known or anticipated carcinogen

by NTP.

## Reproductive toxicity

Not classified based on available information.

# STOT Specific Target Organ Toxicity - single exposure

Not classified based on available information.

# STOT Specific Target Organ Toxicity - repeated exposure

Not classified based on available information.

# **Aspiration toxicity**

Not classified based on available information.

### **SECTION 12. ECOLOGICAL INFORMATION**

# **Ecotoxicity**

#### **Components:**

C.I. Pigment Green 7:



According to OSHA Hazard Communication Standard 29CFR 1910.1200 (HCS 2012)

 1435837
 40-31011 QS Sea Breeze LIQ Bottle

 Product specification
 RS\_FP\_606376
 Revision Date
 02/28/2020

 Version
 1.0
 Print Date
 02/28/2020

 Material number
 1435837
 Page
 Page 7 of 11

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): 752.4 mg/l

Exposure time: 96 h

Toxicity to daphnia and other

aquatic invertebrates

: EC50 (Daphnia (water flea)): 500 mg/l

Exposure time: 48 h

titanium dioxide:

Toxicity to fish : NOEC (Danio rerio (zebra fish)): >= 500 mg/l

Exposure time: 96 h
Test Type: semi-static test

Method: OECD Test Guideline 203

GLP: yes

Toxicity to daphnia and other

aquatic invertebrates

LC50 (Chironomus sp. (midge)): >= 100 mg/l

Exposure time: 48 h

docusate sodium:

Toxicity to fish : LC50 (Fish): 20 mg/l

Exposure time: 96 h

Test Type: flow-through test

Toxicity to daphnia and other

aquatic invertebrates

EC50 (Daphnia (water flea)): 36 mg/l

Exposure time: 48 h Test Type: static test

### Persistence and degradability

Components:

C.I. Pigment Green 7:

Biodegradability : Remarks: No data available

barium sulphate:

Biodegradability : Remarks: No data available

C.I. Pigment Blue 15:

Biodegradability : Remarks: No data available

titanium dioxide:

Biodegradability : Remarks: No data available

docusate sodium:

Biodegradability : Remarks: No data available

**Bioaccumulative potential** 

**Components:** 

C.I. Pigment Green 7:

Bioaccumulation : Remarks: No data available

barium sulphate:

Bioaccumulation : Remarks: No data available



According to OSHA Hazard Communication Standard 29CFR 1910.1200 (HCS 2012)

 1435837
 40-31011 QS Sea Breeze LIQ Bottle

 Product specification
 RS\_FP\_606376
 Revision Date
 02/28/2020

 Version
 1.0
 Print Date
 02/28/2020

 Material number
 1435837
 Page
 Page 8 of 11

C.I. Pigment Blue 15:

Bioaccumulation : Remarks: No data available

Partition coefficient: n- : Pow: 6.6 (25 °C)

octanol/water

,

titanium dioxide:

Bioaccumulation : Remarks: No data available

docusate sodium:

Bioaccumulation : Remarks: No data available

Mobility in soil

Components:

C.I. Pigment Green 7:

Distribution among :

environmental compartments

barium sulphate:

Distribution among

environmental compartments

C.I. Pigment Blue 15:

Distribution among

environmental compartments

titanium dioxide:

Distribution among

environmental compartments

docusate sodium:

Distribution among

environmental compartments

: Remarks: No data available

Other adverse effects

**Product:** 

Ozone-Depletion Potential : Regulation: 40 CFR Protection of Environment; Part 82

Protection of Stratospheric Ozone - CAA Section 602 Class I

Substances

Remarks: This product neither contains, nor was

manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A +

B).

**SECTION 13. DISPOSAL CONSIDERATIONS** 

**Disposal methods** 

Waste from residues : Dispose of wastes in an approved waste disposal facility.

**SECTION 14. TRANSPORT INFORMATION** 



According to OSHA Hazard Communication Standard 29CFR 1910.1200 (HCS 2012)

 1435837
 40-31011 QS Sea Breeze LIQ Bottle

 Product specification
 RS\_FP\_606376
 Revision Date
 02/28/2020

 Version
 1.0
 Print Date
 02/28/2020

 Material number
 1435837
 Page
 Page 9 of 11

### IATA-DGR

Not regulated as a dangerous good

### **IMDG-Code**

Not regulated as a dangerous good

# Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

# **National Regulations**

#### **49 CFR**

Not regulated as a dangerous good

### **SECTION 15. REGULATORY INFORMATION**

TSCA list : TSCA\_12b - Not relevant

TSCA list : TSCA 5a - Not relevant

## **EPCRA - Emergency Planning and Community Right-to-Know Act**

### **CERCLA Reportable Quantity**

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
methyloxirane	75-56-9	100	*
formaldehyde	50-00-0	100	*

<sup>\*:</sup> Calculated RQ exceeds reasonably attainable upper limit.

### SARA 304 Extremely Hazardous Substances Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
methyloxirane	75-56-9	100	*
formaldehyde	50-00-0	100	*

<sup>\*:</sup> Calculated RQ exceeds reasonably attainable upper limit.

SARA 311/312 Hazards : Acute Health Hazard

SARA 302 : No chemicals in this material are subject to the reporting

requirements of SARA Title III, Section 302.

SARA 313 : This material does not contain any chemical components with

known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Clean Air Act



According to OSHA Hazard Communication Standard 29CFR 1910.1200 (HCS 2012)

 1435837
 40-31011 QS Sea Breeze LIQ Bottle

 Product specification
 RS\_FP\_606376
 Revision Date
 02/28/2020

 Version
 1.0
 Print Date
 02/28/2020

 Material number
 1435837
 Page
 Page 10 of 11

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 12 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489).

#### **Clean Water Act**

This product contains components that are reportable under the regulation. This product contains components that are reportable under the regulation.

This product contains components that are reportable under the regulation.

# Massachusetts Right To Know

This product contains components that are reportable under

the regulation.

Pennsylvania Right To Know

This product contains components that are reportable under

the regulation.

**New Jersey Right To Know** 

This product contains components that are reportable under

the regulation.

California Prop 65 WARNING! This product contains a chemical known to the

State of California to cause cancer.

## The components of this product are reported in the following inventories:

EINECS (European Union) : Not in compliance with the inventory

SWISS (Switzerland) : Not in compliance with the inventory

TSCA (United States) : On TSCA Inventory

DSL/NDSL (Canada) : All components of this product are on the Canadian DSL.

AICS (Australia) : On the inventory, or in compliance with the inventory

NZioC (New Zealand) : On the inventory, or in compliance with the inventory

ENCS (Japan) : On the inventory, or in compliance with the inventory

ISHL (Japan) : On the inventory, or in compliance with the inventory

KECI (Korea) : On the inventory, or in compliance with the inventory

PICCS (Philippines) : On the inventory, or in compliance with the inventory

IECSC (China) : On the inventory, or in compliance with the inventory



According to OSHA Hazard Communication Standard 29CFR 1910.1200 (HCS 2012)

1435837		40-31011 QS Sea Br	40-31011 QS Sea Breeze LIQ Bottle		
Product specification	RS_FP_606376	Revision Date	02/28/2020		
Version	1.0	Print Date	02/28/2020		
Material number	1435837	Page	Page 11 of 11		

TCSI (Taiwan) : On the inventory, or in compliance with the inventory

CICR (Turkey) : Not in compliance with the inventory

INSQ (Mexico) : Not in compliance with the inventory

#### **SECTION 16. OTHER INFORMATION**

Revision Date : 02/28/2020

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN