



## SAFETY DATA SHEETS

DURA-EZ ACCENT

### SECTION 1: COMPANY AND PRODUCT INFORMATION

**Manufacturer's Name / Address:**

**DURACORP**  
2560 Jason Court  
Oceanside, CA 92056  
(760) 758-7240

**Emergency Phone:**  
CHEMTREC 800-424-9300

**Trade Name:** DURA-EZ Accent (AC)**Chemical Family:** Water based Acrylic Concrete Stain**Intended Use:** Coloring concrete surfaces**D.O.T. Proper Shipping Name:** Water Based Paint

### SECTION 2: COMPOSITION / INGREDIENT INFORMATION

Hazardous Component	OSHA PEL	ACGIH TLV	CAS Number	% (Optional)	
Propylene Glycol	57-55-6	NE	NE	NE	<30%

**VOC of Component:** NR**VOC As Applied:** NR

### SECTION 3: HAZARD IDENTIFICATION

**Primary Routes of Entry:** X Eye X Inhalation X Skin Contact X Ingestion**Overexposure Effects:** No anticipated effects. This product does not contain regulated levels of NTP, IARC, or**OSHA Conditions Aggravated by Exposure:** No known effects.**Health Hazards (Acute and Chronic Exposures):****Eyes:** Eye contact with liquid may cause irritation.**Skin Absorption:** Repeated or prolonged skin contact with liquid may cause irritation.**Inhalation:** No expected effects.**Ingestion:** Small amounts are unlikely to cause injury; large amounts may cause more serious effects.

### SECTION 4: FIRST AID MEASURES

**Eyes:** DO NOT RUB EYES. Immediately flush eyes with large amounts of water for at least 15 minutes. Seek medical attention as soon as possible.**Skin:** Wash with soap and water and remove soiled clothing. Wash contaminated clothing before reuse.**Inhalation:** Move victim to fresh air at once.**Ingestion:** Seek medical attention immediately.

## SAFETY DATA SHEETS

DURA-EZ ACCENT



Page 2 of 4

### SECTION 5: FIRE FIGHTING MEASURES

**Flash Point (°C):** None  
**Conditions of Flammability:** None  
**Flammable Limits:** **LEL:** NA **UEL:** NA  
**Autoignition Temperature (°C):** None  
**Hazardous Combustion Products:** NE  
**Sensitivity to Impact:** NE  
**Sensitivity to Static Discharge:** None  
**Extinguishing Media:** Product is not flammable in the liquid state. Use water spray, foam, dry chemical or carbon dioxide on dried product.

**Special Firefighting Procedures:** Personnel exposed to products of combustion should wear self-contained breathing apparatus and full protective equipment. Containers exposed in a fire should be cooled with water to prevent vapor pressure buildup leading to a rupture.

**Unusual Fire and Explosion Hazards:** None

### SECTION 6: ACCIDENTAL RELEASE MEASURE

**Steps to be Taken in Case of Material Release or Spillage:** Shovel or soak up spilled material into plastic container and reuse or remove to approved chemical waste disposal area. Flush area with water directing runoff to appropriate treatment or disposal container. Never flush to sewer. Major spills should be report according to regulations.

**Waste Disposal Methods:** Dispose of waste in accordance with federal, state and local regulations

### SECTION 7: HANDLING AND STORAGE

**General:** Prevent all skin contact.  
Avoid breathing Vapors.  
Re-seal partially used containers.  
Store under cool, dry conditions and away from open flames and high temperatures.

### SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

**Engineering Controls:** Ventilation must be sufficient to control vapor. Breathing of vapors must be avoided.

**Respiratory Protection:** Whenever exposure to vapor/mist is likely unless levels are below applicable limits, wear a properly fitted NIOSH/MSHA approved respirator. For emergencies, a self-contained breathing apparatus or full faces respirator is recommended

**Protective Gloves:** impervious gloves, neoprene or rubber.

**Eye Protection:** Safety eyewear including splash guards or side shields, chemical goggles, or face shield.

**Other protective Equipment:** Clean, body-covering clothes. Further safety equipment (apron, footwear, etc.) should be used as necessary to prevent contact with material.

## SAFETY DATA SHEETS

**DURA-EZ ACCENT**

### SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

<b>Boiling Point (°C):</b>	>100°C	<b>Specific Gravity:</b>	NE
<b>Vapor Pressure:</b>	NE	<b>Melting Point:</b>	NE
<b>Vapor Density:</b> (Air = 1)	NA	<b>Evaporation Rate:</b> (Butyl Acetate = 1)	NE
<b>Solubility in Water:</b>	Yes (Dilutable)	<b>pH:</b>	ND
<b>Freezing Point</b>	<0°C		
<b>Coefficient of Oil/Water Distribution:</b>	NA		
<b>Appearance and Odor:</b>	Colored liquid with mild odor.		

### SECTION 10: STABILITY AND REACTIVITY DATA

**Chemical Stability:** X Stable                      Unstable  
**Conditions to Avoid:** Contact with oxidizing agents.  
**Incompatibility (Materials to Avoid) : Oxidizers**  
**Hazardous Decomposition Products:** Combustion of dried product can yield low molecular weight hydrocarbons such as carbon monoxide and carbon dioxide.  
**Hazardous Polymerization (Reactivity) :** May Occur X Will Not Occur

### SECTION 11: TOXICOLOGICAL INFORMATION

N/A

### SECTION 12: ECOLOGICAL INFORMATION

N/A

### SECTION 13: DISPOSAL CONSIDERATION

Waste Disposal Methods: Dispose of waste in accordance with federal, state and local regulations

### SECTION 14: TRANSPORT INFORMATION

**DOT Proper Shipping Name:** Water Based  
 Paint **Hazard Class:** NR  
**UN Number:** NR  
**Packing Group:** NR

### SECTION 15: REGULATORY INFORMATION

Health: 1                      Flammability: 1                      Reactivity: 0

**California Proposition 65:** None

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, express or implied, is made with respect to the accuracy of the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects, which may be caused by exposure to our products. Customers and users of this product must comply with all applicable health and safety laws, regulations and orders.

## SAFETY DATA SHEETS

DURA-EZ ACCENT

### SECTION 16: OTHER INFORMATION

**Initial Issue Date:** 08-09-07    **Revision Date:** June 6, 2013    **Prepared By:** L. Anderson

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, express or implied, is made with respect to the accuracy of the information contained herein. PROLINE *Dura*-Corp accepts no responsibility and disclaims all liability for any harmful effects, which may be caused by exposure to our products. Customers and users of this product must comply with all applicable health and safety laws, regulations and orders.

(NA = Not Applicable) (NE = Not Established) (ND = No Data) (NR = Not Required)