


Pearl®

4PWP 80

Performance Curves at 3450 r.p.m.

2" DISCHARGE



Selection Chart

MODEL	STAGES	MOTOR		Q = FLOW																								PUMP END									
				H = TOTAL HEAD IN METERS / FEET																																	
				m																								mm	in	kgs	lbs						
				ft																																	
4PWP 80G20	4	1.5	2	32	104	30	100	28	92	27	90	27	88	26	85	24	80	24	78	23	75	21	70	21	68	18	60	14	45	11	35	10	32	378	14.7	3.6	8
4PWP 80G30	5	2.2	3	45	148	39	128	38	125	37	121	36	118	35	115	34	112	33	108	32	105	31	102	29	95	27	89	25	82	20	66	17	56	472	18.6	4.4	9.7
4PWP 80G50	9	4	5	82	269	70	230	70	230	68	223	66	216	63	207	61	200	58	197	56	187	53	173	51	167	45	148	39	128	33	108	26	85	743	29.3	6.9	15.2
4PWP 80G75	14	5.5	7.5	126	413	110	361	107	351	104	341	101	331	97	318	93	305	89	292	85	279	80	262	76	249	67	220	62	203	48	157	38	125	1081	42.6	9.9	21.9

Weight and Dimensions with Pearl 4" Motors

MODEL	HP	KW	PUMP END H1				1 PH MOTOR - 3W						1 PH MOTOR - 2W						3 PH MOTOR - 3W					
			HEIGHT		WEIGHT		MOTOR H2		PUMP + MOTOR				MOTOR H2		PUMP + MOTOR				MOTOR H2		PUMP + MOTOR			
			inch	cm	lbs	kg	inch	cm	inch	cm	lbs	kg	inch	cm	inch	cm	lbs	kg	inch	cm	inch	cm	lbs	kg
4PWP 25G10	1	0.75	12.6	32.0	6.9	3.1	11.3	28.6	23.9	60.6	26.7	12.1	17.9	45.5	30.5	77.5	27.4	12.4	10.5	26.6	23.1	58.6	24.5	11.1
4PWP 25G15	1.5	1.1	14.6	37.0	7.7	3.5	13.0	33.1	27.6	70.1	32.0	14.5	19.7	50.0	34.3	87.0	32.7	14.8	11.3	28.6	25.8	65.6	27.6	12.5
4PWP 25G20	2	1.5	16.5	41.9	8.6	3.9	15.5	39.3	32.0	81.2	37.3	16.9							13.7	34.8	30.2	76.7	32.9	14.9
4PWP 25G30	3	2.2	20.4	51.8	10.4	4.7	16.3	41.3	36.7	93.1	40.9	18.5							15.5	39.3	35.9	91.1	39.1	17.7
4PWP 25G50	5	3.7	32.5	82.6	15.7	7.1	26.9	68.4	59.4	151.0	74.3	33.6							24.2	61.4	56.7	144.0	66.5	30.1
4PWP 35G10	1	0.75	14.1	35.9	7.5	3.4	11.3	28.6	25.4	64.5	27.4	12.4	17.9	45.5	31.8	80.8	28.1	12.7	10.5	26.6	24.6	62.5	25.2	11.4
4PWP 35G15	1.5	1.1	16.6	42.1	8.8	4.0	13.0	33.1	29.6	75.2	33.2	15.0	19.7	50.0	36.3	92.1	33.8	15.3	11.3	28.6	27.8	70.7	28.7	13.0
4PWP 35G20	2	1.5	19.0	48.3	10.2	4.6	15.5	39.3	34.5	87.6	38.9	17.6							13.7	34.8	32.7	83.1	34.5	15.6
4PWP 35G30	3	2.2	23.9	60.7	12.6	5.7	16.3	41.3	40.2	102.0	43.1	19.5							15.5	39.3	39.4	100.0	41.3	18.7
4PWP 35G50	5	3.7	35.2	89.3	17.9	8.1	26.9	68.4	62.1	157.7	76.5	34.6							24.2	61.4	59.3	150.7	68.7	31.1
4PWP 35G75	7.5	5.5	49.5	125.7	25.6	11.6													26.9	68.4	76.4	194.1	84.4	38.2
4PWP 40G15	1.5	1.1	12.8	32.5	6.9	3.1	13.0	33.1	25.8	65.6	31.2	14.1	19.7	50.0	32.5	82.5	31.8	14.4	11.3	28.6	24.1	61.1	26.7	12.1
4PWP40G20	2	1.5	14.0	35.6	7.5	3.4	15.5	39.3	29.5	74.9	36.2	16.4							13.7	34.8	27.7	70.4	31.8	14.4
4PWP 40G30	3	2.2	16.5	41.8	8.8	4.0	16.3	41.3	32.7	83.1	39.3	17.8							15.5	39.3	31.9	81.1	37.6	17.0
4PWP 40G50	5	3.7	23.8	60.4	12.6	5.7	26.9	68.4	50.7	128.8	71.2	32.2							24.2	61.4	48.0	121.8	63.4	28.7
4PWP 40G75	7.5	5.5	33.8	85.9	17.2	7.8													26.9	68.4	60.7	154.3	76.0	34.4
4PWP 55G15	1.5	1.1	17.0	43.3	9.5	4.3	13.0	33.1	30.1	76.4	33.8	15.3	19.7	50.0	36.7	93.3	34.5	15.6	11.3	28.6	28.3	71.9	29.4	13.3
4PWP 55G20	2	1.5	21.1	53.7	11.7	5.3	15.5	39.3	36.6	93.0	40.4	18.3							13.7	34.8	34.8	88.5	36.0	16.3
4PWP 55G30	3	2.2	25.2	64.1	13.7	6.2	16.3	41.3	41.5	105.4	44.2	20.0							15.5	39.3	40.7	103.4	42.4	19.2
4PWP 55G50	5	3.7	37.5	95.3	19.9	9.0	26.9	68.4	64.4	163.7	78.5	35.5							24.2	61.4	61.7	156.7	70.7	32.0
4PWP 55G75	7.5	5.5	53.0	134.5	27.2	12.3													26.9	68.4	79.9	202.9	86.0	38.9
4PWP 60G15	1.5	1.1	14.9	37.8	8.6	3.9	13.0	33.1	27.9	70.9	32.9	14.9	19.7	50.0	34.6	87.8	33.6	15.2	11.3	28.6	26.1	66.4	28.5	12.9
4PWP 60G20	2	1.5	16.9	43.0	9.7	4.4	15.5	39.3	32.4	82.3	38.5	17.4							13.7	34.8	30.6	77.8	34.0	15.4
4PWP 60G30	3	2.2	21.0	53.4	11.7	5.3	16.3	41.3	37.3	94.7	42.2	19.1							15.5	39.3	36.5	92.7	40.4	18.3
4PWP 60G50	5	3.7	29.2	74.2	15.9	7.2	26.9	68.4	56.1	142.6	74.5	33.7							24.2	61.4	53.4	135.6	66.7	30.2
4PWP 60G75	7.5	5.5	43.0	109.2	22.3	10.1													26.9	68.4	69.9	177.6	81.1	36.7
4PWP 80G30	3	2.2	18.6	47.2	9.7	4.4	16.3	41.3	34.8	88.5	40.2	18.2							15.5	39.3	34.1	86.5	38.5	17.4
4PWP 80G50	5	3.7	29.3	74.3	12.4	5.6	26.9	68.4	56.2	142.7	70.9	32.1							24.2	61.4	53.4	135.7	63.2	28.6
4PWP 80G75	7.5	5.5	42.6	108.1	21.9	9.9													26.9	68.4	69.5	176.5	80.7	36.5