



SECTION 1: Identification and Company Details

Product Name: THINSET SUBMERSIBLE WATERLINE

Product Name:

Product Code: 030122

Manufacturer/Supplier: Premix- Marbletite

Address: 1259 N.W. 21st Street
Pompano Beach, FL 33069

Emergency Phone: (800) 424-9300 (24-hour Response/Chemtrec)

Product Information: (800) 432-5097

Recommended Use: Mortar

GHS Ratings:

SECTION 2: Hazards Identification

Oral Toxicity	Acute Tox. 4	Oral>300+<=2000mg/kg
Carcinogen	1A	Known Human Carcinogen Based on human evidence

GHS Hazards

H302	Harmful if swallowed
H350	May cause cancer

GHS Precautions

P201	Obtain special instructions before use
P202	Do not handle until all safety precautions have been read and understood
P264	Wash ... thoroughly after handling
P270	Do not eat, drink or smoke when using this product
P281	Use personal protective equipment as required
P330	Rinse mouth
P301+P312	IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell
P308+P313	IF exposed or concerned: Get medical advice/attention
P405	Store locked up
P501	Dispose of contents/container to ...

Signal Word: Danger



Chemical Name	CAS number	Weight Concentration %
SECTION 3: Composition / Information on Ingredients		
Quartz	14808-60-7	57-66%
Cement, portland, chemicals	65997-15-1	3-37.7%
Marble Dust	1317-65-3	0-36.8%

SECTION 4: First-Aid Measures

Inhalation:

Move victim to fresh air. If breathing is irregular or stopped, administer artificial respiration. Consult physician if symptoms develop and persist.

Eye Contact:

Rinse eyes with water with eyelids open for a at least 15 minutes. Remove contact lenses if possible. Consult physician in necessary.

Skin Contact:

Immediately take off all contaminated clothing and dsipose safely. Wash skin immediately with soap and plenty of water. Get Meddical attention if necessary.

Ingestion:

Do not induce vomiting. Wash mouth with water. Consilt physician if necessary.

SECTION 5: Fire-Fighting Measures

Flash Point: N/A

LEL:

UEL:

Extingusihing media:

Suitable extinguishing media: Water and Carbon dioxide (CO2).

Unsuitable extinguishing media: None

Do not inhale explosion and combustion gases.

Fire Equipment and precautions for fire- fighters:

Use suitable respiratory protection. Collect contaminated fire extinguishing water separtly. Do not discharge into drains. Move undamaged containers from immediate hazard area, if it can be done safely.

Personal Precautions:

SECTION 6: Accidental Release Measures

Use personal protection equipment. Provide adequate ventilation. Use appropriate respiratory protection.

Methods of Containment:

Sweep and transfer dry product to containers. Place wet product in proper ontainers and allow product to harden. Keep spills and cleaning runoff out of municipal sewers and open water.

Mrethods of Clean-Up:

Wash with plenty of water.

Handling Precautions:

SECTION 7: Handling and Storage

Provide good ventilation. Avoid contact with skin and eyes, inhalation of vapors and mists. Don't re-use empty container before they have been cleaned. Contaminated clothing should be safely changed before entering esating areas. Do not eat or drink while using this product.

Storage:

Stor in a cool, dry location. Always keep in a well ventilated place. Keep out of direct sunlight.

SECTION 8: Exposure Control / Personal Protection

Chemical Name / CAS No.	OSHA Exposure Limits	ACGIH Exposure Limits	Other Exposure Limits
Quartz 14808-60-7	Not Established	0.025 mg/m3 TWA (respirable fraction)	NIOSH: 0.05 mg/m3 TWA (respirable dust)

Cement, portland, chemicals 65997-15-1	15 mg/m3 TWA (total dust); 5 mg/m3 TWA (respirable fraction)	1 mg/m3 TWA (particulate matter containing no asbestos and <1% crystalline silica, respirable fraction)	NIOSH: 10 mg/m3 TWA (total dust); 5 mg/m3 TWA (respirable dust)
Marble Dust 1317-65-3	15 mg/m3 TWA (total dust); 5 mg/m3 TWA (respirable fraction)	Not Established	NIOSH: 10 mg/m3 TWA (total dust); 5 mg/m3 TWA (respirable dust)

Engineering Controls: Provide adequate ventilation.

Personal Protection:

Eye/Face Protection: Use close fitting safety goggles, don't use eye lenses.

Skin Protection: Use clothing that provides comprehensive protection to the skin, e.g. cotton, rubber or PVC. Permeation resistant gloves (butyl, rubber, PVC or polyvinyl alcohol).

Respiratory Protection: Use adequate protective respiratory equipment.

SECTION 9: Physical and Chemical Properties

Boiling Point 2230 °C	% Volume Volatile 0.00
Specific Gravity (SG) 1.000	Lbs VOC/Gallon Less Water 0.00

SECTION 10: Stability and Reactivity

Chemical Stability: Stable under normal temperature conditions and recommended use.

STABLE

Conditions to Avoid: Stable under normal temperature conditions and recommended use.

Hazardous Decomposition Preamble: None

Hazardous polymerization will not occur.

SECTION 11: Toxicological Information

Mixture Toxicity

Oral Toxicity LD50: 783mg/kg

Eyes Skin Respiratory System

Effects of Overexposure

<u>CAS Number</u>	<u>Description</u>	<u>% Weight</u>	<u>Carcinogen Rating</u>
14808-60-7	Quartz	57-66%	Quartz: NIOSH: potential occupational carcinogen IARC: Human carcinogen OSHA: listed

SECTION 12: Ecological Information

Component Ecotoxicity - Keep from entering sewers and water ways. May cause adverse effects to the aquatic environment.

SECTION 13: Disposal Considerations

Disposal: Dispose of waste and residues in accordance with local, state, federal, provincial authority requirements.
Wastes or Residues: Same as above.

Road: DOT Proper Shipping Name:
DOT Packing Group: N/A

SECTION 14: Transport Information

Ocean: DOT Label: N/A
UN Number: N/A
Proper Shipping Name:
Sea-IMO/IMDG Class: N/A
UN Number: N/A
Label: N/A
Packing Group: N/A
Marine Pollutant: N/A
EMS: N/A

<u>Agency</u>	<u>Proper Shipping Name</u>	<u>UN Number</u>	<u>Packing Group</u>	<u>Hazard Class</u>
---------------	-----------------------------	------------------	----------------------	---------------------

SECTION 15: Regulatory Information

14808-60-7 57-66% Quartz
14808-60-7 Quartz

U.S. Prop 65 Carcinogens List
14808-60-7 Quartz 57-66%

NJ RTK
1317-65-3 Marble Dust
65997-15-1 Cement, portland, chemicals
14808-60-7 Quartz

Pennsylvania RTK
1317-65-3 1317-65-3
65997-15-1 65997-15-1
14808-60-7 14808-60-7

Massachusetts RTK
1317-65-3 Marble Dust
65997-15-1 Cement, portland, chemicals
14808-60-7 Quartz

Chemicals listed under the TSCA control act.
1317-65-3 Marble Dust 0-36.8 %
65997-15-1 Cement, portland, chemicals 3-37.7%
14808-60-7 Quartz 57-66%

Country

Regulation

All Components Listed

EU Risk Phrases

Safety Phrase

- None

SECTION 16: Other Information

This Safety Data Sheet is prepared to comply with the United States Occupational Safety and Health Administration (OSHA) Hazard Communication Standard (29 CFR 1910.1200).

HMIS RATING: HEALTH-2, FLAMMABILITY-0, REACTIVITY-0,, PERSONAL PROTECTION- E

Prepared by: Premix- Marbletite Product Safety & Regulatory Compliance Group, (800) 432-5097

The information herein is given in good faith, but no warranty expressed or implied is made. Roberts Consolidated urges users of this product to evaluate its suitability and compliance with local regulations as Roberts Consolidated cannot foresee the final use of the product, nor the final location of usage.

Date of issue:

Date Prepared: 02/23/2022