

SAFETY DATA SHEET

1. Identification

Product identifier	Super Shock-It 73		
Other means of identification			
Product code	W8001607, W8001606, W8001605		
Product registration number	EPA Registration Number: 748-294-42177		
Recommended use	Chlorine Disinfectant.		
Recommended restrictions	None known.		
Manufacturer/Importer/Supplier/	Distributor information		
Manufacturer			
Company name Address	Westlake Corporation 2801 Post Oak, Suite 600 Houston, TX 77056 United States		
Telephone	+1-713-960-9111		
Website E-mail	www.westlake.com sdsinfo@westlake.com		
Emergency phone number	CHEMTREC 1-800-424-9300		
	CHEMTREC International +1 703-741-5970 Health & Safety Emergency +1 304-455-6882		
2. Hazard(s) identification			
Physical hazards	Oxidizing solids	Category 2	
Health hazards	Acute toxicity, oral	Category 4	
	Skin corrosion/irritation	Category 1	
	Serious eye damage/eye irritation	Category 1	
	Specific target organ toxicity, single exposure	Category 3 respiratory tract irritation	
OSHA defined hazards	Not classified.		
Label elements			
Signal word	Danger		
Hazard statement	May intensify fire; oxidizer. Harmful if swallowed. Causes severe skin burns and eye damage. Causes serious eye damage. May cause respiratory irritation.		
Precautionary statement			
Prevention	Keep away from heat. Keep/Store away from clothing/combustible materials. Take any precaution to avoid mixing with combustibles. Avoid breathing vapors. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection.		
Response	Rinse mouth. If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If inhaled: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. Wash contaminated clothing before reuse. In case of fire: Use appropriate media to extinguish.		
Storage	Store in a well-ventilated place. Keep container tightly closed. Store locked up.		

2.1% of the mixture consists of component(s) of unknown acute dermal toxicity.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Calcium Hypochlorite		7778-54-3	70 - 78
Calcium Carbonate		471-34-1	1 - 5
Calcium Chlorate		10137-74-3	1 - 5
Calcium Hydroxide		1305-62-0	1 - 5

4. First-aid measures

Skin contactIf on clothing: Rinse immediately contaminated clothing and skin with plenty of water before removing clothes. Rinse skin with water/shower. Call a physician. Wash contaminated clothing before reuse.Eye contactImmediately (chemical burns must be treated by a physician. Wash contaminated clothing before reuse.IngestionCall a physician or poison control center immediately. Rinse mouth. Do not induce vomiting occurs, keep head low so that stomach content doesn't get into the lungs.Most important symptoms/effects, acute and delayedBurning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including bindness could result. May cause respiratory irritation.Indication of immediate medical attention and special reatment neededProvide general supportive measures and treat symptomatically. Chemical burns: Flush with water immediately. While flushing, remove clothes which do not achere to affected area. Call an provide general supportive measures and treat symptomatically. Chemical burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an immediately. While flushing, remove clothes which do not adhere to affected area. Call an personnel are aware of the material(s) involved, and take precautions to protect themselves. Show bost stafty data sheet to the doctor in attendance. Wash contaminated clothing before reuse.S. Fire-fighting measuresDenot use dry chemicals or foams. Product supplies own oxygen, therefore attempts to smother fre with a wet blanket, carbon dioxide, dry chemical fre extinguisher or are not effective.Specific hazards arising from the chemicalDuring fire, gases hazardous to he	Inhalation	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a poison center or doctor/physician if you feel unwell. Do not use mouth-to-mouth method if victim inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device.
Ingestionpresent and easy to do. Continue rinsing. Call a physician or poison control center immediately.IngestionCall a physician or poison control center immediately. Rinse mouth. Do not induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.Most important symptoms/effects, acute and delayedBurning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and burred vision. Permanent eye damage including blindness could result. May cause respiratory irritation.Indication of immediate medical attention and special treatment neededProvide general supportive measures and treat symptomatically. Chemical burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. Keep victim warm. Keep victim under observation. Symptoms may be delayed.General informationTake off all contaminated clothing immediately. Contact with combustible material may cause fire. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Wash contaminated clothing before reuse.5. Fire-fighting measuresDench with large quantities of water only. Do not use dry chemicals or foams. Product supplies own oxygen, therefore attempts to smother fire with a wet blanket, carbon dioxide, dry chemical striguisher are used.Specific hazards arising from the chemicalDuring fire, gases hazardous to health may be formed. Greatly increases the burning rate of combustible materials. Containers may explode when	Skin contact	removing clothes. Rinse skin with water/shower. Call a physician or poison control center immediately. Chemical burns must be treated by a physician. Wash contaminated clothing before
Vomiting occurs, keep head low so that stomach content doesn't get into the lungs.Most important symptoms/effects, acute and delayedBurning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. May cause respiratory irritation.Indication of immediate medical attention and special treatment neededProvide general supportive measures and treat symptomatically. Chemical burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. Keep victim warm. Keep victim under observation. Symptoms may be delayed.General informationTake off all contaminated clothing immediately. Contact with combustible material may cause fire. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Wash contaminated clothing before reuse.5. Fire-fighting measures suitable extinguishing mediaDench with large quantities of water only. Do not use dry chemicals or foams. Product supplies own oxygen, therefore attempts to smother fire with a wet blanket, carbon dioxide, dry chemical extinguishers are used.Specific hazards arising from the chemicalDuring fire, gases hazardous to health may be formed. Greatly increases the burning rate of combustible materials. Containers may explode when heated. Emits toxic fumes under fire conditions. Chlorine gas may be generated. Runoff may crease fire or explosion hazard. Some will react explosively with hydrocarbons (fuels).Specific	Eye contact	
symptoms/effects, acute and delayedinclude stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. May cause respiratory irritation.Indication of immediate medical attention and special treatment neededProvide general supportive measures and treat symptomatically. Chemical burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. Keep victim warm. Keep victim under observation. Symptoms may be delayed.General informationTake off all contaminated clothing immediately. Contact with combustible material may cause fire. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Wash contaminated clothing before reuse.5. Fire-fighting measuresDench with large quantities of water only. Do not use dry chemicals or foams. Product supplies own oxygen, therefore attempts to smother fire with a wet blanket, carbon dioxide, dry chemical extinguisher or other means are not effective. Product has the potential to cause a violent reaction if dry chemical fire extinguishers are used.Specific hazards arising from the chemicalDuring fire, gases hazardous to health may be formed. Greatly increases the burning rate of combustible materials. Containers may explode when heated. Emits toxic fumes under fire conditions. Chlorine gas may be generated. Runoff may create fire or explosion hazard. Some will react explosively with hydrocarbons (fuels).Special protective equipment and precautions for firefighters equipment/instructionsSelf-contained breathing	Ingestion	
medical attention and special treatment neededimmediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. Keep victim warm. Keep victim under observation. Symptoms may be delayed.General informationTake off all contaminated clothing immediately. Contact with combustible material may cause fire. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Wash contaminated clothing before reuse.5. Fire-fighting measuresDrench with large quantities of water only.Suitable extinguishing mediaDo not use dry chemicals or foams. Product supplies own oxygen, therefore attempts to smother fire with a wet blanket, carbon dioxide, dry chemical fire extinguishers are used.Specific hazards arising from the chemicalDuring fire, gases hazardous to health may be formed. Greatly increases the burning rate of combustible materials. Containers may explode when heated. Emits toxic fumes under fire conditions. Chlorine gas may be generated. Runoff may create fire or explosion hazard. Some will react explosively with hydrocarbons (fuels).Special protective equipment and precautions for firefighters equipment/instructions Specific methodsSelf-contained breathing apparatus and full protective clothing must be worn in case of fire.General informationIn case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do so without risk. Use water spray to cool unopened containers.	symptoms/effects, acute and	include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including
If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Wash contaminated clothing before reuse.5. Fire-fighting measuresDrench with large quantities of water only.Suitable extinguishing mediaDrench with large quantities of foams. Product supplies own oxygen, therefore attempts to smother fire with a wet blanket, carbon dioxide, dry chemical extinguisher or other means are not effective. Product has the potential to cause a violent reaction if dry chemical fire extinguishers are used.Specific hazards arising from the chemicalDuring fire, gases hazardous to health may be formed. Greatly increases the burning rate of combustible materials. Containers may explode when heated. Emits toxic fumes under fire conditions. Chlorine gas may be generated. Runoff may create fire or explosion hazard. Some will react explosively with hydrocarbons (fuels).Special protective equipment and precautions for firefightersSelf-contained breathing apparatus and full protective clothing must be worn in case of fire.Fire fighting equipment/instructionsIn case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do so without risk. Use water spray to cool unopened containers.Specific methodsCool containers exposed to flames with water until well after the fire is out.	medical attention and special	immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. Keep victim warm. Keep victim under
Suitable extinguishing media Unsuitable extinguishing mediaDrench with large quantities of water only.Specific hazards arising from the chemicalDo not use dry chemicals or foams. Product supplies own oxygen, therefore attempts to smother fire with a wet blanket, carbon dioxide, dry chemical extinguisher or other means are not effective. Product has the potential to cause a violent reaction if dry chemical fire extinguishers are used.Specific hazards arising from the chemicalDuring fire, gases hazardous to health may be formed. Greatly increases the burning rate of combustible materials. Containers may explode when heated. Emits toxic fumes under fire conditions. Chlorine gas may be generated. Runoff may create fire or explosion hazard. Some will react explosively with hydrocarbons (fuels).Special protective equipment and precautions for firefighters equipment/instructionsSelf-contained breathing apparatus and full protective clothing must be worn in case of fire. and/or explosion do not breathe fumes. Move containers from fire area if you can do so without risk. Use water spray to cool unopened containers. Cool containers exposed to flames with water until well after the fire is out.	General information	If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show
Unsuitable extinguishing mediaDo not use dry chemicals or foams. Product supplies own oxygen, therefore attempts to smother fire with a wet blanket, carbon dioxide, dry chemical extinguisher or other means are not effective. Product has the potential to cause a violent reaction if dry chemical fire extinguishers are used.Specific hazards arising from the chemicalDo not use dry chemicals. Containers may explode when heated. Emits toxic fumes under fire conditions. Chlorine gas may be generated. Runoff may create fire or explosion hazard. Some will react explosively with hydrocarbons (fuels).Special protective equipment and precautions for firefightersSelf-contained breathing apparatus and full protective clothing must be worn in case of fire. In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do so without risk. Use water spray to cool unopened containers.Specific methodsCool containers exposed to flames with water until well after the fire is out.	5. Fire-fighting measures	
mediafire with a wet blanket, carbon dioxide, dry chemical extinguisher or other means are not effective. Product has the potential to cause a violent reaction if dry chemical fire extinguishers are used.Specific hazards arising from the chemicalDuring fire, gases hazardous to health may be formed. Greatly increases the burning rate of combustible materials. Containers may explode when heated. Emits toxic fumes under fire conditions. Chlorine gas may be generated. Runoff may create fire or explosion hazard. Some will react explosively with hydrocarbons (fuels).Special protective equipment and precautions for firefightersSelf-contained breathing apparatus and full protective clothing must be worn in case of fire. In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do so without risk. Use water spray to cool unopened containers. Cool containers exposed to flames with water until well after the fire is out.	Suitable extinguishing media	Drench with large quantities of water only.
the chemicalcombustible materials. Containers may explode when heated. Emits toxic fumes under fire conditions. Chlorine gas may be generated. Runoff may create fire or explosion hazard. Some will react explosively with hydrocarbons (fuels).Special protective equipment and precautions for firefightersSelf-contained breathing apparatus and full protective clothing must be worn in case of fire.Fire fighting equipment/instructionsIn case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do so without risk. Use water spray to cool unopened containers.Specific methodsCool containers exposed to flames with water until well after the fire is out.	• •	fire with a wet blanket, carbon dioxide, dry chemical extinguisher or other means are not effective.
and precautions for firefightersFire fighting equipment/instructionsIn case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do so without risk. Use water spray to cool unopened containers.Specific methodsCool containers exposed to flames with water until well after the fire is out.		combustible materials. Containers may explode when heated. Emits toxic fumes under fire conditions. Chlorine gas may be generated. Runoff may create fire or explosion hazard. Some will
equipment/instructionsso without risk. Use water spray to cool unopened containers.Specific methodsCool containers exposed to flames with water until well after the fire is out.		Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
General fire hazards May intensify fire; oxidizer. Contact with combustible material may cause fire.	Specific methods	Cool containers exposed to flames with water until well after the fire is out.
	General fire hazards	May intensify fire; oxidizer. Contact with combustible material may cause fire.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep away from clothing and other combustible materials. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS. Do not mix this product with any other chemicals, including any other pool chemicals of any kind, such as other disinfection or "shock" pool products. Contamination with moisture, acids, organic matter, other chemicals (including, but not limited to cleaning chemicals and other pool chemicals), petroleum or paint products or other easily combustible materials may start a chemical reaction with generation of heat, liberation of hazardous gases and possible violent reaction leading to fire or explosion. See Section 8 of the SDS for Personal Protective Equipment.
Methods and materials for containment and cleaning up	Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil, etc.) away from spilled material. Ventilate the contaminated area. Minimize dust generation and accumulation. Wear appropriate protective equipment and clothing during clean-up. This material is classified as a water pollutant under the Clean Water Act and should be prevented from contaminating soil or from entering sewage and drainage systems which lead to waterways. Stop the flow of material, if this is without risk.
	Large Spills: Wet down with water and dike for later disposal. Shovel the material into waste container. Following product recovery, flush area with water.
	Small Spills: Sweep up or vacuum up spillage and collect in suitable container for disposal. Clean surface thoroughly to remove residual contamination.
	Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.
Environmental precautions	Avoid discharge into drains, water courses or onto the ground.
7. Handling and storage	
Precautions for safe handling	Minimize dust generation and accumulation. Routine housekeeping should be instituted to ensure that dusts do not accumulate on surfaces. Keep away from heat. Take any precaution to avoid mixing with combustibles. Keep away from clothing and other combustible materials. Do not get in eyes, on skin, or on clothing. Do not taste or swallow. Avoid prolonged exposure. When using, do not eat, drink or smoke. Provide adequate ventilation. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Observe good industrial hygiene practices. Do not mix this product with any other chemicals, including any other pool chemicals of any kind, such as other disinfection or "shock" pool products. Contamination with moisture, acids, organic matter, other chemicals (including, but not limited to cleaning chemicals and other pool chemicals), petroleum or paint products or other easily combustible materials may start a chemical reaction with generation of heat, liberation of hazardous gases and possible violent reaction leading to fire or explosion. Always add product to large quantities of water to fully dissolve product. Do not pour water into product, always add product to water. Do not use with stabilized chlorine or bromine tablet chemical feeders. Do not add this product to any dispensing device containing remnants of any other product or pool chemical.
Conditions for safe storage, including any incompatibilities	Store locked up. Keep away from heat. Store in a cool, dry place out of direct sunlight. Store in tightly closed container. Store in a well-ventilated place. Do not store near combustible materials. Store away from incompatible materials (see Section 10 of the SDS). Product is an NFPA Class 3 Oxidizer which can cause a severe increase in fire intensity.

8. Exposure controls/personal protection

Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

Components	Туре	Value	Form
Calcium Hydroxide (CAS 1305-62-0)	PEL	5 mg/m3	Respirable fraction.
		15 mg/m3	Total dust.
US. OSHA Table Z-3 (29 CFR 1910	.1000)		
US. OSHA Table Z-3 (29 CFR 1910 Components	.1000) Type	Value	Form
•	-	Value 5 mg/m3	Form Respirable fraction.

US. OSHA Table Z-3 (29 CFR 1910.1000)

Components	Туре	Value	Form
		50 mppcf	Total dust.
		15 mppcf	Respirable fraction.
Calcium Hydroxide (CAS 1305-62-0)	TWA	5 mg/m3	Respirable fraction.
1000-02-0)		15 mg/m3	Total dust.
		50 mppcf	Total dust.
		15 mppcf	Respirable fraction.
US. ACGIH Threshold Limit			
Components	Туре	Value	
Calcium Hydroxide (CAS 1305-62-0)	TWA	5 mg/m3	
US. NIOSH: Pocket Guide to		M.L.	Forme
Components	Туре	Value	Form
Calcium Carbonate (CAS 471-34-1)	TWA	5 mg/m3	Respirable.
		10 mg/m3	Total
Calcium Hydroxide (CAS 1305-62-0)	TWA	5 mg/m3	
logical limit values	No biological exposure limits noted for	or the ingredient(s).	
propriate engineering trols	Good general ventilation should be u applicable, use process enclosures, maintain airborne levels below recom established, maintain airborne levels shower must be available when hand	local exhaust ventilation, or oth nmended exposure limits. If ex to an acceptable level. Eye wa	ner engineering controls to posure limits have not been
vidual protection measures,	such as personal protective equipm		
Eye/face protection	Wear safety glasses with side shields	s (or goggles) and a face shiel	d.
Skin protection Hand protection	Wear appropriate chemical resistant	gloves. Frequent change is ad	visable.
Other	Wear appropriate chemical resistant	clothing. Use of an impervious	apron is recommended.
Respiratory protection	Chemical respirator with organic vapor cartridge.		
Thermal hazards	Wear appropriate thermal protective	clothing, when necessary.	
neral hygiene siderations	Keep from contact with clothing and clothing promptly. Keep away from fo measures, such as washing after har smoking. Routinely wash work clothi	ood and drink. Always observe ndling the material and before	good personal hygiene eating, drinking, and/or

9. Physical and chemical properties

Appearance	
Physical state	Solid.
Form	Granular.
Color	White
Odor	Chlorine-like
Odor threshold	Not available.
рН	Not available.
Melting point/freezing point	Not available.
Initial boiling point and boiling	Not available.
range	
Flash point	Not available.
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.

Upper/lower flammability or explosive limits

Upper/lower flammability or exp	losive limits
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	338 - 356 °F (170 - 180 °C)
Viscosity	Not available.
Other information	
Bulk density	1 - 1.07 g/cm³
Explosive properties	Not explosive.
Oxidizing properties	May intensify fire; oxidizer.

10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Product decomposes at approximately 170-180°C (338-356°F) releasing oxygen gas and some chlorine gas.
Possibility of hazardous reactions	Hazardous polymerization does not occur.
Conditions to avoid	Heat. Avoid temperatures exceeding the decomposition temperature. Contact with incompatible materials.
Incompatible materials	Highly reactive or incompatible with the following materials: moisture, combustible materials, organic materials, metals, acids, alkalis, oxidizing materials, reducing materials, ammonia, petroleum products, paint products, wood and paper, and pool chemicals. Acid or ammonia contamination will release toxic gases.
Hazardous decomposition products	Chlorine.

11. Toxicological information

Information on likely routes of exposure

Inhalation	May cause irritation to the respiratory system. Prolonged inhalation may be harmful.
Skin contact	Causes severe skin burns.
Eye contact	Causes serious eye damage.
Ingestion	Causes digestive tract burns. Harmful if swallowed.
Symptoms related to the physical, chemical and toxicological characteristics	Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. May cause respiratory irritation.

Information on toxicological effects

Acute toxicity In high concentrations, vapors are anesthetic and may cause headache, fatigue, dizziness and central nervous system effects. Harmful if swallowed.


Components	Species	Test Results
Calcium Carbonate (CAS 47	1-34-1)	
Acute		
Dermal		
LD50	Rat	> 2000 mg/kg, 24 Hours
Oral		
LD50	Rat	> 2000 mg/kg

Components	Species	1	lest Results	
Calcium Hydroxide (CAS 1305-62	-0)			
Acute				
Dermal				
LD50	Rabbit	>	· 2500 mg/kg, 24 Hours	
Oral				
LD50	Rat	7	'340 mg/kg	
Calcium Hypochlorite (CAS 7778-	54-3)			
Acute				
Dermal LD50	Rabbit		· 2000 mg/kg	
	Rabbit	-	2000 mg/kg	
Oral LD50	Rat	8	50 mg/kg	
Skin corrosion/irritation				
Serious eye damage/eye	Causes severe skin burns and eye damage. Causes serious eye damage.			
irritation		ye damage.		
Respiratory or skin sensitization	n			
Respiratory sensitization	Not a respiratory	sensitizer.		
Skin sensitization	This product is no	ot expected to cause skin sensitization		
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.			
Carcinogenicity	Not classifiable a	Not classifiable as to carcinogenicity to humans.		
IARC Monographs. Overall	Evaluation of Carc	inogenicity		
OSHA Specifically Regulate Not listed. US. National Toxicology Pro Not listed.	-			
Reproductive toxicity	This product is not expected to cause reproductive or developmental effects.			
Specific target organ toxicity - single exposure	May cause respiratory irritation.			
Specific target organ toxicity - repeated exposure	Not classified.			
Aspiration hazard	Not an aspiration hazard.			
Chronic effects	Prolonged inhala	tion may be harmful.		
12. Ecological informatior	1			
Ecotoxicity	The product is no		ous. However, this does not exclude the	
-			ul or damaging effect on the environment.	
Components		pecies	Test Results	
Calcium Carbonate (CAS 471	-34-1)			
Aquatic				
<i>Acute</i> Fish	LC50 W	/estern mosquitofish (Gambusia affinis	> 56000 mg/L 96 bours	
Calcium Hydroxide (CAS 130				
Aquatic	5-02-0)			
Acute				
	LC50 Za	ambezi barbel (Clarias gariepinus)	33.8844 mg/l, 96 hours	
Calcium Hypochlorite (CAS 7	778-54-3)			
Aquatic	-			
Acute				
Crustacea	EC50 R	otifer (Philodina acuticornis)	0.07 mg/l, 48 hours	

Components	:	Species	Test Results	
Fish	LC50 (Channel catfish (Ictalurus punctatus)	>= 0.027 - <= 0.137 mg/l, 96 hours	
Persistence and degradability	No data is available on the degradability of any ingredients in the mixture.			
Bioaccumulative potential				
Mobility in soil	No data available.			
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.			
13. Disposal considerations				
Disposal instructions	Dispose of this material and its container to hazardous or special waste collection point. If discarded, this product is considered a RCRA ignitable waste, D001. Dispose of contents/container in accordance with local/regional/national/international regulations.			
Local disposal regulations	Dispose in accordance with all applicable regulations.			
Hazardous waste code	D001: Waste Flammable material with a flash point <140 F D002: Waste Corrosive material [pH <=2 or =>12.5, or corrosive to steel]			
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions). Spilled material that has been swept up and dissolved in water should be used immediately in the normal application for which this product is being consumed. If this is not possible, material may be neutralized. Please contact Westlake Corporation Emergency Response team for guidance at +1 (304) 455-6882. Unneutralized material can cause environmental damage to any receiving water or can interfere with treatment plant operation.			
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.			

14. Transport information

DOT		
UN number	UN2880	
UN proper shipping name	Calcium hypochlorite, hydrated or Calcium hypochlorite, hydrated mixtures, with not less than 5.5 % but not more than 16 % water (Calcium Hypochlorite RQ = 14 LBS), MARINE POLLUTANT	
Transport hazard class(es)		
Class	5.1	
Subsidiary risk	-	
Label(s)	5.1	
Packing group	II	
Environmental hazards		
Marine pollutant	Yes	
· · ·	Read safety instructions, SDS and emergency procedures before handling.	
Special provisions	165, IB8, IP2, IP4, IP13, W9	
Packaging exceptions	152	
Packaging non bulk	212	
Packaging bulk	240	
ΙΑΤΑ		
UN number	UN2880	
UN proper shipping name	Calcium hypochlorite, hydrated with >= 5.5% but <= 16% water	
Transport hazard class(es)		
Class	5.1	
Subsidiary risk	-	
Packing group	II	
Environmental hazards	Yes	
ERG Code	5L	
Special precautions for user Other information	Read safety instructions, SDS and emergency procedures before handling.	
Passenger and cargo aircraft	Allowed with restrictions.	
Cargo aircraft only	Allowed with restrictions.	
IMDG		
UN number	UN2880	
UN proper shipping name	CALCIUM HYPOCHLORITE, HYDRATED or CALCIUM HYPOCHLORITE, HYDRATED MIXTURE with not less than 5.5% but not more than 16% water, MARINE POLLUTANT	





Marine pollutant



General information

IMDG Regulated Marine Pollutant. DOT Regulated Marine Pollutant.

15. Regulatory information

US federal regulations

This is a pesticide product registered with the Environmental Protection Agency and is regulated under FIFRA. Pesticide products are exempt from TSCA and not subject to inventory requirements. This chemical is a pesticide product registered with the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals.

Toxic Substances Control Act (TSCA)

All components of the mixture on the TSCA 8(b) inventory are designated "active" or exempt.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Calcium Hypochlorite (CAS 7778-54-3)

Listed.

SARA 304 Emergency releated. Not regulated. OSHA Specifically Regulate Not listed.	se notification d Substances (29 CFR 1910.1001-1053)
Superfund Amendments and Re	authorization Act of 1986 (SARA)
SARA 302 Extremely hazard Not listed.	lous substance
SARA 311/312 Hazardous chemical	Yes
Classified hazard categories	Oxidizer (liquid, solid, or gas) Acute toxicity (any route of exposure) Skin corrosion or irritation Serious eye damage or eye irritation Specific target organ toxicity (single or repeated exposure)
SARA 313 (TRI reporting) Not regulated.	
Other federal regulations	

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act Contains component(s) regulated under the Safe Drinking Water Act.

(SDWA)

US state regulations

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))

Calcium Chlorate (CAS 10137-74-3)

California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins. For more information go to www.P65Warnings.ca.gov.

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Industrial Chemicals (AICIS)	No
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes
** ***		

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date	03-09-2023
Revision date	05-07-2024
Version #	03

HMIS® ratings

NFPA ratings

NFPA ratings

Health: 3 Flammability: 0 Physical hazard: 2 Health: 3 Flammability: 0 Instability: 1 Special hazards: OX



Disclaimer

The technical information given herein is accurate to the best of our knowledge at the time of preparation, or prepared from sources believed to be reliable. Westlake cannot anticipate all conditions under which this information and our product, or the products of other manufacturers in combination with our product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product; comply with all laws and procedures; assume liability for loss, injury, damage or expense due to improper use; and determine the suitability of the product for your intended use. The information in this sheet is valid for cited regulations published as of the date this document was prepared. Updates may be prepared as the regulations are amended or pending revised information about the product. It is the customer's responsibility to seek updated regulatory information on any specific Westlake product.

All products supplied by Westlake are subject to Westlake's terms and conditions of sale. WESTLAKE MAKES NO WARRANTY, EXPRESSED OR IMPLIED, CONCERNING THE PRODUCT OR THE MERCHANTABILITY OR FITNESS THEREOF FOR ANY PURPOSE OR CONCERNING THE ACCURACY OF ANY INFORMATION PROVIDED BY Westlake, except that the product shall conform to Westlake's specifications.